

windows

Execution Environment

Host name	javie - host.docker.internal
Local OS	Windows 10 64bit
Katalon version	8.5.2.208
Browser	null

Summary

ID	Test Suites/windows		
Description			
Total	1		
Passed	0	Failed	1
Error	0	Incomplete	0
Skipped	0		
Start	2022-12-01 17:31:03	End	2022-12-01 17:31:12
Elapsed	9,590s		

#	ID	Description	Status
1	Test Cases/Windows/notas		FAILED

notas

Information

ID	Test Cases/Windows/notas		
Description			
Tag			
Start	2022-12-01 17:31:10	End	2022-12-01 17:31:12
Elapsed	2,063s		
Status	FAILED		

Details

#	Description	Elapsed	Status
---	-------------	---------	--------

notas

#	Description	Elapsed	Status
1	<p>startApplicationWithTitle("C:\Windows\System32\notepad.exe", "Test1")</p> <p>Connection refused: connect Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:25:53' System info: host: 'MAXIMILIANO', ip: '192.168.0.123', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '1.8.0_282' Driver info: driver.version: WindowsDriver (Root cause: org.openqa.selenium. WebDriverException: Connection refused: connect Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:25:53' System info: host: 'MAXIMILIANO', ip: '192.168.0.123', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '1.8.0_282' Driver info: driver.version: WindowsDriver at io.appium.java_client.remote.AppiumCommandExecutor.lambda\$5 (AppiumCommandExecutor.java:251) at io.appium.java_client.remote.AppiumCommandExecutor.execute (AppiumCommandExecutor.java:250) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver. java:552) at io.appium.java_client.DefaultGenericMobileDriver.execute (DefaultGenericMobileDriver.java:42) at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1) at io.appium.java_client.windows.WindowsDriver.execute(WindowsDriver.java:1) at org.openqa.selenium.remote.RemoteWebDriver.startSession (RemoteWebDriver.java:213) at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java: 131) at io.appium.java_client.DefaultGenericMobileDriver.<init> (DefaultGenericMobileDriver.java:38) at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:84) at io.appium.java_client.windows.WindowsDriver.<init>(WindowsDriver.java:38) at com.kms.katalon.core.windows.driver.WindowsDriverFactory. newWindowsDriver(WindowsDriverFactory.java:194) at com.kms.katalon.core.windows.driver.WindowsDriverFactory.startApplication (WindowsDriverFactory.java:112) at com.kms.katalon.core.windows.driver.WindowsDriverFactory.startApplication (WindowsDriverFactory.java:96) at com.kms.katalon.core.windows.driver.WindowsDriverFactory\$startApplication. call(Unknown Source) at com.kms.katalon.core.windows.keyword.builtin. StartApplicationWithTitleKeyword\$_startApplicationWithTitle_closure1.doCall (StartApplicationWithTitleKeyword.groovy:33) at com.kms.katalon.core.windows.keyword.builtin. StartApplicationWithTitleKeyword\$_startApplicationWithTitle_closure1.doCall (StartApplicationWithTitleKeyword.groovy) at com.kms.katalon.core.keyword.internal.KeywordMain.runKeyword (KeywordMain.groovy:89) at com.kms.katalon.core.keyword.internal.KeywordMain\$runKeyword.call (Unknown Source) at com.kms.katalon.core.windows.keyword.builtin. StartApplicationWithTitleKeyword.startApplicationWithTitle (StartApplicationWithTitleKeyword.groovy:32) at com.kms.katalon.core.windows.keyword.builtin. StartApplicationWithTitleKeyword.execute(StartApplicationWithTitleKeyword.groovy:28) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.windows.keyword.WindowsBuiltinKeywords. startApplicationWithTitle(WindowsBuiltinKeywords.java:1064) at com.kms.katalon.core.windows.keyword.</p>	2,045s	FAILED

notas

#	Description	Elapsed	Status
	WindowsBuiltinKeywords\$startApplicationWithTitle.call(Unknown Source) at notas.run(notas:20) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine. java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor. java:448) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor. java:439) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:418) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:410) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:285) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:369) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:369) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:369) at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:151) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 106) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 185) at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call(Unknown Source) at TempTestSuite1669926655741.run(TempTestSuite1669926655741.groovy:36) Caused by: java.net.ConnectException: Connection refused: connect at okhttp3.internal.platform.Platform.connectSocket(Platform.java:129) at okhttp3.internal.connection.RealConnection.connectSocket(RealConnection. java:245) at okhttp3.internal.connection.RealConnection.connect(RealConnection.java:165) at okhttp3.internal.connection.StreamAllocation.findConnection(StreamAllocation. java:257) at okhttp3.internal.connection.StreamAllocation.findHealthyConnection (StreamAllocation.java:135) at okhttp3.internal.connection.StreamAllocation.newStream(StreamAllocation. java:114) at okhttp3.internal.connection.ConnectInterceptor.intercept(ConnectInterceptor. java:42) at okhttp3.internal.http.RealInterceptorChain.proceed(RealInterceptorChain.java: 147) at okhttp3.internal.http.RealInterceptorChain.proceed(RealInterceptorChain.java: 121) at okhttp3.internal.cache.CacheInterceptor.intercept(CacheInterceptor.java:93) at okhttp3.internal.http.RealInterceptorChain.proceed(RealInterceptorChain.java: 147) at okhttp3.internal.http.RealInterceptorChain.proceed(RealInterceptorChain.java: 121) at okhttp3.internal.http.BridgeInterceptor.intercept(BridgeInterceptor.java:93) at okhttp3.internal.http.RealInterceptorChain.proceed(RealInterceptorChain.java: 147) at okhttp3.internal.http.RetryAndFollowUpInterceptor.intercept		

notas

#	Description	Elapsed	Status
147)	(RetryAndFollowUpInterceptor.java:126) at okhttp3.internal.http.RealInterceptorChain.proceed(RealInterceptorChain.java:121) at okhttp3.internal.http.RealInterceptorChain.proceed(RealInterceptorChain.java:121) at okhttp3.RealCall.getResponseWithInterceptorChain(RealCall.java:200) at okhttp3.RealCall.execute(RealCall.java:77) at org.openqa.selenium.remote.internal.OkHttpClient.execute(OkHttpClient.java:103) at org.openqa.selenium.remote.ProtocolHandshake.createSession (ProtocolHandshake.java:105) at io.appium.java_client.remote.AppiumCommandExecutor\$1.createSession (AppiumCommandExecutor.java:186) at io.appium.java_client.remote.AppiumCommandExecutor.createSession (AppiumCommandExecutor.java:217) at io.appium.java_client.remote.AppiumCommandExecutor.execute (AppiumCommandExecutor.java:239) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:552) at io.appium.java_client.DefaultGenericMobileDriver.execute (DefaultGenericMobileDriver.java:42) at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1) at io.appium.java_client.windows.WindowsDriver.execute(WindowsDriver.java:1) at org.openqa.selenium.remote.RemoteWebDriver.startSession (RemoteWebDriver.java:213) at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:131) at io.appium.java_client.DefaultGenericMobileDriver.<init> (DefaultGenericMobileDriver.java:38) at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:84) at io.appium.java_client.windows.WindowsDriver.<init>(WindowsDriver.java:38) at com.kms.katalon.core.windows.driver.WindowsDriverFactory. newWindowsDriver(WindowsDriverFactory.java:194) at com.kms.katalon.core.windows.driver.WindowsDriverFactory.startApplication (WindowsDriverFactory.java:112) at com.kms.katalon.core.windows.driver.WindowsDriverFactory.startApplication (WindowsDriverFactory.java:96) at com.kms.katalon.core.windows.driver.WindowsDriverFactory\$startApplication. call(Unknown Source) at com.kms.katalon.core.windows.keyword.builtin. StartApplicationWithTitleKeyword\$_startApplicationWithTitle_closure1.doCall (StartApplicationWithTitleKeyword.groovy:33) at com.kms.katalon.core.windows.keyword.builtin. StartApplicationWithTitleKeyword\$_startApplicationWithTitle_closure1.doCall (StartApplicationWithTitleKeyword.groovy:33) at com.kms.katalon.core.keyword.internal.KeywordMain.runKeyword (KeywordMain.groovy:89) at com.kms.katalon.core.keyword.internal.KeywordMain\$runKeyword.call (Unknown Source) at com.kms.katalon.core.windows.keyword.builtin. StartApplicationWithTitleKeyword.startApplicationWithTitle (StartApplicationWithTitleKeyword.groovy:32) at com.kms.katalon.core.windows.keyword.builtin. StartApplicationWithTitleKeyword.execute(StartApplicationWithTitleKeyword.groovy:28) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.windows.keyword.WindowsBuiltinKeywords. startApplicationWithTitle(WindowsBuiltinKeywords.java:1064)		

notas

#	Description	Elapsed	Status
	at com.kms.katalon.core.windows.keyword. WindowsBuiltinKeywords\$startApplicationWithTitle.call(Unknown Source) at Script1669764230389.run(Script1669764230389.groovy:20) ... 16 more)		