LoginBasico

Execution Environment

Host name	javie - host.docker.internal
Local OS	Windows 10 64bit
Katalon version	8.5.2.208
Browser	null

Summary

ID	Test Suites/LoginBasico/LoginBasico		
Description			
Total	1		
Passed	0	Failed	1
Error	0	Incomplete	0
Skipped	0		
Start	2022-12-06 09:59:32	End	2022-12-06 09:59:33
Elapsed	0,772s		

#	ID	Description	Status
1	Test Cases/Login/LoginBasico		FAILED

LoginBasico

Information

ID   Test Cases/Login/LoginBasico

Description

Tag

Start   2022-12-06 09:59:33   End   2022-12-06 09:59:33

Elapsed   0,027s

Status   FAILED

Details

#	Description	Elapsed	Status

LoginBasico

#	Description	Elapsed	Status
1	openBrowser("")	0,014s	FAILED

Unable to open browser with url: '' (Root cause: com.kms.katalon.core.exception.
StepFailedException: Unable to open browser with url: ''
    at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed
(WebUIKeywordMain.groovy:64)
    at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword
(WebUIKeywordMain.groovy:26)
    at com.kms.katalon.core.webui.keyword.builtin.OpenBrowserKeyword.
openBrowser(OpenBrowserKeyword.groovy:81)
    at com.kms.katalon.core.webui.keyword.builtin.OpenBrowserKeyword.execute
(OpenBrowserKeyword.groovy:67)
    at com.kms.katalon.core.keyword.internal.KeywordExecutor.
executeKeywordForPlatform(KeywordExecutor.groovy:74)
    at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.openBrowser
(WebUiBuiltInKeywords.groovy:64)
    at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords$openBrowser.call
(Unknown Source)
    at LoginBasico.run(LoginBasico:20)
    at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)
    at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.
java:119)
    at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.
java:448)
    at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.
java:439)
    at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase
(TestCaseExecutor.java:418)
    at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase
(TestCaseExecutor.java:410)
    at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.
java:285)
    at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.
java:369)
    at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.
java:369)
    at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.
java:369)
    at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase
(CommonExecutor.java:65)
    at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase
(TestSuiteExecutor.java:151)
    at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:
106)
    at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:
185)
    at com.kms.katalon.core.main.TestCaseMain$startTestSuite$0.call(Unknown
Source)
    at TempTestSuite1670331564792.run(TempTestSuite1670331564792.groovy:36)
Caused by: org.openqa.selenium.WebDriverException: SafariDriver requires Safari 10
running on OSX El Capitan or greater.
Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:25:53'
System info: host: 'MAXIMILIANO', ip: '192.168.0.123', os.name: 'Windows 10', os.arch:
'amd64', os.version: '10.0', java.version: '1.8.0_282'
Driver info: driver.version: CSafariDriver
    at org.openqa.selenium.safari.SafariDriverService.createDefaultService
(SafariDriverService.java:59)
    at org.openqa.selenium.safari.SafariDriver.<init>(SafariDriver.java:63)

LoginBasico

#	Description	Elapsed	Status

at com.kms.katalon.selenium.driver.CSafariDriver.<init>(CSafariDriver.java:14)

at com.kms.katalon.core.webui.driver.DriverFactory.createNewSafariDriver (DriverFactory.java:430)

at com.kms.katalon.core.webui.driver.DriverFactory.startNewBrowser (DriverFactory.java:364)

at com.kms.katalon.core.webui.driver.DriverFactory.openWebDriver (DriverFactory.java:254)

at com.kms.katalon.core.webui.keyword.builtin. OpenBrowserKeyword$_openBrowser_closure1.doCall(OpenBrowserKeyword.groovy:74)

at com.kms.katalon.core.webui.keyword.builtin. OpenBrowserKeyword$_openBrowser_closure1.call(OpenBrowserKeyword.groovy)

at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20)

at com.kms.katalon.core.webui.keyword.builtin.OpenBrowserKeyword. openBrowser(OpenBrowserKeyword.groovy:81)

at com.kms.katalon.core.webui.keyword.builtin.OpenBrowserKeyword.execute (OpenBrowserKeyword.groovy:67)

at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74)

at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.openBrowser (WebUiBuiltInKeywords.groovy:64)

at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords$openBrowser.call (Unknown Source)

at Script1670269857226.run(Script1670269857226.groovy:20)

... 16 more

)