Execution Environment

Host name javie - host.docker.internal

Local OS Windows 10 64bit

Katalon version 8.5.2.208 Browser null

Summary

ID Test Suites/LoginBasico/LoginBasico

Description

Total 1

Passed 0 Failed 1
Error 0 Incomplete 0

Skipped 0

Start 2022-12-06 10:09:53 End 2022-12-06 10:09:54

Elapsed 0,800s

#	ID	Description	Status
1	Test Cases/Login/LoginBasico		FAILED

Information

ID Test Cases/Login/LoginBasico

Description

Tag

Start 2022-12-06 10:09:54 End 2022-12-06 10:09:54

Elapsed 0,026s Status FAILED

Details

#	Description	Elapsed	Status
---	-------------	---------	--------

Description	Elapsed	Status
openBrowser("")	0,013s	FAILED
Unable to open browser with url: " (Root cause: com.kms.katalon.core.exception.		
StepFailedException: Unable to open browser with url: "		
at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed		
(WebUIKeywordMain.groovy:64)		
at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword		
(WebUIKeywordMain.groovy:26)		
at com.kms.katalon.core.webui.keyword.builtin.OpenBrowserKeyword.		
openBrowser(OpenBrowserKeyword.groovy:81)		
at com.kms.katalon.core.webui.keyword.builtin.OpenBrowserKeyword.execute		
(OpenBrowserKeyword.groovy:67)		
at com.kms.katalon.core.keyword.internal.KeywordExecutor.		
executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.openBrowser		
(WebUiBuiltInKeywords.groovy:64)		
at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords\$openBrowser.call		
(Unknown Source)		
at LoginBasico.run(LoginBasico:20)		
at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)		
at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.		
java:119)		
at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.		
java:448)		
at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.		
java:439)		
at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase		
(TestCaseExecutor.java:418)		
at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase		
(TestCaseExecutor.java:410)		
$at\ com. kms. katalon. core. main. Test Case Executor. execute (Test Case Executor.$		
java:285)		
at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.		
java:369)		
at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.		
java:369)		
at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.		
java:369)		
at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase		
(CommonExecutor.java:65) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase		
(TestSuiteExecutor.java:151)		
at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:		
106)		
at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:		
185)		
at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call(Unknown		
Source)		
at TempTestSuite1670332185394.run(TempTestSuite1670332185394.groovy:36)		
Caused by: com.kms.katalon.core.exception.StepFailedException: No driver is set for		
execution.		
at com.kms.katalon.core.webui.driver.DriverFactory.startNewBrowser		
(DriverFactory.java:337)		
at com.kms.katalon.core.webui.driver.DriverFactory.openWebDriver		
(DriverFactory.java:254)		
at com kms katalon core webui keyword builtin		

at com.kms.katalon.core.webui.keyword.builtin.

OpenBrowserKeyword\$_openBrowser_closure1.doCall(OpenBrowserKeyword.groovy:74) at com.kms.katalon.core.webui.keyword.builtin.

Description Elapsed Status OpenBrowserKeyword\$_openBrowser_closure1.call(OpenBrowserKeyword.groovy) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20) at com.kms.katalon.core.webui.keyword.builtin.OpenBrowserKeyword. openBrowser(OpenBrowserKeyword.groovy:81) $at\ com.kms.katalon.core.webui.keyword.builtin.OpenBrowserKeyword.execute$ (OpenBrowserKeyword.groovy:67) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74) $at\ com. kms. katalon. core. webui. keyword. WebUiBuiltIn Keywords. open Browser$ (WebUiBuiltInKeywords.groovy:64) $at\ com. kms. katalon. core. webui. keyword. WebUiBuiltIn Keywords \$ open Browser. call$ (Unknown Source) at Script1670269857226.run(Script1670269857226.groovy:20) ... 16 more