

# Demo Document

---

## Table of content with `@[toc]` for HTML and PDF

1. [Write a todo list](#)
2. [A very long headline for TOC testing... Lorem ipsum dolor sit amet, consectetur adipisicing elit, sed do eiusmod tempor incididunt ut labore et dolore magna aliqua.](#)
3. [An h2 header](#)
4. [Here's a code sample:](#)
  1. [An h3 header](#)
5. [Headline 2](#)
  1. [Headline 3](#)
    1. [Headline 4](#)
      1. [Headline 5](#)
        1. [Headline 6](#)
    2. [External image](#)
    3. [Local image](#)
  6. [Testing some HTML code](#)

Paragraphs are separated by a blank line.

New line... Some changes... 😊

And ... 🤔 🤔 some 🤔 emojis 😞 😞 ... 🙈

2nd paragraph. *Italic*, **bold**, and `monospace`. Itemized lists look like:

- this one
- that one
- the other one

Note that — not considering the asterisk — the actual text content starts at 4-columns in.

Convert arrows like `-->` or `==>` to `→` or `⇒`

```
--> →  
<-- ←  
<--> ↔  
==> ⇒  
<== ←  
<==> ⇔
```

Block quotes are written like so.

They can span multiple paragraphs, if you like.

Use 3 dashes for an em-dash. Use 2 dashes for ranges (ex., "it's all in chapters 12–14"). Three dots ... will be converted to an ellipsis. Unicode is supported. ☺

## Write a todo list

---

... with list 🚩

- ☐ Step 1
- ☒ Step 2
- ☒ Step 3

... without list 🚩

- ☐ Step 1
- ☒ Step 2
- ☒ Step 3

**A very long headline for TOC testing... Lorem ipsum dolor sit amet, consectetur adipisicing elit, sed do eiusmod tempor incididunt ut labore et dolore magna aliqua.**

---

...

## An h2 header

---

Here's a numbered list:

1. first item
2. second item
3. third item

## Here's a code sample:

---

```
#!/bin/bash

##### CONFIG
ACCEPTED_HOSTS="/root/.hag_accepted.conf"
BE_VERBOSE=false

if [ "$UID" -ne 0 ]
then
    echo "Superuser rights required"
    exit 2
fi

genApacheConf(){
    echo -e "# Host ${HOME_DIR}$1/$2 :"
}
```

(which makes copying & pasting easier). You can optionally mark the delimited block for Pandoc to syntax highlight it:

```
import time
# Quick, count to ten!
for i in range(10):
    # (but not *too* quick)
    time.sleep(0.5)
    print i
```

### Long liner

```
38029ecd84f18db3e425967dbb75e4bb8c02ff6a3f1c546446532069432a6c854a0ee12d35282751360686e
c666832c6b9dda169298dcb923b09b0d7f72d4d7a
```

 as inline code.

### Long liner

```
38029ecd84f18db3e425967dbb75e4bb8c02ff6a3f1c546446532069432a6c854a0ee12d352827513606
86ec666832c6b9dda169298dcb923b09b0d7f72d4d7a
```

as code block.

## An h3 header

Now a nested list:

1. First, get these ingredients:
  - carrots
  - celery
  - lentils
2. Boil some water.
3. Dump everything in the pot and follow this algorithm:

```
find wooden spoon
uncover pot
stir
cover pot
balance wooden spoon precariously on pot handle
wait 10 minutes
goto first step (or shut off burner when done)
```

Do not bump wooden spoon or it will fall.

Notice again how text always lines up on 4-space indents (including that last line which continues item 3 above).

Here's a link to [a website](#).

Move the following to next page with `<div class="page-break"></div>`.

Some Headlines.

# Headline 1

---

## Headline 2

---

### Headline 3

#### Headline 4

##### Headline 5

##### Headline 6

Tables can look like this:

Lorem	Ipsum	Dolor
Lorem ipum dolor	Lorem ipsum dolor sit amet, consectetur adipisicing elit	Lorem ipsum dolor sit amet, consectetur adipisicing elit, sed do eiusmod tempor incididunt ut labore et dolore magna aliqua. Ut enim ad minim veniam, quis nostrud exercitation ullamco laboris nisi ut aliquip ex ea commodo consequat. Duis aute irure dolor in reprehenderit in voluptate velit esse cillum dolore eu fugiat nulla pariatur. Excepteur sint occaecat cupidatat non proident, sunt in culpa qui officia deserunt mollit anim id est laborum.
Lorem ipum dolor	Lorem ipum dolor	Lorem ipsum dolor sit amet, consectetur adipisicing elit, sed do eiusmod tempor incididunt ut labore et dolore magna aliqua. Ut enim ad minim veniam, quis nostrud exercitation ullamco laboris nisi ut aliquip ex ea commodo consequat. Duis aute irure dolor in reprehenderit in voluptate velit esse cillum dolore eu fugiat nulla pariatur. Excepteur sint occaecat cupidatat non proident, sunt in culpa qui officia deserunt mollit anim id est laborum.
Lorem ipum dolor	Lorem ipum dolor	Lorem ipsum dolor sit amet, consectetur adipisicing elit, sed do eiusmod tempor incididunt ut labore et dolore magna aliqua. Ut enim ad minim veniam, quis nostrud exercitation ullamco laboris nisi ut aliquip ex ea commodo consequat. Duis aute irure dolor in reprehenderit in voluptate velit esse cillum dolore eu fugiat nulla pariatur. Excepteur sint occaecat cupidatat non proident, sunt in culpa qui officia deserunt mollit anim id est laborum.

## External image

```
![external image](http://placeholder.it/900x250/000/FFF)
```



900 x 250

Powered by HTML.COM

## Local image

Local image with relative path.

```
![local image](example.png)
```



i am local



And note that you can backslash-escape any punctuation characters which you wish to be displayed literally, ex.: `foo`, *\*bar\**, etc.

Anbei testen wir ein paar Umlaute und Sonderzeichen...

Äußerst schön verändert

## Testing some HTML code

---

Image with relative path...

```

```



i am local

Image external...

```

```



900 x 250

Powered by HTML.COM