Latihan 4

	B [penggajian]; ;	> select	* from p	penggajian
id	karyawan_nik	tahun	bulan	gaji_bayar
1	0001	2015	07	1000000
2	0002	2015	07	1000000
3	0003	2015	07	1000000
4	0004	2015	07	1000000
5	0005	2015	07	1000000
6	0001	2015	08	1000000
7	0002	2015	08	1000000
8	0003	2015	08	1000000
9	0004	2015	08	1000000
10	0005	2015	08	1000000
11	0001	2015	09	1200000
12	0002	2015	09	1200000
13	0003	2015	09	1200000
14	0004	2015	09	1200000
15	0005	2015	09	1200000
16	0001	2015	10	1300000
17	0002	2015	10	1300000
18	0003	2015	10	1200000
19	0004	2015	10	1200000
20	0005	2015	10	1200000
+ 10 row	s in set (0.001	l sec)	+	++

Dari gambar tersebut dapat di ceritakan terdapat 5 karyawan dengan nik 0001, 0002, pada July 2015, mereka semua di gajih 1.000.000/bulan, dan mendapat kenaikan gaji pada bulan 09 tahun 2015 menjadi 1.200.000. Kemudian, pada bulan 10 tahun 2015 karyawan dengan nik 0001 dan 0002 mendapat kenaikan gajih kembali menjadi 1.300.000

nama	tahun	bulan	gaji_bayar					
WACHID	2015	07	1000000					
DWI	2015	07	1000000					
TRIO	2015	07	1000000					
ARBA	2015	07	1000000					
PANCA	2015	07	1000000					
WACHID	2015	08	1000000					
DWI	2015	08	1000000					
TRIO	2015	08	1000000					
ARBA	2015	08	1000000					
PANCA	2015	08	1000000					
WACHID	2015	09	1200000					
DWI	2015	09	1200000					
TRIO	2015	09	1200000					
ARBA	2015	09	1200000					
PANCA	2015	09	1200000					
WACHID	2015	10	1300000					
DWI	2015	10	1300000					
TRIO	2015	10	1200000					
ARBA	2015	10	1200000					
PANCA	2015	10	1200000					