Cancer Incidence AAPC Values - Men

■ 20-49 years ■ 50+ years

		P Value	P Value
		20-49	50+
Prostate*^		<0.001	<0.001
Thyroid*		<0.001	<0.001
MultipleMyeloma*		<0.001	<0.001
Kidney*		<0.001	<0.001
Gallbladder*		0.012	<0.001
Colorectum*^	_ _	<0.001	0.554
Pancreas*		<0.001	<0.001
Leukaemia*		<0.001	0.044
Liver		0.286	<0.001
Oral*	_ 	<0.001	<0.001
Hodgkin Lymphoma*	— —	<0.001	<0.001
Melanoma		0.066	<0.001
Testis*	- -	<0.001	<0.001
Brain and CNS*^		<0.001	0.259
Non-Hodgkin Lymphoma	——————————————————————————————————————	0.76	<0.001
Kaposi Sarcoma		0.964	<0.001
Oesophagus		0.068	<0.001
Lung		<0.001	<0.001
Larynx		0.016	<0.001
Stomach	- -	<0.001	<0.001
Bladder	-4 -3 -2 -1 0 1 2 3 4 5 6 7 8 AAPC	<0.001	<0.001

 $^{^{\}star}$ – AAPC for 20–49 is significantly greater than 0

^{^ –} AAPC for 20–49 is significantly greater than 0 and the AAPC for 50+ is not significantly greater than 0 or does not overlap with the confidence interval of the AAPC for 20–49