

PROJECT ANALYSIS DOCUMENT

IT Service Management System

An analysis of business needs, capabilities and user
experience

Author	Ukbe Taha Şahinkaya
Institution	Sakarya University, Software Engineering
Document Type	Analysis Document

Contents

1. Executive Summary	4
2. Introduction	5
2.1. Purpose of the Document	5
2.2. Scope	5
2.3. Target Audience and Definitions	5
3. System Overview	6
3.1. Problem Solved	6
3.2. How the System Works	6
4. User Roles and Permissions	7
5. Core Capabilities	9
6. The Journey of a Support Ticket	10
7. Screen Walkthrough	11
7.1. Login and Security	11
7.2. Customer Screens	11
7.3. Support Agent Screens	12
7.4. Administrator and Manager Screens	13
8. Service Quality: SLA and Satisfaction	16
9. Security and Privacy	17
10. Accessibility: Language, Theme and Mobile	18
11. Delivered Benefits and Conclusion	19

List of Figures

Figure 1. The end-to-end ticket flow	6
Figure 2. The five user roles and their areas of responsibility	7
Figure 3. The lifecycle of a support ticket	10
Figure 4. Login screen	11
Figure 5. Two-Factor Authentication (2FA)	11
Figure 6. Creating a new support ticket	11
Figure 7. The customer listing their tickets	11
Figure 8. Ticket detail and messaging	12
Figure 9. Satisfaction survey (CSAT)	12
Figure 10. Support agent workspace	12
Figure 11. Unassigned ticket pool	12
Figure 12. Agent ticket detail	12
Figure 13. AI-powered ticket summary	12
Figure 14. Canned responses	13
Figure 15. Administrator panel	13
Figure 16. User management panel	13
Figure 17. Product and topic management	13
Figure 18. Products list	13
Figure 19. Known issues management	14
Figure 20. Manager dashboard: performance indicators	14
Figure 21. Manager dashboard: analytics charts	14
Figure 22. Real-time notifications	14
Figure 23. Notification preferences	14
Figure 24. Email notification	15
Figure 25. Profile and personal preferences	15

1. Executive Summary

The IT Service Management System is an end-to-end enterprise support platform where customers log their technical problems and requests, the support team resolves these tickets within defined service times (SLA), and managers monitor the entire operation through live dashboards.

The system makes the entire process, from the creation of a ticket to its closure, transparent, measurable and automated. Support tickets are collected in a central pool, routed to the right team, their resolution times are tracked automatically, and customer satisfaction is measured at the end of the process. The platform can be used both via the web and a mobile application, in Turkish and English.

5
Flexible authorization through different user roles

4
Priority levels, each with its own dedicated service time

24/7
Automatic SLA tracking and early warning

2
Language support (Turkish & English) on web and mobile

AI
AI-powered ticket summarization

1-5
Star-rated customer satisfaction measurement (CSAT)

2. Introduction

2.1. Purpose of the Document

The purpose of this document is to set out, in clear and understandable language, the business objectives, user needs and capabilities of the support ticket management platform that has been developed. The document has been prepared so that decision-makers, end users and project stakeholders can evaluate the system without requiring technical knowledge.

2.2. Scope

The document covers the following topics:

- The business problem the system solves and its overall working logic,
- The user roles and the area of responsibility of each role,
- The core capabilities offered (ticket management, messaging, file sharing, notifications, reporting, etc.),
- The lifecycle of a support ticket from its creation to its closure,
- An interface walkthrough with real screenshots,
- The approach to service quality (SLA), satisfaction measurement, security and accessibility.

2.3. Target Audience and Definitions

The document has been prepared for project owners, business analysts, end-user representatives and non-technical stakeholders. The frequently used terms are explained below:

Term	Meaning
Support Ticket (Ticket)	A record opened for each problem or request submitted by the customer, tracked from start to finish.
SLA	Service Level Agreement: the target time within which a ticket must be resolved, based on its priority.
CSAT	Customer satisfaction score: a 1-5 star rating collected when a ticket is closed.
Pool	The list where tickets that have not yet been assigned to any agent, and are waiting to be claimed, are collected.
Claim	A support agent taking a ticket from the pool onto themselves.
Internal Note / Customer Reply	Two separate message channels within a ticket: internal notes visible only to the team, and replies visible to the customer.

3. System Overview

3.1. Problem Solved

In organizations, technical support requests are mostly managed through email, telephone and scattered spreadsheets. This leads to tickets getting lost, uncertainty about who is handling what, an inability to track resolution times, and an inability to measure customer satisfaction. This system solves all of these problems on a single central platform:

Before: A Scattered Process

- Tickets spread across different channels
- Owner unclear, tickets can be forgotten
- Resolution time cannot be tracked
- Performance and satisfaction cannot be measured

After: A Central Platform

- All tickets in one place, traceable
- Every ticket has a clear owner and status
- Service times are tracked automatically
- Performance and satisfaction are reported

The system aims to increase customer satisfaction, make the support team's performance measurable, and minimize human-caused errors by automating business processes.

3.2. How the System Works

In its simplest form, a ticket travels through six steps: a customer creates it, it lands in the pool of the relevant product team where the service-time clock starts, a support agent claims it and works on it, marks it resolved, and finally the customer confirms the solution and rates their satisfaction. Throughout this flow the parties receive real-time notifications, the service time is monitored automatically, and every action is recorded.



Throughout every step: real-time notifications, automatic SLA tracking, and a full audit record of each action.

Figure 1. *The end-to-end ticket flow*

4. User Roles and Permissions

The system has five core user roles. The roles are designed to be **combinable (additive)**: a user can hold more than one role, and their permissions are the sum of those roles. For example, a user who holds both the **Lead Agent** and **Admin** roles can run their product team's day-to-day support (assigning and resolving tickets, managing product content) and, at the same time, configure the system (users, products and access). The one exception is the **Customer** role: it is a *singleton* — a customer account cannot also hold any staff role, so the end-user and staff worlds stay cleanly separated.




Figure 2. The five user roles and their areas of responsibility

Role	Responsibilities and Permissions
Customer	The end user who uses the system to receive service. They create, list and track their own tickets; write replies to their tickets and attach files; confirm resolved tickets and fill out the satisfaction survey. A personal <i>Overview</i> dashboard summarizes their own ticket activity. They can only access their own data, and the customer role cannot be combined with any staff role.
Support Agent	The staff member who resolves technical problems. They see the tickets in the pool of the products they are authorized for, take them on (claim), change their statuses, message the customer, add internal notes visible only to the team, and record the effort they spend. A personal <i>My Performance</i> dashboard tracks their own resolution and satisfaction figures. The number of active tickets they can claim at the same time is limited.
Team Lead	In addition to all of the agent's permissions, they assign tickets to team members, can perform actions without claiming the ticket, manage product content (topics, known issues, shared canned responses), and view team and per-product performance dashboards for their products — including the ability to drill into an individual agent's figures.
Administrator (Admin)	Responsible for system configuration. They manage system-wide settings such as user and role management, product definitions and product access grants.

Role	Responsibilities and Permissions
Manager	The senior role that monitors the operation and performance. They view all tickets, SLA breaches, team performance and satisfaction scores across the entire system, and can open any individual user's or product's dashboard to drill down. They have read-only permission; they do not intervene operationally.

5. Core Capabilities

The platform has a rich capability set covering every stage of the support operation. These capabilities are summarized below by functional area.

Ticket Management

Creating a ticket by selecting a title, description, priority, product and topic; filtering and searching tickets by status, priority, product and date; claiming or releasing a ticket, assigning it, and changing its priority and topic.

Communication and Collaboration

Two separate message channels on every ticket: "replies" visible to the customer and "internal notes" visible only to the team. Canned response templates for fast and consistent communication.

File Sharing

Attaching screenshots, logs or documents to a ticket. Uploaded files are checked for type and size; text files are screened for sensitive information.

SLA (Service Time) Tracking

An automatic resolution time based on priority; a countdown timer; an early warning as the time approaches expiry; a notification to the manager in case of a breach. The timer pauses while a customer reply is awaited.

Real-Time Notifications

In-app real-time notifications and email when a ticket's status changes or a new message arrives. The user can turn each notification type on and off individually.

Satisfaction Measurement (CSAT)

For resolved tickets, the customer is presented with a 1-5 star satisfaction survey; the results are reflected in the manager reports.

AI-Powered Summarization

AI support that summarizes long and complex tickets, including messages, efforts and the resolution note, with a single click, in the user's language.

Knowledge Base

"Known issues" records by product and topic; the institutional knowledge base that agents can refer to while producing solutions.

Role-Scoped Dashboards

Everyone gets a dashboard suited to their role: a customer *Overview*, an agent *My Performance*, and team, per-product and system-wide views for leads and managers — with open-ticket counts, SLA breach rate, average resolution time, satisfaction (CSAT) distribution and trend, daily worklog, stuck-ticket alerts and a configurable date range.

User and Product Management

Creating users, assigning roles, activating or deactivating accounts; product definitions and product-based access grants for agents.

Secure Login


Secure single-account sign-on (SSO), optional Two-Factor Authentication (2FA) and secure password reset.

Multiple Languages and Themes

Turkish and English interface, emails and notifications; a light or dark theme option. Preferences are stored per user.

6. The Journey of a Support Ticket

Every support ticket passes through certain statuses from its creation to its closure. These statuses clearly show everyone which stage the ticket is currently in.



The service-time timer **pauses in both "Waiting for Customer" and "Resolved"**; it counts only while work is active. "Closed" is the final status and cannot be reverted.

Figure 3. *The lifecycle of a support ticket*

Status	Meaning
New	The customer has created the ticket; no agent has claimed it yet and it is waiting in the shared pool.
In Progress	An agent has claimed the ticket and started the resolution process.
Waiting for Customer	The agent has requested additional information or documents from the customer in order to resolve the issue. The service-time timer pauses at this stage.
Resolved	The problem has been technically resolved and submitted for the customer's confirmation. The service-time timer is also paused at this stage, while the ticket awaits confirmation.
Closed	The customer has confirmed the solution (or no reply has come within a certain period) and the ticket has been finally closed.

Fair time measurement

The service time counts only the time the support team is actively working. Time spent waiting for the customer, including while a resolved ticket awaits confirmation, is not counted against the team, so the SLA measurement stays fair for both sides.

7. Screen Walkthrough

This section introduces the system's core screens through real interface screenshots. All screens have a responsive design and support light and dark themes as well as Turkish and English language options.

7.1. Login and Security

Users access the system through a single secure login screen; accounts are provisioned centrally by administrators rather than through self-registration. Optional Two-Factor Authentication (2FA) and secure password reset are supported. After a successful login, the user is directed to the home screen appropriate to their role.




Figure 4. Login screen




Figure 5. Two-Factor Authentication (2FA)

7.2. Customer Screens

The customer creates a new ticket with a simple form, tracks their tickets in a single list, messages the agent and shares files on the ticket detail, and rates their satisfaction after a resolution. A personal Overview dashboard gives them an at-a-glance summary of their own tickets.




Figure 6. Creating a new support ticket




Figure 7. The customer listing their tickets




Figure 8. Ticket detail and messaging




Figure 9. Satisfaction survey (CSAT)

7.3. Support Agent Screens

The support agent manages the tickets they have taken on in their workspace, claims new tickets from the pool, corresponds with the customer on the ticket detail, adds internal notes, records effort, reuses canned responses and, when needed, makes use of the AI summary. A personal *My Performance* dashboard lets them follow their own resolution times and satisfaction scores.




Figure 10. Support agent workspace




Figure 11. Unassigned ticket pool




Figure 12. Agent ticket detail




Figure 13. AI-powered ticket summary




Figure 14. Canned responses

7.4. Administrator and Manager Screens

The manager role monitors comprehensive dashboards that include performance indicators, status distributions, SLA metrics, team success and satisfaction (CSAT) trends, and can drill into any individual user's or product's dashboard. The administrator role, on the other hand, manages users, products and system settings, while team leads maintain the knowledge base. Notifications also reach users by email.




Figure 15. Administrator panel




Figure 16. User management panel




Figure 17. Product and topic management




Figure 18. Products list




Figure 19. Known issues management




Figure 20. Manager dashboard: performance indicators




Figure 21. Manager dashboard: analytics charts




Figure 22. Real-time notifications




Figure 23. Notification preferences




Figure 24. Email notification




Figure 25. Profile and personal preferences

8. Service Quality: SLA and Satisfaction

The system safeguards service quality through two core mechanisms: priority-based service times (SLA) and customer satisfaction measurement (CSAT).

8.1. Service Times by Priority

Each ticket receives an automatic target resolution time based on its priority. The system continuously monitors this time; as the time approaches expiry it warns the relevant agent, and if the time is exceeded it marks the ticket as a "breach" and notifies management.

Priority	Target Resolution Time	Typical Use
Critical	1 hour	Business-stopping issues requiring urgent intervention
High	4 hours	Issues affecting important functions
Medium	24 hours	Standard requests
Low	72 hours	Information requests, minor improvements

Note: The times above are the system's default values and can be adjusted through configuration as needed.

8.2. Customer Satisfaction (CSAT)

When a ticket is resolved, the customer is presented with a satisfaction survey on a 1-5 star scale and an optional comment field. The collected scores are reported by team and by product — surfaced as a score column, filter and sort in the ticket lists and the audit log, and as score-distribution and trend charts on the dashboards — laying the groundwork for the continuous improvement of service quality.

9. Security and Privacy

The system has been designed with enterprise security standards in mind. User data and access permissions are protected in multiple layers.

Centralized and Secure Login

All logins are performed through a central identity server; the application never stores passwords. A secure session is opened with a single account (SSO).

Two-Factor Authentication

Users can enable Two-Factor Authentication (2FA) to protect their accounts with an additional layer of security.

Role-Based Access

Each user only sees the screens and operations their role permits. Menus and buttons are dynamically shaped according to the role.

Data Isolation

Customers can only see their own tickets; agents only deal with the products they are authorized for. Access rules are checked on every operation.

Traceability

Critical operations on tickets (claim, status change, closure, etc.) are recorded along with information on who performed them and when.

File Security

Uploaded files are checked for type and size; text-based files are screened for sensitive information such as passwords and keys.

10. Accessibility: Language, Theme and Mobile

Bilingual Support

The interface, emails, notifications and login screens are offered in Turkish and English. The user's language preference is saved and applied consistently across all channels.

Light / Dark Theme

Users can select a light or dark theme for visual comfort. The preference is stored per user and preserved across sessions.

Mobile Application

A mobile application offering the same functionality as the web application is also available. Users can create, track and reply to tickets from their phones.

Responsive Design

The web interface is designed to be responsive so that it adapts to desktop, tablet and phone screens.

11. Delivered Benefits and Conclusion

The IT Service Management System that has been developed delivers concrete business benefits by bringing scattered, hard-to-track support processes together on a single central and transparent platform.

Customer Side

- Tracking the status of tickets transparently at all times
- Fast and consistent responses
- Being able to express satisfaction directly
- A personal overview of their own tickets
- Access from web and mobile, in one's own language

Support Team Side

- Clear work distribution and prioritization
- The full ticket context on a single screen
- Speed with AI and canned responses
- A personal performance dashboard
- Focused work through automatic SLA tracking

Management Side

- Live performance and satisfaction dashboards
- Early detection of SLA breaches
- Data-driven decision-making
- Measurable team performance

Organization Side

- Standardized, auditable processes
- Preservation of institutional knowledge
- Reduction of human-caused errors
- High security standards

In conclusion, this platform is a modern and extensible solution that increases customer satisfaction, makes support processes transparent, and renders management data-driven. Detailed information about the system's technical architecture, data design and development approach is provided in a separate *Technical Analysis Document*.