

Admiralty Leisure Folio
SC5623 Ireland – South West Coast

The Notices to Mariners (NMs) listed below apply to the latest edition of SC5623 (4th Edition) published 4th February 2021.

L1394/21 NORTH SEA — ENGLAND — SCOTLAND — IRELAND
— Automatic Identification Systems. Virtual aids to navigation.

Source: Trinity House

Chart: SC5623·1 ETRS89 DATUM

Insert Automatic Identification System, AIS, at platform

51° 21' ·7N. , 8° 00' ·9W.

51° 22' ·2N. , 7° 56' ·8W.

Chart: SC5623·3 ETRS89 DATUM

Insert Automatic Identification System, AIS, at Kinsale B - West platform

51° 21' ·62N. , 8° 01' ·03W.

L1694/21 IRELAND — South Coast — — Depths.

Source: Geological Survey Ireland

Chart: SC5623·1 ETRS89 DATUM

Insert depth, 50, enclosed by 50m contour

52° 01' ·1N. , 6° 26' ·1W.

depth, 56

(a) 52° 02' ·1N. , 6° 20' ·7W.

Delete depth, 65, close NW of:

(a) above

L2097/21 IRELAND — South Coast — — Depths. Wrecks.

Source: Irish Government Survey

Chart: SC5623·16 (Panel A, Courtmacsherry Bay) ETRS89 DATUM

Insert depth, 6₁, and extend 10m contour S to enclose

(a) 51° 38' ·05N. , 8° 36' ·16W.

Delete depth, 8₇, close NE of:

(a) above

Insert depth, 9₆, enclosed by 10m contour

51° 37' ·82N. , 8° 35' ·85W.

depth, 12₁

(b) 51° 37' ·67N. , 8° 35' ·69W.

Delete depth, 16₄, close W of:

(b) above

Insert depth, 10₄

51° 37' ·66N. , 8° 36' ·70W.

depth, 6₄

(c) 51° 37' ·22N. , 8° 37' ·18W.

Delete depth, 8₇, close SE of:

(c) above

Insert depth, 1_7 , enclosed by 2m contour

51° 37' ·02N. , 8° 37' ·03W.

Chart: SC5623·18 ETRS89 DATUM

Insert depth, 6_7

51° 38' ·05N. , 8° 36' ·16W.

depth, 9_6 , enclosed by 10m contour

51° 37' ·82N. , 8° 35' ·85W.

depth, 10_4

(a) 51° 37' ·66N. , 8° 36' ·70W.

Delete depth, 12_3 , close NE of:

(a) above

Insert depth, 6_4

(b) 51° 37' ·22N. , 8° 37' ·18W.

Delete depth, 8_7 , close SE of:

(b) above

Replace depth, 16_4 , with depth, 12_1

51° 37' ·67N. , 8° 35' ·69W.

Temporary/Preliminary NMs

L2085(T)/21 IRELAND — South Coast — — Buoy.

Source: Commissioners of Irish Lights

1. A yellow data collection special light-buoy, *Fl.Y.5s*, has been temporarily established in position 51° 25' ·00N. , 9° 09' ·00W.

(ETRS89 DATUM)

Charts affected – SC5622 and SC5623

L2418/21 IRELAND — South Coast — — Depths.

Source: R. V. Lir.

Chart: SC5623·2 ETRS89 DATUM

Insert depth, 21_5 , and extend 30 m contour E to enclose

51° 27' ·02N. , 9° 27' ·51W.

Replace depth, 49 , with depth, 33

51° 22' ·41N. , 9° 38' ·22W.

Chart: SC5623·10 ETRS89 DATUM

Insert depth, 27_5 , and extend 30 m contour S to enclose

(a) 51° 27' ·94N. , 9° 42' ·26W.

Delete depth, 33 , close W of:

(a) above

Chart: SC5623·11 ETRS89 DATUM

Insert depth, 27_5 , and extend 30 m contour S to enclose

(a) 51° 27' ·94N. , 9° 42' ·26W.

Delete depth, 33 , close W of:

(a) above

Chart: SC5623-12 ETRS89 DATUM

Insert	depth, 14_s , and extend 20 m contour SE to enclose	$51^{\circ} 29' \cdot 93N. , 9^{\circ} 31' \cdot 16W.$
	depth, 6_s , and extend 10 m contour W to enclose and	(a) $51^{\circ} 29' \cdot 07N. , 9^{\circ} 25' \cdot 84W.$
Delete	depth, 9_s , close E of:	(a) above
Insert	depth, 2_s , and extend 5 m contour W to enclose	$51^{\circ} 29' \cdot 05N. , 9^{\circ} 25' \cdot 21W.$
	depth, 16_s , enclosed by 20 m contour	$51^{\circ} 27' \cdot 67N. , 9^{\circ} 26' \cdot 49W.$
	depth, 21_s	$51^{\circ} 27' \cdot 02N. , 9^{\circ} 27' \cdot 51W.$
	depth, 34	$51^{\circ} 27' \cdot 00N. , 9^{\circ} 27' \cdot 35W.$

Temporary/Preliminary NMs

L2939(P)/21 ENGLAND — West Coast — Submarine cable.

Source: SubCom

1. A submarine cable is being laid, joining the following approximate positions:

$50^{\circ} 50' \cdot 15N. , 4^{\circ} 33' \cdot 23W.$
 $50^{\circ} 50' \cdot 92N. , 4^{\circ} 38' \cdot 06W.$
 $50^{\circ} 50' \cdot 34N. , 4^{\circ} 40' \cdot 56W.$
 $50^{\circ} 51' \cdot 44N. , 5^{\circ} 24' \cdot 68W.$
 $50^{\circ} 51' \cdot 82N. , 5^{\circ} 27' \cdot 34W.$
 $50^{\circ} 52' \cdot 20N. , 5^{\circ} 37' \cdot 51W.$
 $50^{\circ} 48' \cdot 22N. , 7^{\circ} 12' \cdot 00W.$
 $50^{\circ} 28' \cdot 72N. , 8^{\circ} 24' \cdot 05W.$
 $50^{\circ} 10' \cdot 34N. , 8^{\circ} 29' \cdot 92W.$
 $49^{\circ} 44' \cdot 89N. , 8^{\circ} 52' \cdot 27W.$
 $49^{\circ} 13' \cdot 97N. , 9^{\circ} 30' \cdot 21W.$
 $49^{\circ} 04' \cdot 61N. , 10^{\circ} 14' \cdot 61W.$
 $49^{\circ} 01' \cdot 18N. , 10^{\circ} 21' \cdot 39W.$
 $48^{\circ} 50' \cdot 04N. , 10^{\circ} 20' \cdot 00W.$
 $48^{\circ} 36' \cdot 04N. , 10^{\circ} 35' \cdot 00W.$
 $48^{\circ} 11' \cdot 04N. , 10^{\circ} 42' \cdot 67W.$
 $48^{\circ} 03' \cdot 78N. , 10^{\circ} 35' \cdot 49W.$
 $47^{\circ} 57' \cdot 82N. , 10^{\circ} 34' \cdot 77W.$

2. Mariners are advised to navigate with caution in the area.
3. Charts will be updated when works are complete.

(ETRS89 DATUM)

Charts affected – SC5603, SC5608, SC5620, SC5622 and SC5623

Temporary/Preliminary NMs
L3025(T)/21 IRELAND — West Coast — — Buoy.
Source: Commissioners of Irish Lights




1. A yellow spherical light-buoy, *Fl(5).Y.20s*, has been established in position 51° 42' ·62N. , 9° 29' ·40W.
2. Mariners are advised to navigate with caution in the area.

(ETRS89 DATUM)

Chart affected – SC5623

L3613/21 IRELAND — South Coast — — Depths. Wrecks.
Source: Irish Government Survey

Chart: SC5623·1 ETRS89 DATUM

Insert	depth, 77	(a) 51° 23' ·1N. , 7° 24' ·7W.
Delete	depth, 81, close NE of:	(a) above
Insert	 Wk	(b) 51° 00' ·8N. , 8° 29' ·5W.
Delete	++ , close NW of:	(b) above
Insert	depth, 94, enclosed by 100m contour	(c) 50° 59' ·4N. , 8° 16' ·4W.
Delete	depth, 102, close SE of:	(c) above
Insert	depth, 99, enclosed by 100m contour	50° 57' ·4N. , 8° 40' ·7W.
Replace	 Wk with  Wk	50° 56' ·4N. , 8° 29' ·2W.

L4183/21 IRELAND — South Coast — — Depths. Danger lines.
Source: rv Geo


Chart: SC5623·12 ETRS89 DATUM

Insert	depth, 15, and extend danger line, dotted line S to enclose	(a) 51° 29' ·47N. , 9° 25' ·27W.
Delete	depth, 3, close N of:	(a) above
Insert	depth, 08, and extend danger line, dotted line SW to enclose	(b) 51° 29' ·33N. , 9° 25' ·46W.
Delete	depth, 6, close NW of:	(b) above
Replace	depth, 23, with depth, 24	51° 29' ·04N. , 9° 25' ·21W.

L90/22 IRELAND — South Coast — — Depths. Rock.

Source: Geological Survey Ireland

Chart: SC5623·18 ETRS89 DATUM

Replace depth, *8*, with, , with seabed type, *R*

51° 34' ·20N. , 8° 45' ·57W.

L137/22 IRELAND — West Coast — — Jetty. Light-beacon. Buoy.

Source: Commissioners of Irish Lights and UKHO


Chart: SC5623·6 (Panel A, Castletown Bearhaven) ETRS89 DATUM

Insert jetty, double firm line, width 20m, joining:

51° 38' ·775N. , 9° 54' ·309W.

51° 38' ·734N. , 9° 54' ·322W.

(a) 51° 38' ·730N. , 9° 54' ·469W.

 Fl.G.5s6m4M

(a) above

Delete  Fl.G.5s No 3

51° 38' ·796N. , 9° 54' ·430W.


Chart: SC5623·7 ETRS89 DATUM

Insert jetty, double firm line, width 20m, joining:

51° 38' ·775N. , 9° 54' ·309W.

51° 38' ·734N. , 9° 54' ·322W.

(a) 51° 38' ·730N. , 9° 54' ·469W.

 Fl.G.5s6m4M

(a) above

Delete  Fl.G.5s No 3

51° 38' ·796N. , 9° 54' ·430W.

Temporary/Preliminary NMs

L505(P)/22 IRELAND — West Coast — — Works. Breakwater. Light-beacon. Light.

Source: Commissioners of Irish Lights

1. Harbour works are in progress at Castletown Bearhaven within an area bounded by the following positions:

51° 38' ·816N. , 9° 54' ·732W.

51° 38' ·816N. , 9° 54' ·213W.

51° 38' ·628N. , 9° 54' ·213W.

51° 38' ·628N. , 9° 54' ·732W.

2. The works include developments to the Western Breakwater, Dinish Wharf, and the relocation of Castletownbere Port Entry Light, A6437, to position 51° 38' ·696N. , 9° 54' ·522W.
3. The directional light, A6436, will be in position 51° 38' ·779N. , 9° 54' ·315W. until work is complete. Sectors may not appear as charted.
4. Mariners are advised to navigate with caution in the area.
5. Charts will be updated when works are complete.

(ETRS89 DATUM)

Charts affected – SC5623

L855/22 IRELAND — South Coast — — Rocks. Depths.

Source: Geological Survey Ireland

Chart: SC5623·18 ETRS89 DATUM

Insert	depth, 7_4 , with seabed type R , and extend 10m contour S to enclose	(a) 51° 34' ·22N. , 8° 42' ·43W.
Delete	depth, 16_9 , close SW of:	(a) above
Insert	depth, 8_3 , with seabed type R , and extend 10m contour S to enclose	(b) 51° 34' ·17N. , 8° 42' ·58W.
Delete	depth, 5_4 , close N of:	(b) above
Replace	depth, 10 , with depth 5_3 , with seabed type R	51° 34' ·12N. , 8° 42' ·79W.

L1180/22 IRELAND — South West Coast — — Depths.

Source: rv Lir



Chart: SC5623·2 ETRS89 DATUM

Insert	depth, 14_2 , and extend 20m contour S to enclose	51° 45' ·77N. , 10° 10' ·93W.
--------	---	-------------------------------

L1193/22 IRELAND — West Coast — — Buoyage. Marine farm.

Source: Commissioners of Irish Lights

Chart: SC5623·7 ETRS89 DATUM

Insert		51° 39' ·10N. , 9° 52' ·29W.
		51° 38' ·97N. , 9° 52' ·28W.
	 Fl. Y. 5s	(a) 51° 39' ·11N. , 9° 51' ·84W.
		(b) 51° 38' ·97N. , 9° 51' ·83W.
	limit of marine farm, pecked line, joining:	(c) 51° 39' ·11N. , 9° 52' ·01W.
		(a) above

(b) above

(d) 51° 38' ·97N. , 9° 52' ·00W.

Delete former limit of marine farm, pecked line, joining:

(c)-(d) above

L1397/22 IRELAND — West Coast — — Buoy.

Source: Commissioners of Irish Lights

Chart: SC5623·6 (Panel A, Castletown Bearhaven) ETRS89 DATUM

Insert

 Fl.Y.5s

51° 38' ·59N. , 9° 54' ·65W.

The Notices to Mariners (NMs) listed below apply to the latest edition of SC5623 (3rd Edition) published 25th May 2021.

The 3rd Edition of this product dated 25th May 2017 has been withdrawn and superseded by a New Edition of the same title. Navigational and safety related changes have been incorporated in the New Edition. It must be fully understood that use of the information attached will be the updating of the 3rd Edition to the point at which it was withdrawn (4th February 2021). It is strongly recommended that the latest available edition of the product should be used.

L3400/17 IRELAND — West Coast — East Entrance — Buoy.

Source: Commissioners of Irish Lights Notice 7/16

Chart: SC5623·5 WGS84 DATUM

Insert

 VQ(3)5s

51° 38' ·74N. , 9° 45' ·94W.

Chart: SC5623·7 WGS84 DATUM

Insert

 VQ(3)5s

51° 38' ·74N. , 9° 45' ·94W.

L1175/18 IRELAND — East Coast — Tuskar Rock S — Automatic Identification System.

Source: Commissioners of Irish Lights

Chart: SC5623·1 ETRS89 DATUM

Delete Automatic Identification System, A/S, at light-buoy

52° 10' ·6N. , 6° 13' ·3W.

L1438/18 IRELAND — South Coast — Roches Point — Automatic Identification System.

Source: Commissioners of Irish Lights

Chart: SC5623-1 ETRS89 DATUM

Insert Automatic Identification System, AIS, at light

51° 47' ·6N. , 8° 15' ·1W.

Chart: SC5623-3 ETRS89 DATUM

Insert Automatic Identification System, AIS, at light

51° 47' ·56N. , 8° 15' ·26W.

L1966/18 IRELAND — West Coast — Dinish Island W — Light-beacon. Buoy.

Source: Irish Maritime Administration Notice 13/18

Chart: SC5623-6 (Panel A, Castletown Bearhaven) WGS84 DATUM

Replace



Fl.G.5s4M No 3 with



Fl.G.5s No 3

51° 38' ·816N. , 9° 54' ·460W.

Notices to Mariners - Weekly Edition 26/2018 Ireland - West Coast, Bantry Bay, Shot Head to Bantry.

— Chart 1838 — New Edition Announcement.

Charts SC5623-4 and SC5623-5 WGS84 DATUM

The following changes were published in the new edition of chart 1838, which is the source chart for the above folio sheets:

Includes changes to marine farms and shellfish beds. The chart limits have been revised as the horizontal datum of this chart has been transferred to ETRS89 Datum. Mariners should therefore navigate with caution on sheets SC5623-4 and SC5623-5 and be aware that any subsequent Notices to Mariners applied to these sheets are issued for information only.

These changes will be included in the next new edition of SC5623.

Notices to Mariners - Weekly Edition 26/2018 Ireland - West Coast, Bantry Bay, Black Ball Head to Shot Head.

— Chart 1840 — New Edition Announcement.

Charts SC5623-5, SC5623-6 and SC5623-7 WGS84 DATUM

The following changes were published in the new edition of chart 1840, which is the source chart for the above folio sheets:

Includes changes to marine farms. The chart limits have been revised as the horizontal datum of this chart has been transferred to ETRS89 Datum. Mariners should therefore navigate with caution on sheets SC5623-5, SC5623-6 and SC5623-7 and be aware that any subsequent Notices to Mariners applied to these sheets are issued for information only.

These changes will be included in the next new edition of SC5623.

Notices to Mariners - Weekly Edition 26/2018 Ireland - South Coast, Long Island Bay to Castlehaven.

— Chart 2129 — New Edition Announcement.

Charts SC5623-12 and SC5623-14 WGS84 DATUM

The following changes were published in the new edition of chart 2129, which is the source chart for the above folio sheets:

Includes changes to marine farms and shellfish beds. The chart limits have been revised as the horizontal datum of this chart has been transferred to ETRS89 Datum. Mariners should therefore navigate with caution on sheets SC5623-12 and SC5623-14 and be aware that any subsequent Notices to Mariners applied to these sheets are issued for information only.

These changes will be included in the next new edition of SC5623.

Notices to Mariners - Weekly Edition 26/2018 Ireland - South-West Coast, Mizen Head to Gascanane Sound.

— Chart 2184 — New Edition Announcement.

Charts SC5623-10 and SC5623-11 WGS84 DATUM

The following changes were published in the new edition of chart 2184, which is the source chart for the above folio sheets:

Includes changes to marine farms and shellfish beds. The chart limits have been revised as the horizontal datum of this chart has been transferred to ETRS89 Datum. Mariners should therefore navigate with caution on sheets SC5623-10 and SC5623-11 and be aware that any subsequent Notices to Mariners applied to these sheets are issued for information only.

These changes will be included in the next new edition of SC5623.

Notices to Mariners - Weekly Edition 26/2018 Ireland - South-West Coast, Dunmanus Bay.

— Chart 2552 — New Edition Announcement.

Charts SC5623-6, SC5623-8, SC5623-9 and SC5623-10 WGS84 DATUM

The following changes were published in the new edition of chart 2552, which is the source chart for the above folio sheets:

Includes changes to marine farms and shellfish beds. The chart limits have been revised as the horizontal datum of this chart has been transferred to ETRS89 Datum. Mariners should therefore navigate with caution on sheets SC5623-6, SC5623-8, SC5623-9 and SC5623-10 and be aware that any subsequent Notices to Mariners applied to these sheets are issued for information only.

These changes will be included in the next new edition of SC5623.

Notices to Mariners - Weekly Edition 26/2018 Ireland - South Coast, Baltimore Harbour.

— Chart 3725 — New Edition Announcement.

Chart SC5623-13 WGS84 DATUM

The following changes were published in the new edition of chart 3725, which is the source chart for the above folio sheet:

Includes changes to marine farms and shellfish beds. (The chart limits have been revised as the horizontal datum of this chart has been transferred to ETRS89 Datum.) Mariners should therefore navigate with caution on sheet SC5623-13 and be aware that any subsequent Notices to Mariners applied to this sheet are issued for information only.

These changes will be included in the next new edition of SC5623.

L03/18 ENGLAND — IRELAND — Baltimore Harbour — Label

Source: UKHO

Chart: SC5623-13 (Panel A, Baltimore Harbour) WGS84 DATUM

Replace graticule label, 24', with, graticule label 12'.5 outside S border, bottom left of panel

L3720/18 IRELAND — South Coast — — Light.

Source: Commissioners of Irish Lights

Note: Radar beacon and AIS remain unchanged.

Chart: SC5623-1 ETRS89 DATUM

Amend range of Fastnet Rock light to, 18M

51° 23' ·3N. , 9° 36' ·0W.

Chart: SC5623-2 ETRS89 DATUM

Amend Fastnet Rock light to, Fl.5s53m18M

51° 23' ·31N. , 9° 36' ·24W.

L4400/18 IRELAND — West Coast — — Works.

Source: Department of Transport Notice 33/18

Chart: SC5623-6 (Panel A, Castletown Bearhaven) ETRS89 DATUM

Insert legend, Works in progress (2018), centred on:

51° 38' ·656N. , 9° 54' ·513W.

Chart: SC5623-7 ETRS89 DATUM

Insert legend, Works in progress (2018), centred on:

51° 38' ·656N. , 9° 54' ·513W.

Notices to Mariners - Weekly Edition 43/2018 Ireland - South Coast, Old Head of Kinsale to Power Head.

— Chart 1765 — New Edition Announcement.

Chart SC5623-18 WGS84 DATUM

The following changes were published in the new edition of chart 1765, which is the source chart for the above folio sheet:

Includes changes to depths from the latest Port of Cork Company Surveys and changes to aids to navigation. Mariners should therefore navigate with caution on sheet SC5623-18 and be aware that any subsequent Notices to Mariners applied to this sheet are issued for information only.

These changes will be included in the next new edition of SC5623.

L5567/18 IRELAND — West Coast — — Buoyage.

Source: Harbour Master Castletownbere

Chart: SC5623-6 (Panel A, Castletown, Bearhaven) ETRS89 DATUM


Insert  Fl(4)Y.20s

51° 38' ·65N. , 9° 53' ·96W.

51° 38' ·77N. , 9° 53' ·19W.

51° 38' ·86N. , 9° 52' ·59W.

Chart: SC5623•7 ETRS89 DATUM

Insert  *Fl(4)Y.20s* 51° 38' ·65N. , 9° 53' ·96W.
51° 38' ·77N. , 9° 53' ·19W.
51° 38' ·86N. , 9° 52' ·59W.

L2302/19 IRELAND — South Coast — — Depth.

Source: rv Keary

Chart: SC5623•3 ETRS89 DATUM

Insert depth, *4s*, enclosed by 5m contour 51° 48' ·72N. , 8° 00' ·52W.

L3380/19 IRELAND — South Coast — — Depths.

Source: rv Lir

Chart: SC5623•2 ETRS89 DATUM

Replace depth, *8z*, with depth, *3s*, and extend 5m contour south to
enclose 51° 29' ·21N. , 9° 30' ·37W.

Chart: SC5623•12 ETRS89 DATUM

Insert depth, *3s*, enclosed by 5m contour (a) 51° 29' ·21N. , 9° 30' ·37W.
Delete depth, *8z*, close N of: (a) above

L3590/19 IRELAND — South Coast — — Automatic Identification System.

Source: Commissioners of Irish Lights

Chart: SC5623•12 ETRS89 DATUM

Insert Automatic Identification System, *A/S*, at light-buoy 51° 28' ·45N. , 9° 23' ·45W.

Chart: SC5623•13 (Panel A, Baltimore Harbour) ETRS89 DATUM

Insert Automatic Identification System, *A/S*, at light-buoy 51° 28' ·447N. , 9° 23' ·449W.

Chart: SC5623•14 ETRS89 DATUM

Insert Automatic Identification System, *A/S*, at light-buoy 51° 28' ·45N. , 9° 23' ·45W.

L3636/19 IRELAND — South Coast — — Buoy.

Source: Commissioners of Irish Lights

Chart: SC5623•3 ETRS89 DATUM


Move  *Fl(3)R. 10s*, from: 51° 48' ·59N. , 8° 00' ·73W.
to: 51° 48' ·43N. , 8° 00' ·60W.

L3813/19 IRELAND — South Coast — — NM Blocks.

Source: Commisioners of Irish Lights

Chart: SC5623·3 ETRS89 DATUM

Insert the accompanying block, centred on: 51° 49' ·5N. , 7° 58' ·7W.



L4106/19 IRELAND — South Coast — — Rocks. Depths. Danger lines.

Source: rv Geo

Chart: SC5623·12 ETRS89 DATUM



Insert  with seabed type, *R* (a) 51° 28' ·99N. , 9° 23' ·85W.
Delete depth, 4, close E of: (a) above
Insert depth, 2, and extend danger line, SW to enclose 51° 30' ·30N. , 9° 27' ·95W.
 (*O₃*) (b) 51° 32' ·41N. , 9° 25' ·29W.
Delete depth, 4, close SW of: (b) above
Insert depth, *O₂*, and extend danger line S to enclose (c) 51° 32' ·50N. , 9° 24' ·47W.
Delete depth, *1₈*, close NW of: (c) above

Chart: SC5623·13 (Panel A, Baltimore Harbour) ETRS89 DATUM

Insert  with seabed type, *R* 51° 28' ·99N. , 9° 23' ·854W.

Chart: SC5623·13 (Panel B, Continuation of The Sound) ETRS89 DATUM

Insert  with seabed type, *R* 51° 29' ·678N. , 9° 24' ·314W.

Chart: SC5623·14 ETRS89 DATUM

Insert depth, *4₄*, and extend 5m contour S to enclose (a) 51° 29' ·15N. , 9° 18' ·00W.

Delete depth, *14₆*, close W of: (a) above

Insert  with seabed type, *R* (b) 51° 28' ·99N. , 9° 23' ·85W.

Delete depth, *4*, close E of: (b) above

L4756/19 IRELAND — South Coast — — Depths. Drying height.

Source: Geological Survey Ireland

Chart: SC5623·2 ETRS89 DATUM

Insert depth, *6₃*, enclosed by 10m contour 51° 28' ·62N. , 9° 28' ·06W.

Chart: SC5623·12 ETRS89 DATUM

Insert depth, *6₃*, enclosed by 10m contour (a) 51° 28' ·62N. , 9° 28' ·06W.

Delete depth, *14₆*, close NE of: (a) above

Insert depth, *3₇*, enclosed by 5m contour (b) 51° 29' ·58N. , 9° 30' ·03W.

Delete depth, *10₇*, close NE of: (b) above

Insert depth, *0₂*, enclosed by 2m contour 51° 30' ·06N. , 9° 27' ·44W.

drying height, *0₃*, enclosed by 0m low water line (c) 51° 32' ·46N. , 9° 25' ·13W.

Delete depth, *3*, close NE of: (c) above

L82/20 IRELAND — South Coast — — Breakwater. Legend.

Source: UKHO

Chart: SC5623·13 (Panel A, Baltimore Harbour) ETRS89 DATUM

Insert breakwater, double firm line, width 10m, joining: 51° 29' ·271N. , 9° 22' ·262W.

51° 29' ·297N. , 9° 22' ·314W.

Delete legend, Works in progress (2012), centred on: 51° 29' ·285N. , 9° 22' ·260W.

Notices to Mariners - Weekly Edition 09/2020 British Isles, Western Approaches to Saint George's Channel and Bristol Channel.
— Chart 1123— New Edition Announcement.

Chart SC5623·1 WGS84 DATUM

The following changes were published in the new edition of chart 1123, which is the source chart for the above folio sheet:

Includes Omission of Detail areas and general updating throughout. Mariners should therefore navigate with caution on sheets SC5623·1 and be aware that any subsequent Notices to Mariners applied to this sheet are issued for information only.

These changes will be included in the next new edition of SC5623.

L1308/20 IRELAND — West Coast — — Depths. Legends. Light. Maritime limit.

Source: Bantry Bay Port Company

Chart: SC5623·4 ETRS89 DATUM

Insert	depth, <i>9₆</i> , and extend 10m contour NE to enclose	(a) 51° 42' ·24N. , 9° 27' ·80W.
Delete	depth, <i>13₃</i> , close NE of:	(a) above
Insert	circular maritime limit, radius 300m, pecked line, centred on:	(b) 51° 41' ·01N. , 9° 28' ·42W.
	legend, <i>Turning circle</i> , centred on:	(b) above
	★ 2F.G(vert)	(c) 51° 40' ·91N. , 9° 27' ·72W.
Delete	legend, (ru), close W of:	(c) above
Insert	depth, <i>3₄</i>	(d) 51° 40' ·85N. , 9° 27' ·79W.
Delete	depth, <i>4₇</i> , close N of:	(d) above
Replace	depth, <i>9₃</i> , with depth, <i>8₆</i>	51° 41' ·10N. , 9° 28' ·09W.

L2461/20 IRELAND — West Coast — — Pontoon. Light.

Source: Commissioners of Irish Lights and UKHO

Chart: SC5623·6 (Panel A, Castletown Bearhaven) ETRS89 DATUM

Insert	★ 2F.R(vert)	(a) 51° 39' ·104N. , 9° 54' ·454W.
	pontoon, single firm line, joining:	51° 39' ·132N. , 9° 54' ·502W.
		(a) above

L2462/20 IRELAND — West Coast — — Light.

Source: Commissioners of Irish Lights and Bantry Bay Port Company

Chart: SC5623·4 ETRS89 DATUM

L2754/20 IRELAND — South Coast — — Depths. Drying height.

Source: Geological Survey Ireland

Chart: SC5623·2 ETRS89 DATUM

Insert	depth, <i>18₈</i> , and extend 20m contour E to enclose	(a) 51° 29' ·26N. , 9° 12' ·36W.
Delete	depth, <i>24</i> , close N of:	(a) above
Insert	depth, <i>13</i> , and extend 20m contour SE to enclose	51° 30' ·92N. , 9° 09' ·23W.

Chart: SC5623·3 ETRS89 DATUM

Insert	depth, <i>18₈</i> , and extend 20m contour E to enclose	(a) 51° 29' ·26N. , 9° 12' ·36W.
Delete	depth, <i>24</i> , close N of:	(a) above
Insert	depth, <i>13</i> , and extend 20m contour SE to enclose	51° 30' ·92N. , 9° 09' ·23W.

Chart: SC5623·12 ETRS89 DATUM


Insert		51° 30' ·13N. , 9° 26' ·69W.
	drying height, <i>1₁</i> , enclosed by 0m low water line	(a) 51° 29' ·36N. , 9° 26' ·95W.
Delete	depth, <i>4₆</i> , close SW of:	(a) above
Insert	depth, <i>2</i> , and extend danger line, dotted line, NE to enclose	51° 29' ·01N. , 9° 26' ·94W.

Chart: SC5623·14 ETRS89 DATUM


Insert		51° 29' ·55N. , 9° 14' ·29W.
	depth, <i>5₄</i>	(a) 51° 29' ·42N. , 9° 14' ·36W.
Delete	depth, <i>9₁</i> , close S of:	(a) above
Insert	depth, <i>3₃</i> , enclosed by 5m contour	(b) 51° 30' ·31N. , 9° 11' ·46W.
Delete	depth, <i>14₃</i> , close N of:	(b) above
Insert	depth, <i>6</i> , and extend 10m contour SE to enclose	(c) 51° 30' ·27N. , 9° 11' ·16W.
Delete	depth, <i>22</i> , close S of:	(c) above
	depth, <i>8₈</i> , close NW of:	(c) above
Insert		(d) 51° 30' ·32N. , 9° 11' ·02W.
Delete	depth, <i>17₁</i> , close S of:	(d) above
Replace	depth, <i>29</i> , with depth, <i>18₈</i> , enclosed by 20m contour	51° 29' ·26N. , 9° 12' ·38W.

Chart: SC5623·15 ETRS89 DATUM

Insert	depth, <i>3₃</i> , enclosed by 5m contour	(a) 51° 30' ·31N. , 9° 11' ·46W.
Delete	depth, <i>14₃</i> , close N of:	(a) above

Insert	depth, <i>6</i> , and extend 10m contour SE to enclose	(<i>b</i>) 51° 30' ·27N. , 9° 11' ·16W.
Delete	depth, <i>8</i> , close NW of:	(<i>b</i>) above
	depth, <i>17</i> , close NE of:	(<i>b</i>) above
Insert	depth, <i>13</i> , enclosed by 20m contour	51° 30' ·92N. , 9° 09' ·23W.
Replace	depth, <i>29</i> , with depth, <i>18</i> , and extend 20m contour E to enclose	51° 29' ·26N. , 9° 12' ·38W.

L3090/20 IRELAND — South West Coast — — Depths.

Source: Geological Survey Ireland

Chart: SC5623·8 ETRS89 DATUM

Insert	depth, <i>19</i> , and extend 20m contour W to enclose	51° 33' ·43N. , 9° 39' ·95W.
Replace	depth, <i>11</i> , with depth, <i>10</i>	51° 35' ·22N. , 9° 38' ·62W.

L3227/20 IRELAND — West Coast — — Marine farm.

Source: Tim Reardon

Chart: SC5623·5 ETRS89 DATUM

Insert	limit of marine farm, pecked line, joining:	(<i>a</i>) 51° 39' ·44N. , 9° 47' ·51W.
		(<i>b</i>) 51° 39' ·45N. , 9° 46' ·88W.
		(<i>c</i>) 51° 39' ·32N. , 9° 46' ·86W.
		(<i>d</i>) 51° 39' ·31N. , 9° 47' ·51W.



, within:

(*a*)-(d) above

Chart: SC5623·7 ETRS89 DATUM

Insert	limit of marine farm, pecked line, joining:	(<i>a</i>) 51° 39' ·44N. , 9° 47' ·51W.
		(<i>b</i>) 51° 39' ·45N. , 9° 46' ·88W.
		(<i>c</i>) 51° 39' ·32N. , 9° 46' ·86W.
		(<i>d</i>) 51° 39' ·31N. , 9° 47' ·51W.



, within:

(*a*)-(d) above

L3689/20 IRELAND — South Coast — — Light-beacon. Beacon.

Source: Cork County Council

Chart: SC5623·18 ETRS89 DATUM

Insert	 Q(9)15s	(<i>a</i>) 51° 35' ·67N. , 8° 51' ·02W.
--------	---	---

Delete



, close NE of:

(a) above

L3735/20 IRELAND — South West Coast — — Submarine pipeline.

Source: Mr Kean and Mr Owens

Chart: SC5623·10 ETRS89 DATUM

Insert submarine pipeline, , joining:

51° 28' ·24N. , 9° 43' ·11W.

51° 28' ·40N. , 9° 43' ·11W.

Chart: SC5623·11 ETRS89 DATUM

Insert submarine pipeline, , joining:

51° 28' ·24N. , 9° 43' ·11W.

51° 28' ·40N. , 9° 43' ·11W.

L4150/20 IRELAND — South West Coast — — Depths.

Source: Geological Survey Ireland

Chart: SC5623·6 (Panel B, Dunbeacon Harbour) ETRS89 DATUM

Replace depth, 4₇, with depth, 3₆

51° 36' ·231N. , 9° 34' ·237W.

Chart: SC5623·8 ETRS89 DATUM

Replace depth, 8₃, with depth, 6₈

51° 35' ·41N. , 9° 35' ·61W.

depth, 8₂, with depth, 7₁

51° 35' ·31N. , 9° 35' ·66W.

Chart: SC5623·15 ETRS89 DATUM

Insert depth, 10₃, enclosed by 20m contour

51° 32' ·19N. , 8° 55' ·16W.

L4871/20 IRELAND — West Coast — — NM Blocks. Marine farms.

Source: Department of Agriculture, Food and the Marine Ireland.

Chart: SC5623·4 ETRS89 DATUM

Insert limit of marine farm, pecked line, joining:

(a) 51° 39' ·69N. , 9° 32' ·30W.

(b) 51° 39' ·79N. , 9° 31' ·77W.

(c) 51° 39' ·69N. , 9° 31' ·72W.

(d) 51° 39' ·59N. , 9° 32' ·25W.



, within:

(a)-(d) above

limit of marine farm, pecked line, joining:

(e) 51° 41' ·73N. , 9° 27' ·69W.

(f) 51° 41' ·69N. , 9° 27' ·44W.

(g) 51° 41' ·48N. , 9° 27' ·46W.

(h) 51° 41' ·40N. , 9° 27' ·72W.



, within:

(e)-(h) above

Delete former limit of marine farm, pecked line, joining:

(i) 51° 39' ·49N. , 9° 33' ·25W.

(j) 51° 39' ·41N. , 9° 33' ·25W.

(k) 51° 39' ·41N. , 9° 32' ·99W.

(l) 51° 39' ·54N. , 9° 32' ·99W.



, within:

(i)-(l) above

Chart: SC5623·5 ETRS89 DATUM

Insert the accompanying block, centred on:

51° 39' ·7N. , 9° 45' ·2W.

Delete former limit of marine farm, pecked line, joining:

(a) 51° 37' ·19N. , 9° 48' ·63W.

(b) 51° 37' ·51N. , 9° 47' ·85W.

(c) 51° 37' ·41N. , 9° 47' ·74W.

(d) 51° 37' ·10N. , 9° 48' ·53W.



, within:

(a)-(d) above

Block for SC5623·5 LNM4871/20




Chart: SC5623·7 ETRS89 DATUM

Insert the accompanying block, centred on:

51° 39' ·4N. , 9° 45' ·2W.

limit of marine farm, pecked line, joining:

(a) 51° 39' ·16N. , 9° 50' ·41W.

(b) 51° 39' ·35N. , 9° 50' ·39W.

(c) 51° 39' ·42N. , 9° 49' ·90W.

(d) 51° 39' ·17N. , 9° 49' ·89W.



, within:

(a)-(d) above


Delete former limit of marine farm, pecked line, joining:

(e) 51° 37' ·19N. , 9° 48' ·63W.

(f) 51° 37' ·51N. , 9° 47' ·85W.

(g) 51° 37' ·41N. , 9° 47' ·74W.

(h) 51° 37' ·10N. , 9° 48' ·53W.

 , within:

(e)-(h) above



**Notices to Mariners - Weekly Edition 47/2020 International Chart Series,
Ireland - South-West Coast, Kenmare River to Cork Harbour.
— Chart 2424— New Edition Announcement.**

Charts SC5623-2 and SC5623-3 WGS84 DATUM

The following changes were published in the new edition of chart 2424, which is the source chart for the above folio sheets:






Includes new Omission of Detail areas and general updating throughout. Mariners should therefore navigate with caution on sheets SC5623-2 and SC5623-3 and be aware that any subsequent Notices to Mariners applied to these sheets are issued for information only.

These changes will be included in the next new edition of SC5623.

L6103/20 IRELAND — South Coast — — Wrecks. Depths.

Source: Geological Survey Ireland

Chart: SC5623-1 ETRS89 DATUM

Insert	 Wk	51° 10' ·7N. , 7° 58' ·9W.
	 Wk	51° 08' ·2N. , 7° 51' ·8W.
	depth, 94 , enclosed by 100m contour	(a) 51° 07' ·0N. , 8° 04' ·4W.
Delete	depth, 103, close NW of:	(a) above
Insert	 Wk	51° 05' ·8N. , 8° 11' ·0W.
		51° 04' ·4N. , 8° 03' ·9W.
	 Wk	51° 04' ·7N. , 7° 40' ·0W.
	 Wk	51° 05' ·1N. , 7° 37' ·1W.
	 Wk	50° 44' ·6N. , 7° 22' ·1W.

L6202/20 IRELAND — South Coast — — Offshore installations. Legends. Note.

Source: Kinsale Energy

Chart: SC5623-1 ETRS89 DATUM

Insert limit of decommissioning area, pecked line, joining:

51° 13' ·0N. , 8° 25' ·9W.

51° 13' ·0N. , 8° 13' ·4W.

51° 08' ·9N. , 8° 13' ·3W.

51° 09' ·0N. , 8° 25' ·6W.

and

51° 18' ·0N. , 8° 08' ·4W.

51° 21' ·7N. , 8° 08' ·6W.

51° 24' ·3N. , 7° 54' ·4W.

51° 19' ·0N. , 7° 53' ·2W.

legend, *Gas Field Decommissioning (see Note)*, centred on:

51° 08' ·5N. , 8° 19' ·6W.

51° 17' ·6N. , 8° 03' ·1W.

Chart: SC5623-3 ETRS89 DATUM

Insert limit of decommissioning area, pecked line, joining:

51° 21' ·08N. , 8° 08' ·43W.

51° 22' ·04N. , 8° 08' ·63W.

51° 24' ·14N. , 7° 57' ·00W.

L6284/20 IRELAND — South West Coast — — Depths.

Source: RV Keary

Chart: SC5623-1 ETRS89 DATUM

Insert depth, *69*, and extend 100m contour S to enclose

51° 16' ·5N. , 9° 48' ·6W.

depth, *74*, and extend 100m contour SW to enclose

51° 18' ·4N. , 10° 01' ·1W.

Chart: SC5623-2 ETRS89 DATUM

Insert depth, *69*, enclosed by 100m contour

51° 16' ·53N. , 9° 48' ·63W.

depth, *74*, enclosed by 100m contour

51° 18' ·36N. , 10° 01' ·12W.

51° 18' ·66N. , 9° 59' ·83W.

depth, *83*, enclosed by 100m contour

51° 18' ·61N. , 10° 00' ·65W.

L211/21 IRELAND — South West Coast — — Depths.

Source: rv Lir

Chart: SC5623-2 ETRS89 DATUM

Replace depth, *18*, with depth, *14*

51° 28' ·06N. , 9° 49' ·09W.

Chart: SC5623-9 ETRS89 DATUM

Insert	depth, 13 ₁ , and extend 20m contour W to enclose	(a) 51° 28' ·48N. , 9° 49' ·05W.
Delete	depth, 13 ₉ , close E of:	(a) above
	depth, 23, close NW of:	(a) above

Chart: SC5623-10 ETRS89 DATUM

Insert	depth, 13 ₁ , and extend 20m contour W to enclose	(a) 51° 28' ·48N. , 9° 49' ·05W.
Delete	depth, 13 ₉ , close E of:	(a) above
	depth, 23, close NW of:	(a) above
Insert	depth, 14, and extend 20m contour W to enclose	(b) 51° 28' ·06N. , 9° 49' ·02W.
Delete	depth, 18 ₉ , close N of:	(b) above
Insert	depth, 15 ₆ , and extend 20m contour SW to enclose	51° 26' ·92N. , 9° 48' ·88W.
	depth, 1 ₇ , enclosed by 2m contour	(c) 51° 26' ·91N. , 9° 48' ·24W.
Delete	depth, 8 ₉ , close NE of:	(c) above
Insert	depth, 8 ₅ , and extend 10m contour W to enclose	(d) 51° 27' ·70N. , 9° 46' ·24W.
Delete	depth, 12 ₅ , close SE of:	(d) above
Insert	depth, 3 ₅ , enclosed by 5m contour	(e) 51° 27' ·47N. , 9° 46' ·33W.
Delete	depth, 13 ₄ , close S of:	(e) above
Insert	depth, 3 ₇ , enclosed by 5m contour	(f) 51° 29' ·07N. , 9° 41' ·95W.
Delete	depth, 13 ₇ , close NW of:	(f) above
Replace	depth, 10 ₄ , with depth, 8 ₅ , and extend 10m contour E to enclose	51° 29' ·47N. , 9° 42' ·14W.

Chart: SC5623-11 ETRS89 DATUM

Insert	depth, 3 ₇ , enclosed by 5m contour	(a) 51° 29' ·07N. , 9° 41' ·95W.
Delete	depth, 13 ₇ , close NW of:	(a) above
Insert	depth, 6 ₈ , and extend 10m contour SE to enclose	(b) 51° 29' ·85N. , 9° 41' ·36W.
Delete	depth, 8 ₉ , close NW of:	(b) above
Insert	depth, 8, and extend 10m contour S to enclose	(c) 51° 30' ·07N. , 9° 40' ·59W.
Delete	depth, 11, close N of:	(c) above
Insert	depth, 3 ₅ , and extend 5m contour E to enclose	(d) 51° 29' ·79N. , 9° 38' ·08W.
Delete	depth, 4 ₃ , close NW of:	(d) above
Insert	depth, 5 ₁ , and extend 10m contour NE to enclose	51° 29' ·79N. , 9° 37' ·80W.
	depth, 3 ₁ , and extend 5m contour W to enclose	51° 29' ·47N. , 9° 38' ·21W.
Replace	depth, 10 ₄ , with depth, 8 ₅ , and extend 10m contour E to enclose	51° 29' ·47N. , 9° 42' ·14W.
	depth, 6 ₁ , with depth, 2 ₈ , enclosed by 5m contour	51° 30' ·67N. , 9° 38' ·74W.

