SC5622 Ireland - South Coast

The Notices to Mariners (NMs) listed below apply to the latest edition of SC5622 (3rd Edition) published on 4th January 2018.

Temporary/Preliminary NMs

L3652(P)/17 IRELAND — South Coast — Dogsnose — Light.

Source: Port of Cork Company

- 1. The sectored light at Fort Davis in position 51° 48' \cdot 826N. , 8° 15' \cdot 791W. has altered sectors and light characteristics as follows:
 - F.G $351.5^{\circ}-352.5^{\circ}$ (1°)
 - Q.G 352·5°-353·5° (1°)
 - F.W $353.5^{\circ}-355.5^{\circ}$ (2°)
 - Q.R $355.5^{\circ}-356.5^{\circ}$ (1°)
 - F.R $356.5^{\circ}-357.5^{\circ}$ (1°)
- 2. Mariners are advised that all ENC's of the area are showing the correct information.
- 3. These changes will be included in the next New Editions of Charts 1777 and 1765.(ETRS89 DATUM)

Charts affected – SC5622

L1175/18 IRELAND — East Coast — Tuskar Rock S — Automatic Identification System.

Source: Commissioners of Irish Lights

Chart: SC5622·1 ETRS89 DATUM

Delete Automatic Identification System, A/S, at light-buoy 52° 10' ·6N. , 6° 13' ·3W.

L1261/18 IRELAND — South Coast — Fairway and The Sound — Depths.

Source: Port of Cork

Chart: SC5622·8 ETRS89 DATUM

Replace depth, 13_2 , with depth, 12_8 51° 48' ·048N., 8° 15' ·678W.

Chart: SC5622·9 ETRS89 DATUM

Insert depth, 128 51° 48' ·05N., 8° 15' ·68W.

Chart: SC5622·10 ETRS89 DATUM

Replace depth, 132, with depth, 128 51° 48' ·048N., 8° 15' ·678W.

Chart: SC5622·11 ETRS89 DATUM

Insert depth, 9_9 , and extend 10m contour SE to

enclose (a) 51° 50' ·640N., 8° 15' ·786W.

Delete depth, 10₇, close SW of: (a) above

L1438/18 IRELAND — South Coast — Roches Point — Automatic

Identification System.

Source: Commissioners of Irish Lights

Chart: SC5622·1 ETRS89 DATUM

Insert Automatic Identification System, AIS, at light 51° 47' ·6N., 8° 15' ·1W.

Chart: SC5622·7 ETRS89 DATUM

Insert Automatic Identification System, AIS, at light 51° 47' ·56N., 8° 15' ·26W.

Chart: SC5622·8 ETRS89 DATUM

Insert Automatic Identification System, AIS, at light 51° 47' ·584N., 8° 15' ·286W.

Chart: SC5622·9 ETRS89 DATUM

Insert Automatic Identification System, AIS, at light 51° 47' 58N., 8° 15' 29W.

Notices to Mariners - Weekly Edition 25/2018 Ireland - South Coast, Dungarvan Harbour.

— Chart 2017 — New Edition Announcement.

Chart SC5622·5 WGS84 DATUM

The following changes were published in the new edition of chart 2017, which is the source chart for the above folio sheet:

Includes changes to marine farms and shellfish beds. (The chart limits have been revised as the horizontal datum of this chart has been transferred to ETRS89 Datum.). Mariners should therefore navigate with caution on sheet SC5622·5 and be aware that any subsequent Notices to Mariners applied to this sheet are issued for information only.

These changes will be included in the next new edition of SC5622.

Notices to Mariners - Weekly Edition 25/2018 International Chart Series, Ireland - South Coast, Old Head of Kinsale to Tuskar Rock.

— Chart 2049 — New Edition Announcement.

Chart SC5622-2 WGS84 DATUM

The following changes were published in the new edition of chart 2049, which is the source chart for the

above folio sheet:

Includes changes to marine farms and shellfish beds. (The chart limits have been revised as the

horizontal datum of this chart has been transferred to ETRS89 Datum.). Mariners should

therefore navigate with caution on sheet SC5622·2 and be aware that any subsequent Notices

to Mariners applied to this sheet are issued for information only.

These changes will be included in the next new edition of SC5622.

Notices to Mariners - Weekly Edition 25/2018 Ireland - South Coast, Youghal.

— Chart 2071 — New Edition Announcement.

Chart SC5622-6 WGS84 DATUM

The following changes were published in the new edition of chart 2071, which is the source chart for the

above folio sheet:

Includes changes to marine farms and shellfish beds. (The chart limits have been revised as the

horizontal datum of this chart has been transferred to ETRS89 Datum.). Mariners should

therefore navigate with caution on sheet SC5622·6 and be aware that any subsequent Notices

to Mariners applied to this sheet are issued for information only.

These changes will be included in the next new edition of SC5622.

L3548/18 IRELAND — South Coast — Legend.

Source: Dunmore East Harbour Master

Chart: SC5622·3 (Panel B, Dunmore East Harbour) ETRS89 DATUM

Insert legend, Less water reported (2018), orientated NW/SE, centred on: 52° 08' ·954N., 6° 59' ·418W.

L3720/18 IRELAND — South Coast — Light.

Source: Commissioners of Irish Lights

Note: Radar beacon and AIS remain unchanged.

Chart: SC5622·1 ETRS89 DATUM

Amend range of Fastnet Rock light to, 18M

51° 23' ·3N., 9° 36' ·0W.

L4026/18 IRELAND — South Coast — — Works.

Source: Port of Cork Notice 9/18

Chart: SC5622·10 ETRS89 DATUM							
Insert	maritime limit, pecked line, joining:		51° 49' ·960N., 8° 19' ·406W.				
			51° 49' ·960N., 8° 19' ·503W.				
			51° 50' ·181N. , 8° 19' ·503W.				
			51° 50' ·181N. , 8° 19' ·371W.				
			and				
		(a)	51° 50' ·055N. , 8° 18' ·271W.				
		(b)	51° 50' ·137N. , 8° 18' ·271W.				
		(c)	51° 50' ·137N. , 8° 18' ·097W.				
		(d)	51° 50' ·095N., 8° 18' ·099W.				
	legend, Works in progress (2018), centred on:		51° 50' ·102N., 8° 19' ·392W.				
	legend, Works in progress (2018), within:		(a)-(d) above				
Chart: SC5622·11 ETRS89 DATUM							
Insert	maritime limit, pecked line, joining:		51° 49' ·960N. , 8° 19' ·406W.				
			51° 49' ·960N. , 8° 19' ·503W.				

51° 50' ·181N., 8° 19' ·503W. 51° 50' ·181N., 8° 19' ·371W. 51° 50' ·026N., 8° 19' ·503W. and

(a) 51° 50' ·055N., 8° 18' ·271W. (b) 51° 50' ·137N., 8° 18' ·271W. (c) 51° 50' ·137N., 8° 18' ·097W. (d) 51° 50' ·095N., 8° 18' ·099W.

legend, Works in progress (2018), centred on: legend, Works in progress (2018), within:

51° 50' ·102N., 8° 19' ·392W.

(a)-(d) above

Notices to Mariners - Weekly Edition 38/2018 International Chart Series, Ireland - South Coast, Port of Cork, Lower Harbour and Approaches. — Chart 1777 — New Edition Announcement.

Charts SC5622·8, SC5622·10, SC5622·11, and SC5622·13 WGS84 DATUM

The following changes were published in the new edition of chart 1777, which is the source chart for the above folio sheets:

Includes changes to lights and depths in the Approaches to Cork, from the latest port authority surveys. Mariners should therefore navigate with caution on sheets SC5622·8, SC5622·10,

SC5622·11, and SC5622·13 and be aware that any subsequent Notices to Mariners applied to these sheets are issued for information only.

These changes will be included in the next new edition of SC5622.

L4565/18 IRELAND — South Coast — — Depths. Legend.

Source: Geological Survey of Ireland

Chart: SC5622·3 (Panel A, Entrance to Waterford Harbour) ETRS89 DATUM

Insert depth, 4_{8} , enclosed by 5m contour

52° 07' ·82N., 7° 01' ·89W.

depth, O₅, enclosed by 2m contour

52° 09' ·30N., 6° 54' ·52W.

Chart: SC5622·3 (Panel B, Dunmore East Harbour) ETRS89 DATUM

Insert depth, 22

(a) 52° 08' ·987N., 6° 59' ·513W.

Delete depth, 49, close NW of:

(a) above

Amend legend to, *Dredged to 3-1m (2018)*, centred on:

52° 08' ·898N., 6° 59' ·446W.

L4614/18 IRELAND — South Coast — — Lights.

Source: Dunmore East Harbourmaster

Chart: SC5622·3 (Panel A, Entrance to Waterford Harbour) ETRS89 DATUM

Amend light to, FI(3)R.10s4M

52° 08' ·98N., 6° 59' ·40W.

light to, FI(3)G.10s4M

52° 08' ·96N., 6° 59' ·49W.

Chart: SC5622·3 (Panel B, Dunmore East Harbour) ETRS89 DATUM

Amend light to, FI(3)R.10s6m4M

52° 08' ·981N., 6° 59' ·401W.

light to, FI(3)G.10s6m4M

52° 08' ·960N., 6° 59' ·488W.

L5088/18 IRELAND — South Coast — — Legend.

Source: UKHO

Chart: SC5622·3 (Panel B, Dunmore East Harbour) ETRS89 DATUM

Amend legend to, 3.1m (2018), centred on:

52° 08' ·893N., 6° 59' ·446W.

Notices to Mariners - Weekly Edition 43/2018 Ireland - South Coast, Old Head of Kinsale to Power Head.

— Chart 1765 — New Edition Announcement.

Charts SC5622:9 and SC5622:14 WGS84 DATUM

The following changes were published in the new edition of chart 1765, which is the source chart for the above folio sheets:

Includes changes to depths from the latest Port of Cork Company Surveys and changes to aids to navigation. Mariners should therefore navigate with caution on sheets SC5622·9 and SC5622·14 and be aware that any subsequent Notices to Mariners applied to these sheets are issued for information only.

These changes will be included in the next new edition of SC5622.

L168/19 IRELAND — South Coast — — Depths. Legend.

Source: Dunmore East Harbourmaster

Chart: SC5622·3 (Panel B, Dunmore East Harbour) ETRS89 DATUM

Insert depth, 2₉ 52° 08' ·909N., 6° 59' ·404W.

52° 08' ·869N., 6° 59' ·437W.

Legend, Less water reported (2018), centred on: 52° 08' ·876N., 6° 59' ·496W.

Replace depth, 5_3 , with depth, 3_5 , and extend 5m contour N to enclose 52° 09' \cdot 003N., 6° 59' \cdot 397W.

depth, 4_4 , with depth, 3_8 52° 08' ·998N. , 6° 59' ·442W.

L201/19 IRELAND — South Coast — — Buoy.

Source: Port of Cork Notice 18/18

Chart: SC5622·10 ETRS89 DATUM

Delete 51° 50' ·151N. , 8° 19' ·509W.

Chart: SC5622·11 ETRS89 DATUM

Delete 51° 50' ·151N. , 8° 19' ·511W.

L2302/19 IRELAND — South Coast — — Depth.

Source: rv Keary

Chart: SC5622·2 ETRS89 DATUM

Insert depth, 4_9 , enclosed by 5m contour 51° 48' \cdot 72N., 8° 00' \cdot 52W.

Chart: SC5622·7 ETRS89 DATUM

Insert depth, 4₉, enclosed by 5m contour 51° 48' ·72N. , 8° 00' ·52W.

L2806/19 IRELAND — South Coast — — Wreck. Source: rv Celtic Voyager Chart: SC5622·10 ETRS89 DATUM 17₁: _{Wk} Insert 51° 48' ·845N., 8° 16' ·450W. L3577/19 IRELAND — South Coast — — Dolphin. Depth. Source: Commissioners of Irish Lights Chart: SC5622·12 (Panel A, Port of Cork, Upper Harbour West) ETRS89 **DATUM** Insert □ Dn (a) 51° 52' ·410N., 8° 19' ·720W. Delete depth, 11, close N of: (a) above L3636/19 IRELAND — South Coast — — Buoy. Source: Commissioners of Irish Lights Chart: SC5622·2 ETRS89 DATUM Move FI(3)R.10s, from: 51° 48' ·59N., 8° 00' ·75W. 51° 48' ·43N. . 8° 00' ·60W. to: Chart: SC5622·7 ETRS89 DATUM Move

L3813/19 IRELAND — South Coast — — NM Blocks.

Source: Commisioners of Irish Lights

to:

FI(3)R.10s, from:

Chart: SC5622·2 ETRS89 DATUM

Insert the accompanying block, centred on: 51° 48' ·8N. , 8° 00' ·9W.

51° 48' ·59N., 8° 00' ·73W. 51° 48' ·43N., 8° 00' ·60W.





Chart: SC5622·7 ETRS89 DATUM

Insert the accompanying block, centred on:

51° 49' ·5N. , 7° 58' ·7W.



L5476/19 IRELAND — South Coast — — Dredged depths.

Source: New Ross Port Harbour Master

Chart: SC5622·4 (Panel A, Passage East to Beacon Quay and Pink Point)

ETRS89 DATUM

Amend dredged depth to, 2·0m, centred on: 52° 17' ·10N., 7° 00' ·51W.

52° 16' ·71N., 7° 00' ·15W.

 52° 21' ·10N. , 6° 59' ·77W.

52° 20' ·02N., 6° 59' ·61W.

Chart: SC5622·4 (Panel B, Continuation of the River Barrow to New Ross) ETRS89 DATUM

Amend dredged depth to, 2·0m, centred on: 52° 22' ·08N., 6° 58' ·79W.

52° 21' ·10N., 6° 59' ·77W.

52° 20' ·02N., 6° 59' ·61W.

Temporary/Preliminary NMs

L418(T)/20 IRELAND — South Coast — Works.

Source: Port of Cork Notice 22/19

- 1. Marina installation works are taking place at Cove Sailing Club, Cobh, in the vicinity of position 51° 50' -748N. , 8° 18' -544W.
- 2. Mariners are advised to navigate with caution in the area.(ETRS89 DATUM)

Chart affected - SC5622

L742/20 IRELAND — South Coast — — Wreck.

Source: Irish Coast Guard

Chart: SC5622·2 ETRS89 DATUM

Insert +++ 52° 00' ·9N. , 7° 01' ·9W.

Notices to Mariners - Weekly Edition 09/2020 British Isles, Western Approaches to Saint George's Channel and Bristol Channel.

- Chart 1123- New Edition Announcement.

Chart SC5622·1 WGS84 DATUM

The following changes were published in the new edition of chart 1123, which is the source chart for the above folio sheet:

Includes Omission of Detail areas and general updating throughout. Mariners should therefore navigate with caution on sheets SC5622·1 and be aware that any subsequent Notices to Mariners applied to this sheet are issued for information only.

These changes will be included in the next new edition of SC5622.

L2754/20 IRELAND — South Coast — — Depths. Drying height.

Source: Geological Survey Ireland

Chart: SC5622·7 ETRS89 DATUM

Insert depth, 18₆, and extend 20m contour E to enclose (a) 51° 29' ·26N., 9° 12' ·36W.

Delete depth, 24, close N of: (a) above

Insert depth, 13, and extend 20m contour SE to enclose 51° 30' ·92N., 9° 09' ·23W.

Temporary/Preliminary NMs

L3523(T)/20 IRELAND — South Coast — Virtual aids to navigation.

Buoyage.

Source: Wexford Country Council

- 1. A recent survey has shown the aids to navigation along the River Barrow, from Barrow Bridge 52° 16'-83N., 7° 00'-31W. to New Ross Town 52° 23'-77N., 6° 56'-83W., are unreliable. Buoyage may be off station and showing different characteristics to those charted.
- 2. Mariners are advised to navigate with caution in the area.
- 3. Chart 2046 will be updated when full details are available.

(ETRS89 DATUM)

Chart affected - SC5621 and SC5622

Temporary/Preliminary NMs

L3728(T)/20 IRELAND — South Coast — — Buoy.

Source: Port of Waterford Notice 8/20

1. Yellow special light-buoys, *Fl.Y.6s*, for data monitoring, have been established in the following positions:

52° 16' ·00N., 6° 58' ·74W. 52° 15' ·55N., 7° 02' ·10W.

2. Mariners are advised to navigate with caution in the area.

(ETRS89 DATUM)

Chart affected – SC5621 and SC5622

Temporary/Preliminary NMs

L3730(P)/20 IRELAND — South Coast — Depths. Buoyage.

Source: Wexford County Council

- 1. Recent survey information has shown numerous depths less than charted exist along the River Barrow, from Barrow Bridge (52° 16' -83N., 7° 00' -31W.) to New Ross Town (52° 23' -77N., 6° 56' -83W.)
- 2. Navigation aids are reported to be unreliable, such as buoys off station and showing different characteristics to those charted.
- 3. Mariners are advised to navigate with caution in the area.
- 4. Chart 2046 will be updated when full details are available.
- 5. Former Notice L3523(T)/20 is cancelled.

(ETRS89 DATUM)

Chart affected - SC5621 and SC5622

L4781/20 IRELAND — South Coast — NM Block. Marine farm.

Source: Department of Agriculture, Food and the Marine Ireland

Chart: SC5622·3 (Panel A, Entrance to Waterford Harbour) ETRS89 DATUM

Insert the accompanying block, centred on:


52° 12' ·1N. , 6° 57' ·5W.

limit of marine farm, pecked line, joining:

- (a) 52° 14' ·04N., 6° 57' ·30W.
- (b) 52° 14' ·03N., 6° 57' ·17W.
- (c) 52° 13' ·88N., 6° 56' ·94W.
- (d) $52^{\circ} 13' \cdot 37N$., $6^{\circ} 56' \cdot 66W$.
- (e) 52° 13' ·36N., 6° 56' ·82W.
- $\textit{(f)} \quad 52^\circ \ 13^\prime \cdot 40N. \ , \ 6^\circ \ 56^\prime \cdot 82W.$

. within:

(a)-(f) above




L5113/20 IRELAND — South Coast — — NM Block.

Source: Dunmore East Harbour Master

Chart: SC5622·3 (Panel B, Dunmore East Harbour) ETRS89 DATUM

Insert the accompanying block, centred on: 52° 08' ·9N., 6° 59' ·4W.



Temporary/Preliminary NMs

L5585(P)/20 IRELAND — South Coast — — Depths. Buoyage. Bridge. Submarine pipeline.

Source: Wexford County Council

- 1. Recent survey information has shown numerous depths less than charted exist along the River Barrow, from Barrow Bridge (52° $16' \cdot 83N.$, 7° $00' \cdot 31W.$) to New Ross Town (52° $23' \cdot 77N.$, 6° $56' \cdot 83W.$)
- 2. Navigation aids are reported to be unreliable, such as buoys off station and showing different characteristics to those charted.
- 3. *A bridge, width 33m, with vertical clearance, 35m, has been established joining:

```
52° 21' ·38N., 6° 59' ·74W.
52° 21' ·40N., 6° 59' ·48W.
```

4. *A submarine pipeline has been laid joining the following positions:

```
52° 18' ·09N., 7° 00' ·96W.
52° 17' ·95N., 7° 00' ·40W.
```

- 5. Mariners are advised to navigate with caution in the area.
- 6. Chart 2046 will be updated when full details are available.
- 7. Former Notice 3730(P)/20 is cancelled.*Indicates new or revised entry

(ETRS89 DATUM)

Chart affected - SC5621 and SC5622

Notices to Mariners - Weekly Edition 47/2020 International Chart Series, Ireland - South-West Coast, Kenmare River to Cork Harbour.

— Chart 2424— New Edition Announcement.

Chart SC5622·7 WGS84 DATUM

The following changes were published in the new edition of chart 2424, which is the source chart for the above folio sheet:

Includes new Omission of Detail areas and general updating throughout. Mariners should therefore navigate with caution on sheet SC5622·7 and be aware that any subsequent Notices to Mariners applied to this sheet are issued for information only.

These changes will be included in the next new edition of SC5622.

L6103/20 IRELAND — South Coast — — Wrecks. Depths.

Source: Geological Survey Ireland

Chart: SC5622·1 ETRS89 DATUM

Insert	89: _{Wk}		51° 10' ·7N. , 7° 58' ·9W.
	:88: _{Wk}		51° 08' ·2N. , 7° 51' ·8W.
	depth, 94, enclosed by 100m contour	(a)	51° 07' ·0N. , 8° 04' ·4W.
Delete	depth, 103, close NW of:		(a) above
Insert	:99: _{Wk}		51° 05' ·8N. , 8° 11' ·0W.
			51° 04' ·4N. , 8° 03' ·9W.
	:92: _{Wk}		51° 04' ·7N. , 7° 40' ·0W.
	94: _{Wk}		51° 05' ·1N. , 7° 37' ·1W.
	:90: _{Wk}		50° 44' ·6N. , 7° 22' ·1W.

Notices to Mariners - Weekly Edition 51/2020 International Chart Series, Ireland - South Coast, Old Head of Kinsale to Tuskar Rock

— Chart 2049— New Edition Announcement.

Chart SC5622-2 WGS84 DATUM

The following changes were published in the new edition of chart 2049, which is the source chart for the above folio sheet:

Includes new Omission of Detail areas and general updating throughout. Mariners should therefore navigate with caution on sheet SC5622·2 and be aware that any subsequent Notices to Mariners applied to this sheet are issued for information only.

These changes will be included in the next new edition of SC5622.

L6202/20 IRELAND — South Coast — — Offshore installations. Legends. Note.

Source: Kinsale Energy

Chart: SC5622·1 ETRS89 DATUM

Insert limit of decommissioning area, pecked line, joining: 51° 13' ·0N., 8° 25' ·9W.

51° 13' ·0N. , 8° 13' ·4W.

 $51^{\circ}~08'~\cdot 9N.$, $8^{\circ}~13'~\cdot 3W.$

 $51^{\circ}~09'~\cdot 0N.$, $8^{\circ}~25'~\cdot 6W.$

and

51° 18' ·0N., 8° 08' ·4W.

 $51^{\circ}~21'~\cdot 7N.$, $8^{\circ}~08'~\cdot 6W.$

51° 24' ·3N., 7° 54' ·4W.

51° 19' ·0N., 7° 53' ·2W.

legend, Gas Field Decommissioning (see Note), centred on: 51° 08' ·5N., 8° 19' ·6W.

51° 17' ·6N., 8° 03' ·1W.

Chart: SC5622·7 ETRS89 DATUM

Insert limit of decommissioning area, pecked line, joining: 51° 21' ·08N., 8° 08' ·43W.

51° 22' ·04N., 8° 08' ·63W.

51° 24' ·14N., 7° 57' ·00W.

L6284/20 IRELAND — South West Coast — — Depths.

Source: RV Keary

Chart: SC5622·1 ETRS89 DATUM

Insert depth, 69, and extend 100m contour S to enclose 51° 16' ·5N., 9° 48' ·6W.

depth, 74, and extend 100m contour SW to enclose 51° 18' ·4N. , 10° 01' ·1W.

L190/21 IRELAND — South Coast — — Light.

Source: Dunmore East Harbour Master

Chart: SC5622·3 (Panel B, Dunmore East Harbour) ETRS89 DATUM

Insert

★ 2F.G(vert)

52° 08' ·867N., 6° 59' ·484W.

Notices to Mariners - Weekly Edition 09/2021 Ireland - South Coast, Waterford Harbour.

— Chart 2046— New Edition Announcement.

Charts SC5622·3 and SC5622·4 WGS84 DATUM

The following changes were published in the new edition of chart 2046, which is the source chart for the above folio sheets:

Includes significant safety-related information as follows: a new bridge and submarine pipeline, and changes to depths, buoys and lights. Mariners should therefore navigate with caution on sheets SC5622·3 and SC5622·4 and be aware that any subsequent Notices to Mariners applied to these sheets are issued for information only.

These changes will be included in the next new edition of SC5622.

L1394/21 NORTH SEA — ENGLAND — SCOTLAND — IRELAND

— Automatic Identification Systems. Virtual aids to navigation.

Source: Trinity House

Chart: SC5622·1 ETRS89 DATUM

Insert Automatic Identification System, AIS, at platform

51° 21' ·7N., 8° 00' ·9W.

51° 22' ·2N., 7° 56' ·8W.

Chart: SC5622·7 ETRS89 DATUM

Insert Automatic Identification System, AIS, at Kinsale B - West platform

51° 21' ·62N., 8° 01' ·03W.

L1426/21 IRELAND — South Coast — — Pontoon. Lights.

Source: Port of Cork Company

Note: Former Notice L418(T)/20 is cancelled.

Chart: SC5622·11 ETRS89 DATUM

Insert pontoon, single firm line, joining:

51° 50' ·803N., 8° 18' ·527W.

51° 50' ·780N., 8° 18' ·501W.

(a) 51° 50' ·765N., 8° 18' ·470W.

(b) 51° 50' ·741N., 8° 18' ·481W.

(a) above

(b) above

L1694/21 IRELAND — South Coast — — Depths.

Source: Geological Survey Ireland

★2F.G(vert)

Chart: SC5622·1 ETRS89 DATUM

Insert depth, 50, enclosed by 50m contour 52° 01' ·1N., 6° 26' ·1W.

depth, 56 (a) 52° 02' ·1N., 6° 20' ·7W.

Delete depth, 65, close NW of: (a) above

L2097/21 IRELAND — South Coast — — Depths. Wrecks.

Source: Irish Government Survey

Chart: SC5622·2 ETRS89 DATUM

Insert depth, 10₅ (a) 51° 51' ⋅80N., 7° 54' ⋅56W.

Delete depth, 134, close SW of: (a) above

Temporary/Preliminary NMs

L2085(T)/21 IRELAND — South Coast — — Buoy.

Source: Commissioners of Irish Lights

1. A yellow data collection special light-buoy, Fl.Y.5s, has been temporarily established in position 51° 25' \cdot 00N., 9° 09' \cdot 00W.

(ETRS89 DATUM)

Charts affected – SC5622 and SC5623

Temporary/Preliminary NMs

L2939(P)/21 ENGLAND — West Coast — — Submarine cable.

Source: SubCom

1. A submarine cable is being laid, joining the following approximate positions:

```
50° 50' ·15N., 4° 33' ·23W.
50° 50' ·92N., 4° 38' ·06W.
50° 50' · 34N., 4° 40' · 56W.
50° 51' ·44N., 5° 24' ·68W.
50° 51' ·82N., 5° 27' ·34W.
50° 52' · 20N., 5° 37' · 51W.
50° 48' · 22N., 7° 12' · 00W.
50° 28' ·72N., 8° 24' ·05W.
50° 10' ·34N., 8° 29' ·92W.
49° 44' ·89N., 8° 52' ·27W.
49^{\circ} 13' \cdot 97N. , 9^{\circ} 30' \cdot 21W.
49° 04' ·61N., 10° 14' ·61W.
49° 01' · 18N., 10° 21' · 39W.
48° 50' ·04N., 10° 20' ·00W.
48° 36' ·04N., 10° 35' ·00W.
48° 11' ·04N., 10° 42' ·67W.
48° 03' · 78N., 10° 35' · 49W.
47° 57' ·82N., 10° 34' ·77W.
```

- 2. Mariners are advised to navigate with caution in the area.
- 3. Charts will be updated when works are complete.

(ETRS89 DATUM)

Charts affected – SC5603, SC5608, SC5620, SC5622 and SC5623

L3613/21 IRELAND — South Coast — — Depths. Wrecks.

Source: Irish Government Survey

Chart: SC5622·1 ETRS89 DATUM

Insert	depth, 77	(a)	51° 23' ·1N. , 7° 24' ·7W.
Delete	depth, 81, close NE of:		(a) above
Insert	:96: _{Wk}	(b)	51° 00' ·8N. , 8° 29' ·5W.
Delete	+++ , close NW of:		(b) above
Insert	depth, 94, enclosed by 100m contour	(c)	50° 59' ·4N. , 8° 16' ·4W.
Delete	depth, 102, close SE of:		(c) above
Insert	depth, 99, enclosed by 100m contour		50° 57' ·4N. , 8° 40' ·7W.

L3700/21 IRELAND — South Coast — — Depth.

Source: Geological Survey Ireland

Chart: SC5622·2 ETRS89 DATUM

Insert depth, 8, and extend 10m contour S to enclose

52° 07' ·69N., 7° 12' ·13W.

L4780/21 IRELAND — South Coast — Light-beacon. Poles.

Source: Commissioners of Irish Lights

Chart: SC5622·11 ETRS89 DATUM

Insert

FI.Y.5s

51° 50' ·684N., 8° 19' ·336W.

51° 51' ·073N., 8° 19' ·586W.

51° 51' ·219N., 8° 19' ·645W.

51° 51' ·011N., 8° 17' ·438W.

L5233/21 IRELAND — South Coast — — Outfall.

Source: Port of Cork Company

Chart: SC5622·11 ETRS89 DATUM

Insert

outfall, , joining:

51° 50' ·787N., 8° 19' ·266W.

51° 50' ·689N., 8° 19' ·333W.

L1340/22 IRELAND — South Coast — Legend. Pontoon. Lights.

Source: Commissioners of Irish Lights

Chart: SC5622·6 ETRS89 DATUM

Insert pontoon, single firm line, joining:

(a) 51° 57' ·165N., 7° 50' ·659W.

(b) 51° 57' ·157N., 7° 50' ·650W.

• ×

(a) above (b) above

legend, Pontoon (seasonal), close E of:

(b) above

L1896/22 IRELAND — South Coast — Lights. Legend. Source: Wexford County Council

Chart: SC5622·4 (Panel A, Passage East to Beacon Quay and Pink Point) ETRS89 DATUM

Insert	★ Oc.G.6s	(a)	52° 16' ·82N. , 7° 00' ·27W.
		(b)	52° 16' ·85N. , 7° 00' ·32W.
	★ Oc.R.6s	(c)	52° 16' ·81N. , 7° 00' ·29W.
		(d)	52° 16' ·84N. , 7° 00' ·34W.
Delete	≁ *		(a) above
			(b) above
			(c) above
			(d) above
	→ ★ , close E of:		(b) above
			(c) above
	legend, 6 x F.R, close E of:		(a) above