

Rajalakshmi Engineering College

Name: UMAR FAROOK

Email: 240701573@rajalakshmi.edu.in

Roll no: 240701573

Phone: 9791730398

Branch: REC

Department: CSE - Section 5

Batch: 2028

Degree: B.E - CSE

Scan to verify results



2024_28_III_OOPS Using Java Lab

REC_2028_OOPS using Java_Week 4_CY

Attempt : 1

Total Mark : 40

Marks Obtained : 40

Section 1 : Coding

1. Problem Statement

A library wants to analyze book titles to count the number of words that start with an uppercase letter. This helps the library track proper nouns and important words in titles.

Your task is to write a program that, for each given title, counts and prints the number of words that start with an uppercase letter.

Input Format

The first line contains an integer T, representing the number of book titles.

Each of the next T lines contains a single title (string).

Output Format

For each title, the output print a single integer representing the number of words starting with an uppercase letter.

Refer to the sample output for formatting specifications.

Sample Test Case

Input: 1
The Chronicles of Narnia
Output: 3

Answer

```
import java.util.*;
public class Main {
    public static void main(String[] args) {
        Scanner sc = new Scanner(System.in);
        int n = sc.nextInt();
        sc.nextLine();

        for (int i = 0; i < n; i++) {
            String t = sc.nextLine();
            String[] w = t.split(" ");
            int c = 0;

            for (String word : w) {
                if (word.length() > 0 && word.charAt(0) >= 'A' && word.charAt(0) <= 'Z') {
                    c++;
                }
            }

            System.out.println(c);
        }
    }
}
```

Status : Correct

Marks : 10/10

2. Problem Statement

Meera is practicing her English vocabulary. She wants to focus on words that have more vowels in them, as they help improve her pronunciation. She decides to extract only those words from a sentence that contain at least two vowels.

Your task is to help Meera by writing a program that finds such words from the given sentence.

Input Format

The input contains a string representing the sentence.

Output Format

The output prints all the words that contain at least two vowels, separated by a space.

If no such word exists, print "No words with two vowels".

Refer to the sample output for formatting specifications.

Sample Test Case

Input: This is an example sentence

Output: example sentence

Answer

```
import java.util.*;
public class Main {
    public static void main(String[] args) {
        Scanner sc = new Scanner(System.in);
        String s = sc.nextLine();

        String[] w = s.split(" ");
        boolean found = false;

        for (String word : w) {
            int vCount = 0;
            for (int i = 0; i < word.length(); i++) {
                char ch = Character.toLowerCase(word.charAt(i));
                if (ch == 'a' || ch == 'e' || ch == 'i' || ch == 'o' || ch == 'u') {
                    vCount++;
                }
            }
            if (vCount >= 2) {
                System.out.print(word + " ");
                found = true;
            }
        }
        if (!found) {
            System.out.println("No words with two vowels");
        }
    }
}
```

```
        if (ch == 'a' || ch == 'e' || ch == 'i' || ch == 'o' || ch == 'u') {
            vCount++;
        }
    }

    if (vCount >= 2) {
        System.out.print(word + " ");
        found = true;
    }
}

if (!found) {
    System.out.println("No words with two vowels");
}
}
```

Status : Correct

Marks : 10/10

3. Problem Statement

Neha is analyzing text messages to identify words that have repeated characters. A word is considered “repetitive” if any character appears more than once in that word.

Your task is to write a program that extracts all words that contain repeated characters from a given sentence.

If no such word exists, print "No repetitive words found".

Input Format

The input contains a single line containing a sentence with multiple words.

Output Format

The output prints all words that contain repeated characters separated by a space.

If no word contains repeated characters, print "No repetitive words found".

Refer to the sample output for formatting specifications.

Sample Test Case

Input: letter balloon apple tree

Output: letter balloon apple tree

Answer

```
import java.util.*;
public class Main {
    public static void main(String[] args) {
        Scanner sc = new Scanner(System.in);
        String s = sc.nextLine();
        String[] w = s.split(" ");
        boolean found = false;

        for (String word : w) {
            boolean[] seen = new boolean[256];
            boolean isRep = false;

            for (int i = 0; i < word.length(); i++) {
                char ch = word.charAt(i);
                if (seen[ch]) {
                    isRep = true;
                    break;
                }
                seen[ch] = true;
            }

            if (isRep) {
                System.out.print(word + " ");
                found = true;
            }
        }

        if (!found)
            System.out.println("No repetitive words found");
    }
}
```

Status : Correct

Marks : 10/10

4. Problem Statement

In a university library, librarians need to track the usage of special characters in students' notes.

To help them, you are asked to write a program that counts the number of specific symbols in each passage of text.

The symbols of interest are:

Exclamation marks (!) Colons (:) Semicolons (;)

Input Format

The first line of input contains an integer T, representing the number of test cases (passages).

Each of the next T lines contains a single passage of text.

Output Format

For each test case, print three integers separated by spaces, representing the number of exclamation marks, colons, and semicolons in the passage.

The first line of output corresponds to the first passage, the second line to the second passage, and so on.

Refer to the sample output for formatting specifications.

Sample Test Case

Input: 1

Hello! How are you

Output: 1 0 0

Answer

```
import java.util.*;
public class Main {
    public static void main(String[] args) {
        Scanner sc = new Scanner(System.in);
        int n = sc.nextInt();
        sc.nextLine();

        for (int i = 0; i < n; i++) {
            String s = sc.nextLine();
            int ex = 0, colon = 0, scolon = 0;

            for (int j = 0; j < s.length(); j++) {
                char ch = s.charAt(j);
                if (ch == '!') ex++;
                else if (ch == ':') colon++;
                else if (ch == ';') scolon++;
            }

            System.out.println(ex + " " + colon + " " + scolon);
        }
    }
}
```

Status : Correct

Marks : 10/10