

GE23131-Programming Using C-2024

Quiz navigation



Show one page at a time

Finish review

Status	Finished
Started	Monday, 23 December 2024, 5:33 PM
Completed	Tuesday, 26 November 2024, 10:05 PM
Duration	26 days 19 hours

Question 1

Correct

Marked out of 3.00

Flag question

Write a program that prints a simple chessboard.

Input format:

The first line contains the number of inputs T.
The lines after that contain a different values for size of the chessboard

Output format:

Print a chessboard of dimensions size * size. Print a Print W for white spaces and B for black spaces.

Input:

2
3
5

Output:

WBW

BWB

WBW

WBWBW

BWBWB

WBWBW

BWBWB

WBWBW

Answer: (penalty regime: 0 %)

```
1 #include <stdio.h>
2 int main()
3 {
4     int n,a;
5     scanf("%d", &n);
6     while(n!=0)
7     {
8         scanf("%d", &a);
9         for(int i=0;i<a;i++)
10        {
11            for(int j=0;j<a;j++){
12                if((i+j)%2==0)
13                    printf("W");
14                else
15                    printf("B");
16            }
17            printf("\n");
18        }
19        n--;
20    }
21    return 0;
22 }
```

	Input	Expected	Got	
✓	2	WBW	WBW	✓
	3	BWB	BWB	
	5	WBW	WBW	
		WBWBW	WBWBW	
		BWBWB	BWBWB	
		WBWBW	WBWBW	
		BWBWB	BWBWB	

		WBWBW	WBWBW	
--	--	-------	-------	--

Passed all tests! ✓

Question **2**

Correct

Marked out of
5.00

🚩 [Flag question](#)

Let's print a chessboard!

Write a program that takes input:

The first line contains T, the number of test cases

Each test case contains an integer N and also the starting character of the chessboard

Output Format

Print the chessboard as per the given examples

Sample Input / Output

Input:

2

2 W

3 B

Output:

WB

BW

BWB

WBW

BWB

Answer: (penalty regime: 0 %)

```
1 #include <stdio.h>
2 int main ()
3 {
4     int n,a;
5     char ch;
6     scanf("%d", &n);
7     while(n!=0){
8         scanf("%d %c", &a, &ch);
9         for(int i=0;i<a;i++){
10             for(int j=0;j<a;j++){
11                 if(ch=='W'){
12                     if((i+j)%2==0)
13                         printf("W");
14                     else
15                         printf("B");
16                 }
17                 else
18                 {
19                     if((i+j)%2==0)
20                         printf("B");
21                     else
22                         printf("W");
23                 }
24             }
25             printf("\n");
26         }
27         n--;
28     }
29 }
```

	Input	Expected	Got	
✓	2	WB	WB	✓
	2 W	BW	BW	
	3 B	BWB	BWB	
		WBW	WBW	
		BWB	BWB	

Passed all tests! ✓

Question **3**

Correct

Marked out of
7.00

[Flag question](#)

Decode the logic and print the Pattern that corresponds to given input.

If $N = 3$

then pattern will be :

10203010011012

**4050809

****607

If $N = 4$, then pattern will be:

1020304017018019020

**50607014015016

****809012013

*****10011

Constraints

$2 \leq N \leq 100$

Input Format

First line contains T , the number of test cases

Each test case contains a single integer N

Output

First line print Case # i where i is the test case number

In the subsequent line, print the pattern

Test Case 1

3

3

4

5

Output

Case #1

10203010011012

**4050809

****607

Case #2

1020304017018019020

**50607014015016

****809012013

*****10011

Case #3

102030405026027028029030

**6070809022023024025

****10011012019020021

*****13014017018

*****15016

Answer: (penalty regime: 0 %)

```
1 #include <stdio.h>
2 int main(){
3     int t,n,x,y,z=1,i,ans,c;
4     scanf("%d",&t);
5     while(z<=t){
6         scanf("%d",&n);
```

```

7      printf("Case #%d\n",z);
8      y=1;
9      i=1;
10     c=0;
11     while(y<=n){
12         x=1;
13         ans=(n*n);
14         ans=ans-c;
15         while(x<=2*n){
16             if(x<=n){
17                 if(x<y)
18
19             printf("***");
20             else if(x<=n){
21                 printf("%d", i*10);
22                 i++;
23             }}else{
24                 if((x+y)==(2*n)+1){
25                     printf("%d", (ans+y));
26                     ans++;
27                     c++;
28
29                 }
30                 else if(x+y<=(2*n)+1){
31                     printf("%d", (ans+y)*10);
32                     ans++;
33                     c++;
34                 }
35             }
36             x++;
37         }
38         y++;
39         printf("\n");
40     }
41     z++;
42 }
43 }

```

	Input	Expected	Got	
✓	3	Case #1	Case #1	✓
	3	10203010011012	10203010011012	
	4	**4050809	**4050809	
	5	****607	****607	
		Case #2	Case #2	
		1020304017018019020	1020304017018019020	

	^^5060/014015016	^^5060/014015016	
	****809012013	****809012013	
	*****10011	*****10011	
	Case #3	Case #3	
	102030405026027028029030	102030405026027028029030	
	**6070809022023024025	**6070809022023024025	
	****10011012019020021	****10011012019020021	
	*****13014017018	*****13014017018	
	*****15016	*****15016	

Passed all tests! ✓

Finish review