

Session 7: CPSA formalism, and Beyond CPSA

Slides prepared by UMBC Protocol Analysis Lab

Last edited June 26, 2026

How do we know CPSA works?

How do we know CPSA works?

- ▶ CPSA includes a finite set of operations.

How do we know CPSA works?

- ▶ CPSA includes a finite set of operations.
- ▶ Operations provably preserves properties of the protocol.

How do we know CPSA works?

- ▶ CPSA includes a finite set of operations.
- ▶ Operations provably preserves properties of the protocol.
- ▶ If CPSA terminates, then all possible executions have been searched

How do we know CPSA works?

- ▶ CPSA includes a finite set of operations.
- ▶ Operations provably preserves properties of the protocol.
- ▶ If CPSA terminates, then all possible executions have been searched
- ▶ Liskov, M. D., Rowe, P.D., & Thayer, F.J. (2011, October).
[Completeness of CPSA](#)

How do we know CPSA works?

- ▶ CPSA includes a finite set of operations.
- ▶ Operations provably preserves properties of the protocol.
- ▶ If CPSA terminates, then all possible executions have been searched
- ▶ Liskov, M. D., Rowe, P.D., & Thayer, F.J. (2011, October).
[Completeness of CPSA](#)
- ▶ Proofs *about* theorem provers are extremely complicated

How do we know CPSA works?

- ▶ CPSA includes a finite set of operations.
- ▶ Operations provably preserves properties of the protocol.
- ▶ If CPSA terminates, then all possible executions have been searched
- ▶ Liskov, M. D., Rowe, P.D., & Thayer, F.J. (2011, October). [Completeness of CPSA](#)
- ▶ Proofs *about* theorem provers are extremely complicated
 - ▶ Important if you are interested in proving things *about* CPSA, rather than *with* CPSA.

Enrich by need

Enrich by need

- ▶ Rowe, P.D., Guttman, J.D., & Liskov, M. D., (2011, October). [Measuring protocol strength with security goals](#)

Enrich by need

- ▶ Rowe, P.D., Guttman, J.D., & Liskov, M. D., (2011, October). [Measuring protocol strength with security goals](#)
- ▶ Scenario + Assumptions + Set of actions possible = analysis

Enrich by need

- ▶ Rowe, P.D., Guttman, J.D., & Liskov, M. D., (2011, October). [Measuring protocol strength with security goals](#)
- ▶ Scenario + Assumptions + Set of actions possible = analysis
- ▶ “Enrichment” refers to finding plausible actions to explain the scenario

Enrich by need

- ▶ Rowe, P.D., Guttman, J.D., & Liskov, M. D., (2011, October). [Measuring protocol strength with security goals](#)
- ▶ Scenario + Assumptions + Set of actions possible = analysis
- ▶ “Enrichment” refers to finding plausible actions to explain the scenario
- ▶ Once the scenario is explained, then a skeleton is called *realized*

Post Quantum Cryptography

What the future of crypto looks like, but when?

Beyond CPSA

CPSA let's us model *structural* attacks on protocols.

Beyond CPSA

CPSA let's us model *structural* attacks on protocols.
Post-quantum attacks are not abstracted from the primitive, so CPSA cannot consider them.

Shor's and Grover's algorithms

Shor's and Grover's algorithms

Shor's algorithm states that an n bit cryptographic key can be factored in $\text{poly}(n)$ time.

Shor's and Grover's algorithms

Shor's algorithm states that an n bit cryptographic key can be factored in $\text{poly}(n)$ time.

Shor's algorithm is *terrifying*, but the largest number factored by a quantum computer is

Shor's and Grover's algorithms

Shor's algorithm states that an n bit cryptographic key can be factored in $\text{poly}(n)$ time.

Shor's algorithm is *terrifying*, but the largest number factored by a quantum computer is 21.

Shor's and Grover's algorithms

Shor's algorithm states that an n bit cryptographic key can be factored in $\text{poly}(n)$ time.

Shor's algorithm is *terrifying*, but the largest number factored by a quantum computer is 21. That's right, 21.

Shor's and Grover's algorithms

Shor's algorithm states that an n bit cryptographic key can be factored in $\text{poly}(n)$ time.

Shor's algorithm is *terrifying*, but the largest number factored by a quantum computer is 21. That's right, 21.

Grover's algorithm states that a quantum computer can perform a table lookup in $O(\sqrt{n})$ time, instead of $O(n)$ time.

Shor's and Grover's algorithms

Shor's algorithm states that an n bit cryptographic key can be factored in $\text{poly}(n)$ time.

Shor's algorithm is *terrifying*, but the largest number factored by a quantum computer is 21. That's right, 21.

Grover's algorithm states that a quantum computer can perform a table lookup in $O(\sqrt{n})$ time, instead of $O(n)$ time.

Grover's algorithm permits faster brute-force operations, effectively cutting keysize in half. An AES-256 key becomes as secure as an AES-128 key.

Shor's and Grover's algorithms

Shor's algorithm states that an n bit cryptographic key can be factored in $\text{poly}(n)$ time.

Shor's algorithm is *terrifying*, but the largest number factored by a quantum computer is 21. That's right, 21.

Grover's algorithm states that a quantum computer can perform a table lookup in $O(\sqrt{n})$ time, instead of $O(n)$ time.

Grover's algorithm permits faster brute-force operations, effectively cutting keysize in half. An AES-256 key becomes as secure as an AES-128 key.

Grover's algorithm has, so far, not been shown to be feasible.

NIST PQC competition

NIST PQC competition

- ▶ National Institute for Standards and Technology (NIST) competition for a new encryption algorithm

NIST PQC competition

- ▶ National Institute for Standards and Technology (NIST) competition for a new encryption algorithm
- ▶ Several algorithms submitted, many broken

NIST PQC competition

- ▶ National Institute for Standards and Technology (NIST) competition for a new encryption algorithm
- ▶ Several algorithms submitted, many broken
- ▶ CRYSTALS-Kyber chosen as the round winner for Key Encapsulation (KEM).

NIST PQC competition

- ▶ National Institute for Standards and Technology (NIST) competition for a new encryption algorithm
- ▶ Several algorithms submitted, many broken
- ▶ CRYSTALS-Kyber chosen as the round winner for Key Encapsulation (KEM).
- ▶ Lattice problem as trapdoor, average case NP-hard




Figure: By IkamusumeFan - Own work, CC BY-SA 4.0,
<https://commons.wikimedia.org/w/index.php?curid=45284265>

Symmetric keys

Symmetric keys

- ▶ Symmetric keys also work for post-quantum security (Large keys because of Grover's)

Symmetric keys

- ▶ Symmetric keys also work for post-quantum security (Large keys because of Grover's)
- ▶ Biclique attack not feasible on quantum computers

Symmetric keys

- ▶ Symmetric keys also work for post-quantum security (Large keys because of Grover's)
- ▶ Biclique attack not feasible on quantum computers
- ▶ Symmetric key schemes require both parties to have the same key (hard)

Symmetric keys

- ▶ Symmetric keys also work for post-quantum security (Large keys because of Grover's)
- ▶ Biclique attack not feasible on quantum computers
- ▶ Symmetric key schemes require both parties to have the same key (hard)
- ▶ Symmetric key schemes can be vulnerable to other attacks

Merkle signature scheme

Merkle signature scheme

- ▶ Signature scheme based on hash trees.

Merkle signature scheme

- ▶ Signature scheme based on hash trees.
- ▶ Only assumption is the existence of secure hash functions

Merkle signature scheme

- ▶ Signature scheme based on hash trees.
- ▶ Only assumption is the existence of secure hash functions




Figure: By MaxLevy137 - Own work, CC BY-SA 4.0,
<https://commons.wikimedia.org/w/index.php?curid=69548097>

Survey

Fill in details about the survey here!