




B530-A




B585-A




B695-A




B780-A




R670-A




R780-A




Blue_LaserDelay




Red_LaserDelay




FSC-A




FSC-H




FSC-W




SSC-A




SSC-H




SSC-W




B530-A_Gain




B585-A_Gain




B695-A_Gain




B780-A_Gain




R670-A_Gain




R780-A_Gain




FSC-A_Gain




SSC-A_Gain




Blue_LaserDelay




Red_LaserDelay




Blue_AreaScalingFactor




Red_AreaScalingFactor




B530-A-% rCV




B585-A-% rCV




B695-A-% rCV




B780-A-% rCV




R670-A-% rCV




R780-A-% rCV




FSC-A-% rCV




FSC-H-% rCV



FSC-W-% rCV



SSC-A-% rCV



The graph displays the daily count of COVID-19 cases in the United States. The data shows a period of relative stability with low case counts from November through early December. A vertical red dashed line marks the end of December. Following this, there is a period of low activity until late February. A massive spike occurs in early March, peaking at approximately 95,000 cases. After this peak, the case count drops sharply and then shows a gradual upward trend through April.

The graph displays the daily number of COVID-19 cases in the Netherlands from November to April. The y-axis represents the number of cases, ranging from 0 to 20. The x-axis shows the months: Nov, Dec, Jan, Feb, Mar, and Apr. A red dashed vertical line is positioned at the beginning of December, indicating the start of the second wave. The data shows a peak in late December, followed by a decline and then a sharp spike in early March, reaching over 20 cases. The number of cases remains relatively low and stable from April onwards.

Month	Day	Cases
Nov	1	8.5
Nov	2	8.5
Nov	3	10.5
Nov	4	9.5
Nov	5	6.5
Nov	6	10.0
Nov	7	11.5
Nov	8	10.5
Nov	9	10.0
Nov	10	11.5
Nov	11	10.5
Nov	12	12.0
Nov	13	10.5
Nov	14	12.5
Nov	15	10.5
Nov	16	12.5
Nov	17	10.5
Nov	18	12.5
Nov	19	10.5
Nov	20	12.5
Nov	21	10.5
Nov	22	12.5
Nov	23	10.5
Nov	24	12.5
Nov	25	10.5
Nov	26	12.5
Nov	27	10.5
Nov	28	12.5
Nov	29	10.5
Nov	30	12.5
Nov	31	10.5
Dec	1	12.5
Dec	2	10.5
Dec	3	12.5
Dec	4	10.5
Dec	5	12.5
Dec	6	10.5
Dec	7	12.5
Dec	8	10.5
Dec	9	12.5
Dec	10	10.5
Dec	11	12.5
Dec	12	10.5
Dec	13	12.5
Dec	14	10.5
Dec	15	12.5
Dec	16	10.5
Dec	17	12.5
Dec	18	10.5
Dec	19	12.5
Dec	20	10.5
Dec	21	12.5
Dec	22	10.5
Dec	23	12.5
Dec	24	10.5
Dec	25	12.5
Dec	26	10.5
Dec	27	12.5
Dec	28	10.5
Dec	29	12.5
Dec	30	10.5
Dec	31	12.5
Jan	1	10.5
Jan	2	8.5
Jan	3	6.5
Jan	4	6.5
Jan	5	8.5
Jan	6	6.5
Jan	7	8.5
Jan	8	6.5
Jan	9	6.5
Jan	10	6.5
Jan	11	6.5
Jan	12	6.5
Jan	13	6.5
Jan	14	6.5
Jan	15	6.5
Jan	16	6.5
Jan	17	6.5
Jan	18	6.5
Jan	19	6.5
Jan	20	6.5
Jan	21	6.5
Jan	22	6.5
Jan	23	6.5
Jan	24	6.5
Jan	25	6.5
Jan	26	6.5
Jan	27	6.5
Jan	28	6.5
Jan	29	6.5
Jan	30	6.5
Jan	31	6.5
Feb	1	6.5
Feb	2	6.5
Feb	3	6.5
Feb	4	6.5
Feb	5	6.5
Feb	6	6.5
Feb	7	6.5
Feb	8	6.5
Feb	9	6.5
Feb	10	6.5
Feb	11	6.5
Feb	12	6.5
Feb	13	6.5
Feb	14	6.5
Feb	15	6.5
Feb	16	6.5
Feb	17	6.5
Feb	18	6.5
Feb	19	6.5
Feb	20	6.5
Feb	21	6.5
Feb	22	6.5
Feb	23	6.5
Feb	24	6.5
Feb	25	6.5
Feb	26	6.5
Feb	27	6.5
Feb	28	6.5
Feb	29	6.5
Feb	30	6.5
Mar	1	6.5
Mar	2	6.5
Mar	3	6.5
Mar	4	6.5
Mar	5	6.5
Mar	6	6.5
Mar	7	6.5
Mar	8	6.5
Mar	9	6.5
Mar	10	6.5
Mar	11	6.5
Mar	12	6.5
Mar	13	6.5
Mar	14	6.5
Mar	15	6.5
Mar	16	6.5
Mar	17	6.5
Mar	18	6.5
Mar	19	6.5
Mar	20	6.5
Mar	21	6.5
Mar	22	6.5
Mar	23	6.5
Mar	24	6.5
Mar		