




B530-A




B585-A




B695-A




B780-A




R670-A




R780-A




Blue_LaserDelay




Red_LaserDelay




FSC-A




FSC-H




FSC-W




SSC-A




SSC-H




SSC-W




B530-A_Gain




B585-A_Gain




B695-A_Gain




B780-A_Gain




R670-A_Gain




R780-A_Gain




FSC-A_Gain




SSC-A_Gain




Blue_LaserDelay




Red_LaserDelay




Blue_AreaScalingFactor



Red_AreaScalingFactor



B530-A-% rCV




The graph illustrates the progression of COVID-19 cases in the Netherlands. The data shows a period of low activity from December through early March, followed by a sharp increase in cases starting around March 11, 2020. The peak of the epidemic occurs in early April, reaching nearly 10,000 cases, before declining and then showing a slight upward trend towards the end of the period shown.


The graph illustrates the trend of COVID-19 cases in the Netherlands. Before the lockdown (late November), there was a period of high case counts, fluctuating between approximately 4,000 and 6,000. Following the lockdown, the number of cases dropped precipitously, stabilizing at a low level (mostly below 1,000) from January through February. A major resurgence occurred in early March, with cases spiking to nearly 10,000, before declining again in April.

The graph displays the daily count of COVID-19 cases in the United States. The data begins in early December 2019 with a low number of cases. A significant surge begins in late February 2020, reaching a peak of nearly 1,000,000 cases in early March. Following this peak, the number of cases declines but remains elevated compared to the initial period, with a slight increase again in late April 2020.


R670-A-% rCV




R780-A-% rCV




FSC-A-% rCV




FSC-H-% rCV



FSC-W-% rCV



SSC-A-% rCV



SSC-H-% rCV



SSC-W-% rCV

