




B530-A




B585-A




B695-A




B780-A




R670-A




R780-A




Blue_LaserDelay




Red_LaserDelay




FSC-A




FSC-H




FSC-W




SSC-A




SSC-H




SSC-W




B530-A_Gain




B585-A_Gain




B695-A_Gain




B780-A_Gain




R670-A_Gain




R780-A_Gain




FSC-A_Gain




SSC-A_Gain




Blue_LaserDelay




Red_LaserDelay




Blue_AreaScalingFactor



Red_AreaScalingFactor



B530-A-% rCV




The graph displays the daily count of COVID-19 cases in the United States from January 1, 2020, to April 1, 2020. The x-axis represents time, with labels for January, February, March, and April. The y-axis represents the number of cases, with a scale from 0 to 100,000. The data shows a period of low case counts (mostly below 10,000) from January through early February. A significant surge begins in late February, reaching a peak of approximately 100,000 cases in early March. Following the peak, the number of cases declines sharply, returning to levels below 10,000 by mid-March, and remains relatively stable through April.


The graph displays the daily count of COVID-19 cases in the United States from January 1, 2020, to April 1, 2020. The x-axis represents time, with labels for January, February, March, and April. The y-axis represents the number of cases, with a scale from 0 to 100,000. The data shows a period of low case counts (mostly below 10,000) from January through early February. Starting in late February, there is a significant and rapid increase in cases, reaching a peak of approximately 100,000 in early March. Following this peak, the number of cases declines sharply, returning to levels below 10,000 by mid-March, and remains relatively stable with minor fluctuations through April.

The graph displays the daily count of COVID-19 cases in the United States from January 1, 2020, to April 1, 2020. The x-axis represents time, with labels for January, February, March, and April. The y-axis represents the number of cases, with a scale from 0 to 100,000. The data shows a period of low case counts (mostly below 10,000) from January through early February. Starting in late February, there is a significant upward trend, with cases rising sharply to a peak of approximately 100,000 in early March. Following the peak, the number of cases begins to decline, showing a slight uptick in late March before continuing its downward trend into April.


R670-A-% rCV




R780-A-% rCV




FSC-A-% rCV




FSC-H-% rCV




FSC-W-% rCV



SSC-A-% rCV



SSC-H-% rCV



SSC-W-% rCV

