




B530-A




B585-A




B695-A




B780-A




R670-A




R780-A




Blue_LaserDelay




Red_LaserDelay




FSC-A




FSC-H




FSC-W




SSC-A




SSC-H




SSC-W




B530-A_Gain




B585-A_Gain




B695-A_Gain




B780-A_Gain




R670-A_Gain




R780-A_Gain




FSC-A_Gain




SSC-A_Gain




Blue_LaserDelay




Red_LaserDelay




Blue_AreaScalingFactor



Red_AreaScalingFactor



B530-A-% rCV




The graph illustrates the daily count of COVID-19 cases in the United States. The data points are connected by a blue line, and a vertical dashed red line marks the transition from December to January. The cases drop significantly after the end of December, remain low through January and early February, then experience a major surge in late February before stabilizing at a higher level in April.


The graph displays the daily count of COVID-19 cases in the United States. The data shows a significant surge in late December, reaching a peak of nearly a million cases in early January. After a period of relative stability and minor fluctuations, there is a second, smaller wave of cases peaking in late February/early March at around 250,000 cases. The overall trend shows a high initial peak followed by a decline and then a secondary, lower peak.

The graph displays the daily count of COVID-19 cases in the United States. The data begins in early December with a low number of cases. A significant surge begins in late February, reaching a peak of nearly 1,000,000 cases in early March. Following this peak, the number of cases declines but remains elevated compared to the initial period, with a notable increase again in late April.


R670-A-% rCV




R780-A-% rCV




FSC-A-% rCV




FSC-H-% rCV




FSC-W-% rCV



SSC-A-% rCV



SSC-H-% rCV



SSC-W-% rCV

