




V450-A




V530-A




V710-A




B530-A




B695-A




Y590-A




Y610-A




Y670-A




Y780-A




R660-A




R780-A




FSC-A




FSC-H




FSC-W




SSC-A




SSC-H




SSC-W




V450-A_Gain




V530-A_Gain




V710-A_Gain




B530-A_Gain




B695-A_Gain




Y590-A_Gain




Y610-A_Gain




Y670-A_Gain




Y780-A_Gain




R660-A_Gain




R780-A_Gain




FSC-A_Gain




SSC-A_Gain




Violet_LaserDelay




Blue_LaserDelay




Yellow_LaserDelay




Red_LaserDelay




Violet_AreaScalingFactor




Blue_AreaScalingFactor




Yellow_AreaScalingFactor



Red_AreaScalingFactor



V450-A-% rCV




The graph displays the daily count of COVID-19 cases in the United States from December to April. The x-axis represents time in months, and the y-axis represents the number of cases. The data shows a period of low case counts in December and January, followed by a significant surge starting in late February. The peak occurs in early March, after which the case counts begin to decline, though they remain higher than the initial December period.


The graph displays the daily count of COVID-19 cases in the United States from December to April. The x-axis represents time in months, and the y-axis represents the number of cases. The data shows a period of low activity in December and January, followed by a significant surge starting in late February. The peak occurs in early March, after which the case count begins to decline, though it remains higher than the initial December levels.

The graph displays the daily count of COVID-19 cases in the United States from December to April. The x-axis represents time in months, and the y-axis represents the number of cases. The data shows a period of relative stability in December and January, followed by a significant surge in cases starting in late February. The peak occurs in early March, after which the number of cases begins to decline, though it remains higher than the initial levels of the period.


B695-A-% rCV




Y590-A-% rCV




Y610-A-% rCV




Y670-A-% rCV




Y780-A-% rCV




R660-A-% rCV




R780-A-% rCV




FSC-A-% rCV




FSC-H-% rCV




FSC-W-% rCV



SSC-A-% rCV



SSC-H-% rCV



SSC-W-% rCV

