




V450-A




V530-A




V710-A




B530-A




B695-A




Y590-A




Y610-A




Y670-A




Y780-A




R660-A




R780-A




FSC-A




FSC-H




FSC-W




SSC-A




SSC-H




SSC-W




V450-A\_Gain




### V530-A\_Gain




### V710-A\_Gain




### B530-A\_Gain




### B695-A\_Gain



### Y590-A\_Gain




### Y610-A\_Gain







Y670-A\_Gain




Y780-A\_Gain




R660-A\_Gain




# R780-A\_Gain




# FSC-A\_Gain




# SSC-A\_Gain




Violet\_LaserDelay




Blue\_LaserDelay




Yellow\_LaserDelay




Red\_LaserDelay




Violet\_AreaScalingFactor




Blue\_AreaScalingFactor




Yellow\_AreaScalingFactor



Red\_AreaScalingFactor



V450-A-% rCV




The graph displays the daily count of COVID-19 cases in the United States. The x-axis represents time, with labels for January, February, March, and April. The y-axis represents the number of cases, with a scale from 0 to 100,000. The data shows a period of low activity in December and January, followed by a significant surge in late February. The peak occurs in early March at approximately 100,000 cases. Following the peak, there is a period of fluctuation with a secondary rise in mid-March, followed by a general decline towards the end of the period shown in April.


The graph displays the daily count of COVID-19 cases in the United States from January 1, 2020, to April 1, 2020. The x-axis represents time, with labels for Jan, Feb, Mar, and Apr. The y-axis represents the number of cases, with a scale from 0 to 100,000. The data shows a period of low case counts (mostly below 10,000) from January through early February. Starting in late February, there is a significant and rapid increase in cases, reaching a peak of approximately 100,000 in early March. Following the peak, the number of cases begins to decline, showing a downward trend through April, though with some fluctuations, including a small secondary rise in late March.

The graph displays the daily number of new COVID-19 cases in the United States from December 2019 to April 2020. The x-axis represents time, with labels for Jan, Feb, Mar, and Apr. The y-axis represents the number of cases, with a grid extending up to 100,000. The data shows a period of low activity in December and January, followed by a significant surge starting in late February. The cases peaked in early March at approximately 100,000, then declined sharply, with a small secondary peak in late March, before dropping again in April.


B695-A-% rCV




Y590-A-% rCV




Y610-A-% rCV




Y670-A-% rCV



Y780-A-% rCV




R660-A-% rCV







# R780-A-% rCV




# FSC-A-% rCV




# FSC-H-% rCV




### FSC-W-% rCV



### SSC-A-% rCV



### SSC-H-% rCV



SSC-W-% rCV

