
V450−A
MFI
14000
13000
12000
11000
10000
Jan
Feb
Mar
Apr
V530−A
MFI
12500
10000
7500
5000
2500
Jan
Feb
Mar
Apr
V710−A
MFI
10000
8000
6000
4000
Jan
Feb
Mar
Apr


B530−A
MFI
18000
16000
14000
12000
10000
Jan
Feb
Mar
Apr
B695−A
MFI
18000
16000
14000
12000
Jan
Feb
Mar
Apr
Y590−A
MFI
13000
12000
11000
Jan
Feb
Mar
Apr

Y610−A
MFI
10000
5000
0
Jan
Feb
Mar
Apr


Y670−A
MFI
15000
14000
13000
12000
Jan
Feb
Mar
Apr


Y780−A
MFI
20000
15000
10000
5000
0
Jan
Feb
Mar
Apr


R660−A
MFI
10500
10000
9500
9000
8500
8000
Jan
Feb
Mar
Apr
R780−A
MFI
14000
12000
10000
Jan
Feb
Mar
Apr
FSC−A
48000
45000
42000
Jan
Feb
Mar
Apr


FSC−H
70000
60000
50000
40000
Jan
Feb
Mar
Apr


FSC−W
70000
60000
50000
40000
Jan
Feb
Mar
Apr


SSC−A
200000
150000
100000
Jan
Feb
Mar
Apr


SSC−H
72000
68000
64000
60000
Jan
Feb
Mar
Apr
SSC−W
200000
150000
100000
Jan
Feb
Mar
Apr
V450−A_Gain
Gain
558.00
557.75
557.50
557.25
557.00
Jan
Feb
Mar
Apr


V530−A_Gain
Gain
452.0
451.5
451.0
450.5
450.0
Jan
Feb
Mar
Apr


V710−A_Gain
Gain
520.025
520.000
519.975
519.950
Jan
Feb
Mar
Apr


B530−A_Gain
Gain
640
630
620
610
Jan
Feb
Mar
Apr


B695−A_Gain
Gain
700
695
690
685
680
Jan
Feb
Mar
Apr


Y590−A_Gain
Gain
389.00
388.75
388.50
388.25
388.00
Jan
Feb
Mar
Apr


Y610−A_Gain
Gain
452.0
451.5
451.0
450.5
450.0
Jan
Feb
Mar
Apr


Y670−A_Gain
Gain
437.5
435.0
432.5
430.0
Jan
Feb
Mar
Apr


Y780−A_Gain
Gain
510
505
500
495
490
Jan
Feb
Mar
Apr


R660−A_Gain
Gain
538
536
534
Jan
Feb
Mar
Apr


R780−A_Gain
Gain
455
450
445
440
Jan
Feb
Mar
Apr
FSC−A_Gain
420
415
410
405
400
Jan
Feb
Mar
Apr
SSC−A_Gain
380
375
370
365
360
Jan
Feb
Mar
Apr

Violet_LaserDelay



Blue_LaserDelay



Yellow_LaserDelay



Red_LaserDelay



Violet_AreaScalingFactor



Blue_AreaScalingFactor




Yellow_AreaScalingFactor
0.76
0.74
0.72
0.70
0.68
0.66
Jan
Feb
Mar
Apr
Red_AreaScalingFactor
1.04
1.02
1.00
0.98
0.96
0.94
Jan
Feb
Mar
Apr
V450−A−% rCV
%rCV
35
30
25
20
15
10
Jan
Feb
Mar
Apr


V530−A−% rCV
%rCV
25
20
15
10
Jan
Feb
Mar
Apr


V710−A−% rCV
%rCV
25
20
15
10
Jan
Feb
Mar
Apr


B530−A−% rCV
%rCV
30
25
20
15
10
Jan
Feb
Mar
Apr


B695−A−% rCV
%rCV
35
30
25
20
15
Jan
Feb
Mar
Apr


Y590−A−% rCV
%rCV
30
20
10
Jan
Feb
Mar
Apr


Y610−A−% rCV
%rCV
1000
750
500
250
0
Jan
Feb
Mar
Apr


Y670−A−% rCV
%rCV
25
20
15
10
5
Jan
Feb
Mar
Apr


Y780−A−% rCV
%rCV
40
30
20
10
Jan
Feb
Mar
Apr


R660−A−% rCV
%rCV
20
16
12
Jan
Feb
Mar
Apr


R780−A−% rCV
%rCV
40
30
20
Jan
Feb
Mar
Apr


FSC−A−% rCV
40
30
20
10
Jan
Feb
Mar
Apr


FSC−H−% rCV
6
5
4
3
2
Jan
Feb
Mar
Apr


FSC−W−% rCV
40
30
20
10
Jan
Feb
Mar
Apr
SSC−A−% rCV
20.0
17.5
15.0
12.5
10.0
Jan
Feb
Mar
Apr
SSC−H−% rCV
4
3
2
Jan
Feb
Mar
Apr


SSC−W−% rCV
18
16
14
12
10
Jan
Feb
Mar
Apr