




B530-A




B585-A




B695-A




B780-A




R670-A




R780-A




Blue_LaserDelay




Red_LaserDelay




FSC-A




FSC-H




FSC-W




SSC-A




SSC-H




SSC-W




B530-A_Gain




B585-A_Gain




B695-A_Gain




B780-A_Gain




R670-A_Gain




R780-A_Gain




FSC-A_Gain




SSC-A_Gain




Blue_LaserDelay




Red_LaserDelay




Blue_AreaScalingFactor



Red_AreaScalingFactor




B530-A-% rCV




The graph illustrates the impact of the COVID-19 lockdown in the Netherlands. Before the lockdown (late November), the number of daily cases was high, fluctuating between approximately 2,000 and 10,000. Following the lockdown, the number of cases dropped significantly, remaining mostly below 1,000 per day. A sharp spike in cases occurred in early March, reaching nearly 10,000, before returning to low levels.

The graph illustrates the daily reported COVID-19 cases in the Netherlands. The data shows a period of high case counts in late 2020, followed by a sharp decline after the implementation of the lockdown. A notable spike occurred in early March, likely due to a second wave of infections. The overall trend shows a significant reduction in daily case counts following the lockdown measures.


R670-A-% rCV




R780-A-% rCV




FSC-A-% rCV




FSC-H-% rCV



FSC-W-% rCV



SSC-A-% rCV



The graph displays the daily count of COVID-19 cases in the United States. The x-axis is labeled with months: Nov, Dec, Jan, Feb, Mar, and Apr. The y-axis represents the number of cases, with a grid of horizontal lines. A vertical red dashed line is positioned at the beginning of the data series in early December. The data shows a period of low case counts from November through late February, followed by a rapid and significant increase in cases, reaching a peak in early March, and then a gradual decline through April.

The graph displays the daily count of COVID-19 cases in the United States. The data shows a period of fluctuation between 6 and 14 cases from November through early December. After the dashed red line, the case counts generally decreased, staying mostly below 8 cases per day. A major peak occurred in early March, with a single day exceeding 20 cases. Following this peak, the case counts returned to a level similar to the period after December, fluctuating between 6 and 8 cases.