




B530-A




B585-A




B695-A




B780-A




R670-A




R780-A




Blue_LaserDelay




Red_LaserDelay




FSC-A




FSC-H




FSC-W




SSC-A




SSC-H




SSC-W




B530-A_Gain




B585-A_Gain




B695-A_Gain




B780-A_Gain




R670-A_Gain




R780-A_Gain




FSC-A_Gain




SSC-A_Gain



Blue_LaserDelay



Red_LaserDelay




The scatter plot displays daily case counts over time. The x-axis is labeled with months: Jul, Oct, Jan, and Apr. The y-axis represents the number of cases, with major grid lines every 20 units from 0 to 100. Data points are represented by black dots. A red dashed vertical line is positioned at approximately July 15th, and another red dashed vertical line is at approximately January 1st. The data shows a period of low activity from July through December, followed by a sharp rise in cases starting in late December, peaking at nearly 100 cases in early January, and then gradually declining through April.


Date (Approximate)	Number of Cases
July 15	0
August 15	75
September 15	0
October 15	0
November 15	0
December 15	0
December 25	0
January 1	95
January 5	95
January 10	95
January 15	95
January 20	95
January 25	95
February 1	95
February 15	95
March 1	95
March 15	95
April 1	95

The figure is a line plot with blue dots and a blue line, showing the daily number of new COVID-19 cases in the United States from July to April. The y-axis represents the number of cases, with a scale break between 100,000 and 1,000,000. The x-axis shows months from July to April. Two vertical dashed red lines mark the dates of the first and second waves. The first wave peaks in late July/early August. The second wave peaks in late November/early December. Cases remain low from January to March, with a small spike in late March.


B585-A-% rCV




B695-A-% rCV




B780-A-% rCV




R670-A-% rCV




R780-A-% rCV




FSC-A-% rCV




FSC-H-% rCV




FSC-W-% rCV



SSC-A-% rCV



SSC-H-% rCV



SSC-W-% rCV

