




B530-A




B585-A




B695-A




B780-A




R670-A




R780-A




Blue_LaserDelay




Red_LaserDelay




FSC-A




FSC-H




FSC-W




SSC-A




SSC-H




SSC-W




B530-A_Gain




B585-A_Gain




B695-A_Gain




B780-A_Gain




R670-A_Gain




R780-A_Gain




FSC-A_Gain




SSC-A_Gain




Blue_LaserDelay




Red_LaserDelay




Blue_AreaScalingFactor



Red_AreaScalingFactor




B530-A-% rCV




The graph displays the percentage of relative coefficient of variation (%rCV) over time. The x-axis represents months from October to April. The y-axis represents %rCV from 5 to 20. A vertical dashed red line is positioned at approximately November 15. Before this line, the %rCV is highly variable, fluctuating between approximately 11% and 21%. After the line, the %rCV drops significantly, remaining mostly below 7%, with a single sharp spike to 20% in late December.

The graph displays the percentage of runs with a coefficient of variation (%rCV) over a period from October to April. The y-axis, labeled '%rCV', ranges from 0 to 25. A vertical dashed red line is positioned at approximately November 15. Before this line, the %rCV values are generally higher, fluctuating between 15 and 25, with a notable peak of approximately 26 in late March. After the dashed line, the %rCV values are significantly lower, mostly staying below 10, indicating a period of lower variability. There is a sharp spike in %rCV to approximately 26 in late March, followed by a return to low values.


R670-A-% rCV



R780-A-% rCV



FSC-A-% rCV



The graph displays the daily number of COVID-19 cases in the Netherlands from October to April. The y-axis represents the number of cases, ranging from 0 to 15. The x-axis represents time, with labels for October, January, and April. A red dashed vertical line is positioned at the end of November, indicating the start of the second wave. The first wave peaks in late November at approximately 12 cases. The second wave is significantly larger, peaking in late March at 15 cases. The data shows a clear pattern of waves, with the second wave being much more intense than the first.

The graph displays the daily number of COVID-19 cases in the United States. The y-axis is labeled 'Number of cases' and ranges from 0 to 100,000 in increments of 20,000. The x-axis is labeled 'Date' and shows months from October 2020 to April 2021. A vertical dashed red line is positioned at the beginning of December 2020, indicating the start of the vaccination campaign. The data shows a period of relative stability with minor fluctuations between 10,000 and 30,000 cases from October to November. Following the vaccination campaign, there is a sharp decline in cases, which remain low (mostly below 10,000) through January and February. A massive spike occurs in late March/early April 2021, with cases peaking at approximately 95,000. After this peak, the number of cases drops sharply and remains low through April.

The graph displays the daily count of COVID-19 cases in the United States. The y-axis is labeled with values 0, 10, 15, and 20. The x-axis is labeled with months: Oct, Jan, and Apr. A red dashed vertical line is positioned at approximately March 11, 2020. The data shows a period of low case counts from October 2020 to early March 2021, followed by a sharp increase to a peak of over 20 cases in late March 2021, and then a decline to near-zero levels by April 2021.