




B530-A




B585-A




B695-A




B780-A




R670-A




R780-A




Blue_LaserDelay




Red_LaserDelay




FSC-A




FSC-H




FSC-W




SSC-A




SSC-H




SSC-W




B530-A_Gain




B585-A_Gain




B695-A_Gain




B780-A_Gain




R670-A_Gain




R780-A_Gain




FSC-A_Gain




SSC-A_Gain



Blue_LaserDelay



Red_LaserDelay



The scatter plot displays daily death tolls. A vertical dashed red line marks a significant event on November 15, where the death toll reached 10. Following this, the death toll remained high, fluctuating between 8 and 9 deaths per day through January and April.

Date (Approximate)	Number of Deaths
Oct 1	1
Oct 15	1
Oct 16	1
Oct 17	1
Oct 25	1
Oct 26	1
Nov 15	10
Nov 16	1
Jan 1	9
Jan 2	9
Jan 10	9
Jan 20	9
Feb 1	9
Apr 1	9

The scatter plot displays the daily volume of tweets for the #MeToo hashtag. The vertical axis measures the number of tweets, with major grid lines every 20 units from 0 to 100. The horizontal axis marks the months of October, January, and April. A vertical dashed red line is positioned at approximately November 15th, indicating a significant event. Prior to this date, the data shows very low activity, with most days having fewer than 10 tweets. Following the red line, there is a dramatic surge in tweets, with several days reaching between 80 and 100 tweets, and a few days exceeding 100. The activity remains high through January and into April.

The graph displays the percentage of relative coefficient of variation (%rCV) over time. The y-axis is labeled '%rCV' and ranges from 6 to 15. The x-axis shows months: Oct, Jan, and Apr. A vertical dashed red line is positioned at approximately November 15. The data points are connected by a blue line. The %rCV starts around 6 in October, rises to a peak of about 18 in mid-November, then drops sharply to around 5.5 by late November. It remains relatively stable between 4.5 and 5.5 until late November, where it spikes to nearly 18 again, before settling back around 4.5 by April.


The graph displays the daily count of COVID-19 cases in the United States. The data shows a clear upward trend starting in late October, reaching a peak of approximately 100,000 cases in late December. Following this peak, there is a sharp decline in January, with cases dropping to around 10,000. The number of cases remains relatively low and stable through April, with a notable spike in late March/early April reaching about 20,000 cases before settling back down.

The graph displays the percentage of replicates with a coefficient of variation greater than 10 (%rCV) over a period from October to April. The y-axis is labeled '%rCV' and ranges from 5 to 20. The x-axis shows months: Oct, Jan, and Apr. A vertical dashed red line is positioned at approximately November 15. Before this line, the %rCV values are generally high, fluctuating between 10 and 21. After the line, the values drop significantly, mostly staying below 7, with a single sharp spike to 20 in late March.


The graph displays the percentage of relative coefficient of variation (%rCV) on the y-axis (0 to 25) against time on the x-axis (October to April). A red dashed vertical line is positioned at approximately November 15. Before this line, the %rCV values are generally higher, fluctuating between 14 and 26. After the line, the values are significantly lower, mostly staying below 10, with a notable spike to approximately 26 in early February.

Month	%rCV (approximate values)
Oct	14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24
Nov	15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26
Dec	7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26
Jan	7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26
Feb	7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26
Mar	7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26
Apr	7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26


R670-A-% rCV




R780-A-% rCV




FSC-A-% rCV




FSC-H-% rCV




FSC-W-% rCV



SSC-A-% rCV



SSC-H-% rCV



SSC-W-% rCV

