




B530-A




B585-A




B695-A




B780-A




R670-A




R780-A




Blue_LaserDelay




Red_LaserDelay




FSC-A




FSC-H




FSC-W




SSC-A




SSC-H




SSC-W




B530-A_Gain




B585-A_Gain




B695-A_Gain




B780-A_Gain




R670-A_Gain




R780-A_Gain




FSC-A_Gain




SSC-A_Gain




Blue_LaserDelay




Red_LaserDelay




Blue_AreaScalingFactor




Red_AreaScalingFactor




B530-A-% rCV




B585-A-% rCV




B695-A-% rCV




B780-A-% rCV




R670-A-% rCV




R780-A-% rCV




FSC-A-% rCV




FSC-H-% rCV



FSC-W-% rCV



SSC-A-% rCV



The graph displays the daily number of COVID-19 cases in the United States. The y-axis is on a logarithmic scale, with major ticks at 100,000 and 1,000,000. The x-axis spans from October to April. A red dashed vertical line is positioned at the beginning of the data series in early November. The data shows a period of low case counts (mostly below 100,000) from November to December, followed by a massive spike in early January that exceeds 1,000,000 cases. After this peak, the case counts decline and remain relatively low through April.

The graph displays the daily count of COVID-19 cases in the United States. The y-axis is labeled with values 0, 5, 10, 15, and 20. The x-axis is labeled with months: Oct, Jan, and Apr. A vertical dashed red line is positioned at the end of December, labeled 'lockdown' in the text below the axis. The data shows a period of fluctuating case counts between 5 and 15 from September through late December. Following the lockdown, there is a very sharp spike in cases, reaching a peak of approximately 21 in early January, followed by a rapid decline and a period of low case counts (mostly below 5) from mid-January through April.