




V450-A




V525-A




V610-A




V670-A




B530-A




B710-A




Y590-A




Y615-A




Y710-A




Y780-A




R670-A




R730-A




R780-A




FSC-A




FSC-H




FSC-W




SSC-A




SSC-H




SSC-W




V450-A_Gain




V525-A_Gain




V610-A_Gain




V670-A_Gain




B530-A_Gain




B710-A_Gain




Y590-A_Gain




Y615-A_Gain




Y710-A_Gain




Y780-A_Gain




R670-A_Gain




R730-A_Gain




R780-A_Gain




FSC-A_Gain




SSC-A_Gain




Violet_LaserDelay




Blue_LaserDelay




yellow green_LaserDelay




Red_LaserDelay




Violet_AreaScalingFactor




Blue_AreaScalingFactor




yellow green_AreaScalingFactor




Red_AreaScalingFactor




V450-A-% rCV




V525-A-% rCV




V610-A-% rCV




V670-A-% rCV




B530-A-% rCV




B710-A-% rCV




Y590-A-% rCV




Y615-A-% rCV




Y710-A-% rCV




Y780-A-% rCV



R670-A-% rCV




R730-A-% rCV




The graph displays the percentage of relative coefficient of variation (%rCV) over time. The y-axis is labeled '%rCV' and ranges from 0 to 60. The x-axis shows months from October to April. Two vertical dashed lines are present at approximately October 10 and October 15. The data points are connected by a solid red line, showing a sharp drop in %rCV after the first dashed line, followed by a period of low variability until the second dashed line. After the second dashed line, there is a slight increase in %rCV, peaking around January, and then fluctuating between 5% and 20% through April.


FSC-W-% rCV



SSC-A-% rCV



SSC-H-% rCV



SSC-W-% rCV

