




V450-A




V530-A




V710-A




B530-A




B695-A




Y590-A




Y610-A




Y670-A




Y780-A




R660-A




R780-A




FSC-A




FSC-H




FSC-W




SSC-A




SSC-H




SSC-W




V450-A_Gain




V530-A_Gain




V710-A_Gain




B530-A_Gain




B695-A_Gain




Y590-A_Gain




Y610-A_Gain




Y670-A_Gain




Y780-A_Gain




R660-A_Gain




R780-A_Gain




FSC-A_Gain




SSC-A_Gain




Violet_LaserDelay




Blue_LaserDelay




Yellow_LaserDelay




Red_LaserDelay



Violet_AreaScalingFactor



Blue_AreaScalingFactor




The graph displays a single horizontal line at a value of approximately 0.71 on the y-axis, which represents the ratio of the population aged 65 and over to the total population. The x-axis shows time from October 1999 to April 2000, with labels for Oct, Jan, and Apr. The line is perfectly horizontal, indicating no change in the ratio over the five-month period.

Date	Ratio (y)
Oct 1999	0.71
Nov 1999	0.71
Dec 1999	0.71
Jan 2000	0.71
Feb 2000	0.71
Mar 2000	0.71
Apr 2000	0.71


Month	Ratio (New Cases / Deaths)
Oct 2020	~0.99
Jan 2021	~0.99

The graph displays the percentage of relative coefficient of variation (%rCV) over a period from October to April. The y-axis is labeled '%rCV' and ranges from 0 to 30. The x-axis shows months: Oct, Jan, and Apr. The data is represented by a magenta line with circular markers at each data point. The values start around 8% in October, remain relatively stable until January, then show a significant increase, peaking at approximately 35% in late January. Following this peak, the values fluctuate between 10% and 15% through April.


V530-A-% rCV




V710-A-% rCV




B530-A-% rCV




B695-A-% rCV




Y590-A-% rCV




Y610-A-% rCV




Y670-A-% rCV




Y780-A-% rCV




R660-A-% rCV




R780-A-% rCV




FSC-A-% rCV




FSC-H-% rCV




FSC-W-% rCV



SSC-A-% rCV



SSC-H-% rCV



SSC-W-% rCV

