




V450-A




V530-A




V710-A




B530-A




B695-A




Y590-A




Y610-A




Y670-A




Y780-A




R660-A




R780-A




FSC-A




FSC-H




FSC-W




SSC-A




SSC-H




SSC-W




V450-A_Gain




V530-A_Gain




V710-A_Gain




B530-A_Gain




B695-A_Gain




Y590-A_Gain




Y610-A_Gain




Y670-A_Gain




Y780-A_Gain




R660-A_Gain




R780-A_Gain




FSC-A_Gain




SSC-A_Gain




Violet_LaserDelay




Blue_LaserDelay




Yellow_LaserDelay




Red_LaserDelay



Violet_AreaScalingFactor



Blue_AreaScalingFactor




Year	Average number of children per woman
1960	0.71
1965	0.68
1970	0.71
1975	0.68
1980	0.67
1985	0.67
1990	0.67
1995	0.67
2000	0.67
2005	0.67
2010	0.67

The graph displays the ratio of the number of people in the workforce to the number of people in the population aged 15 and over. The y-axis represents this ratio, ranging from 0.94 to 1.04. The x-axis shows time from October 2019 to April 2020. The ratio starts at approximately 0.99 in October 2019, remains relatively stable until January 2020, and then drops sharply to approximately 0.94 by April 2020.


Month	Ratio
Oct 2019	0.99
Jan 2020	0.99
Apr 2020	0.94

The graph displays the percentage of relative coefficient of variation (%rCV) over a period from October to April. The y-axis is labeled '%rCV' and ranges from 0 to 30. The x-axis shows months: Oct, Jan, and Apr. The data is represented by a blue line with circular markers at each data point. The values start around 8% in October, fluctuate between 6% and 12% until January, then rise to between 14% and 20% through February. A major peak occurs in late February, reaching approximately 35%. Following this peak, the values drop and fluctuate between 8% and 15% through April.


V530-A-% rCV




V710-A-% rCV




B530-A-% rCV




B695-A-% rCV




Y590-A-% rCV




Y610-A-% rCV




Y670-A-% rCV




Y780-A-% rCV




R660-A-% rCV




R780-A-% rCV




FSC-A-% rCV




FSC-H-% rCV




FSC-W-% rCV



SSC-A-% rCV



SSC-H-% rCV



SSC-W-% rCV

