




B530-A




B585-A




B695-A




B780-A




R670-A




R780-A




Blue_LaserDelay




Red_LaserDelay




FSC-A




FSC-H




FSC-W




SSC-A




SSC-H




SSC-W




B530-A_Gain




B585-A_Gain




B695-A_Gain




B780-A_Gain




R670-A_Gain




R780-A_Gain




FSC-A_Gain




SSC-A_Gain




Blue_LaserDelay




Red_LaserDelay




Blue_AreaScalingFactor



Red_AreaScalingFactor




B530-A-% rCV




The graph displays the daily number of COVID-19 cases in the Netherlands. The y-axis is labeled 'Number of cases' and ranges from 0 to 10,000. The x-axis shows the months from October to April. A vertical dashed red line indicates the start of the lockdown in November. The data shows a sharp initial peak in late September, followed by a period of relative stability with minor fluctuations. A significant peak occurs in late November, followed by another peak in late December. After the lockdown, the number of cases drops sharply and remains low until a small spike in late March.


R670-A-% rCV




R780-A-% rCV




FSC-A-% rCV




FSC-H-% rCV



FSC-W-% rCV



SSC-A-% rCV



The graph displays the daily count of COVID-19 cases in the United States. The data shows a period of relative stability with minor fluctuations from September through late December. A major surge begins in early January, peaking at approximately 95,000 cases. This is followed by a sharp drop and then a period of lower, fluctuating case counts through April.

The graph displays the daily number of COVID-19 cases in the Netherlands. The x-axis is labeled with months: Oct, Jan, and Apr. The y-axis ranges from 0 to 20. A vertical dashed red line is positioned at approximately November 25th. The data shows a first wave peaking at about 14 cases in late November, followed by a decline. A second wave begins in late December, peaking at over 20 cases in early January, before declining again.