




B530-A




B585-A




B695-A




B780-A




R670-A




R780-A




Blue_LaserDelay




Red_LaserDelay




FSC-A




FSC-H




FSC-W




SSC-A




SSC-H




SSC-W




B530-A_Gain




B585-A_Gain




B695-A_Gain




B780-A_Gain




R670-A_Gain




R780-A_Gain




FSC-A_Gain




SSC-A_Gain




Blue_LaserDelay




Red_LaserDelay




Blue_AreaScalingFactor



Red_AreaScalingFactor




B530-A-% rCV




The graph displays the daily number of COVID-19 cases in the Netherlands. The y-axis is labeled 'Number of cases' and ranges from 0 to 10,000. The x-axis shows the months from October to April. A vertical dashed red line indicates the start of the lockdown in November. The data shows a sharp initial peak in late September, followed by a period of relative stability with minor fluctuations. A significant increase is observed in late November and December, reaching a peak of nearly 10,000 cases. Following the lockdown, the number of cases drops dramatically and remains at a low level until a small spike in late March.

The graph displays the daily number of COVID-19 cases in the Netherlands. The y-axis is labeled 'Number of cases' and ranges from 0 to 10,000 in increments of 2,000. The x-axis shows the months from October to April. A vertical dashed red line is positioned at the beginning of March, indicating the start of the nationwide lockdown. The data shows a very high initial peak in late September, reaching nearly 10,000 cases. Following this, the number of cases fluctuates between approximately 1,000 and 3,000 through the end of February. After the lockdown begins in March, there is a significant drop in cases, with a small secondary peak in late March reaching about 4,000 cases, before declining again and showing a slight uptick in early April.


R670-A-% rCV




R780-A-% rCV




FSC-A-% rCV




FSC-H-% rCV



FSC-W-% rCV



SSC-A-% rCV



The graph displays the daily count of COVID-19 cases in the United States. The y-axis is labeled with values 0, 20,000, 40,000, 60,000, 80,000, and 100,000. The x-axis is labeled with months: Oct, Jan, and Apr. A vertical dashed red line is positioned at the end of December. The data shows a period of relative stability with minor fluctuations until late December, followed by a massive spike in early January that peaks at approximately 95,000 cases. After this peak, the number of cases drops sharply and then shows a gradual upward trend through April, reaching about 25,000 cases by the end of the period shown.

The graph displays the daily number of COVID-19 cases in the Netherlands. The y-axis is labeled 'Number of cases' and ranges from 0 to 20. The x-axis shows months from September to April. A vertical dashed red line is positioned at the end of November, indicating the start of the second wave. The data shows a first wave peaking in late November, followed by a decline and then a second, much larger wave peaking in early January.