




V450-A




V530-A




V710-A




B530-A




B695-A




Y590-A




Y610-A




Y670-A




Y780-A




R660-A




R780-A




FSC-A




FSC-H




FSC-W




SSC-A




SSC-H




SSC-W




V450-A_Gain




V530-A_Gain




V710-A_Gain




B530-A_Gain




B695-A_Gain




Y590-A_Gain




Y610-A_Gain




Y670-A_Gain




Y780-A_Gain




R660-A_Gain




R780-A_Gain




FSC-A_Gain




SSC-A_Gain




Violet_LaserDelay




Blue_LaserDelay




Yellow_LaserDelay




Red_LaserDelay



Violet_AreaScalingFactor



Blue_AreaScalingFactor




The graph displays a single horizontal line at a value of approximately 0.71 on the y-axis, which represents the ratio of the population aged 65 and over to the total population. The x-axis shows time from October 1999 to April 2000, with labels for Oct, Jan, and Apr. The line is perfectly horizontal, indicating no change in the ratio over time.

Date	Ratio (y)
Oct 1999	0.71
Jan 2000	0.71
Apr 2000	0.71


Days since start of outbreak	Proportion of population infected
10	0.99
100	0.99

The graph displays the percentage of relative coefficient of variation (%rCV) over a period from October to April. The y-axis is labeled '%rCV' and ranges from 0 to 30. The x-axis shows months: Oct, Jan, and Apr. The data is represented by a magenta line with circular markers at each data point. The values start around 8% in October, remain relatively stable until January, then show a significant increase, peaking at approximately 35% in late January. Following this peak, the values fluctuate between 10% and 15% through April.


V530-A-% rCV




V710-A-% rCV




B530-A-% rCV




B695-A-% rCV




Y590-A-% rCV




Y610-A-% rCV




Y670-A-% rCV




Y780-A-% rCV




R660-A-% rCV




R780-A-% rCV




FSC-A-% rCV




FSC-H-% rCV




FSC-W-% rCV



SSC-A-% rCV



SSC-H-% rCV



SSC-W-% rCV

