




B530-A




B585-A




B695-A




B780-A




R670-A




R780-A




Blue_LaserDelay




Red_LaserDelay




FSC-A




FSC-H




FSC-W




SSC-A




SSC-H




SSC-W




B530-A_Gain




B585-A_Gain




B695-A_Gain




B780-A_Gain




R670-A_Gain




R780-A_Gain




FSC-A_Gain




SSC-A_Gain




Blue_LaserDelay




Red_LaserDelay




Blue_AreaScalingFactor




Red_AreaScalingFactor




B530-A-% rCV




B585-A-% rCV




B695-A-% rCV




B780-A-% rCV




R670-A-% rCV



R780-A-% rCV



FSC-A-% rCV



The graph displays the daily number of COVID-19 cases in the Netherlands. The x-axis is labeled with months: Oct, Jan, and Apr. The y-axis is labeled with case counts: 5, 10, and 15. A red dashed vertical line is positioned at approximately November 25th. The data shows a first wave peaking at about 12 cases in late November, followed by a decline to around 2 cases by early January. A second, much larger wave begins in late January, peaking at 15 cases in late March, and then declining to around 2 cases by late April.

The graph displays the daily number of COVID-19 cases in the United States from October to April. The y-axis represents the number of cases, ranging from 0 to 15.0. The x-axis shows months from Oct to Apr. A red dashed vertical line marks the start of the second wave in late December. The graph shows a significant increase in cases starting in late December, peaking in early January at approximately 15.0 cases, followed by a sharp decline and a subsequent rise in late January/early February, peaking again at approximately 15.0 cases, and then a decline towards the end of the period.

The graph displays the daily count of COVID-19 cases in the United States. The data shows a period of low case counts from October through late December. A sharp increase begins in early January, peaking at approximately 95,000 cases. Following this peak, the case count drops significantly and remains at a low level with minor fluctuations through April.

The graph displays the daily count of COVID-19 cases in the United States. The y-axis is labeled with values 0, 10, 15, and 20. The x-axis is labeled with months: Oct, Jan, and Apr. A red dashed vertical line is positioned at approximately January 20, 2020. The data shows a period of low case counts from October through early January, followed by a rise to a peak of about 14 cases in late January. After the red line, there is a sharp drop to near zero, followed by a period of low activity with a small peak of about 8 cases in late February. A very sharp spike occurs in early March, reaching over 20 cases, followed by a rapid decline and a period of low activity through April.