




B530-A




B585-A




B695-A




B780-A




R670-A




R780-A




Blue_LaserDelay




Red_LaserDelay




FSC-A




FSC-H




FSC-W




SSC-A




SSC-H




SSC-W




B530-A_Gain




B585-A_Gain




B695-A_Gain




B780-A_Gain




R670-A_Gain




R780-A_Gain




FSC-A_Gain




SSC-A_Gain




Blue_LaserDelay




Red_LaserDelay




Blue_AreaScalingFactor




Red_AreaScalingFactor




B530-A-% rCV




B585-A-% rCV




B695-A-% rCV




B780-A-% rCV




R670-A-% rCV




R780-A-% rCV




FSC-A-% rCV




FSC-H-% rCV



FSC-W-% rCV



SSC-A-% rCV



The graph displays the daily count of COVID-19 cases in the United States. The y-axis is labeled with values 0, 20,000, 40,000, 60,000, 80,000, and 100,000. The x-axis is labeled with months: Oct, Jan, and Apr. A vertical dashed red line is positioned at the end of December. The data shows a period of relative stability with minor fluctuations until late December, followed by a massive spike in early January that peaks at approximately 95,000 cases. After this peak, the number of cases drops sharply and then shows a gradual upward trend through April, reaching about 25,000 cases by the end of the period shown.

The graph displays the daily number of COVID-19 cases in the Netherlands. The y-axis is labeled 'Number of cases' and ranges from 0 to 20. The x-axis shows months from September to April. A vertical dashed red line is positioned at the end of November, indicating the start of the second wave. The data shows a first wave peaking in late November, followed by a decline and then a second, much larger wave peaking in early January.