




B530-A




B585-A




B695-A




B780-A




R670-A




R780-A




Blue_LaserDelay




Red_LaserDelay




FSC-A




FSC-H




FSC-W




SSC-A




SSC-H




SSC-W




B530-A_Gain




B585-A_Gain




B695-A_Gain




B780-A_Gain




R670-A_Gain




R780-A_Gain




FSC-A_Gain




SSC-A_Gain




Blue_LaserDelay




Red_LaserDelay




Blue_AreaScalingFactor




Red_AreaScalingFactor




B530-A-% rCV




B585-A-% rCV



B695-A-% rCV



B780-A-% rCV




The graph displays the daily number of COVID-19 cases in the Netherlands from October to April. The y-axis represents the number of cases, with major grid lines at 0, 2,000, 4,000, 6,000, 8,000, and 10,000. The x-axis shows the months from October to April. A vertical dashed red line is positioned at the end of December, indicating the start of the second wave. The data shows a period of low case numbers from October through late December, followed by a sharp increase in early January, peaking at approximately 10,000 cases, and then a decline.


The graph displays the daily count of COVID-19 cases in the United States. The y-axis is labeled 'Number of cases' and ranges from 0 to 100,000 in increments of 20,000. The x-axis shows months from October to April. A vertical dashed line is drawn at the end of March. The data shows a steady increase in cases starting in late February, reaching a peak of approximately 100,000 cases in early April, followed by a sharp decline to around 20,000 cases by mid-April.

The graph displays the daily number of COVID-19 cases in the United States from October to April. The x-axis represents time, with labels for Oct, Jan, and Apr. The y-axis represents the number of cases, with a scale from 0 to 100,000. A vertical red dashed line is positioned at approximately December 1st, 2019. The data shows a period of low activity from October to early November, followed by a sharp increase starting in late November. The number of cases peaks at approximately 100,000 in late December. Following this peak, there is a rapid decline in cases, with a significant drop occurring around January 1st. The number of cases remains low through January and early February, then begins to rise again, reaching a secondary peak of approximately 50,000 in early March. After this peak, the number of cases declines again, remaining relatively low through April.


FSC-H-% rCV



FSC-W-% rCV



SSC-A-% rCV



The graph displays the daily count of COVID-19 cases in the United States. The data shows a period of low case counts from October through late December. A sharp increase begins in early January, peaking at approximately 95,000 cases. Following this peak, the case count drops significantly and remains at a low level with minor fluctuations through April. A vertical red dashed line marks the end of the year 2020.

The graph displays the daily count of COVID-19 cases in the United States. The y-axis is labeled with values 0, 10, 15, and 20. The x-axis is labeled with months: Oct, Jan, and Apr. A vertical dashed red line is positioned at approximately November 1st. The data shows a period of high volatility and increasing case counts from October through late November, peaking at over 20 cases. Following this peak, there is a sharp decline and a period of relative stability with low case counts from January through April.