




B530-A




B585-A




B695-A




B780-A




R670-A




R780-A




Blue_LaserDelay




Red_LaserDelay




FSC-A




FSC-H




FSC-W




SSC-A




SSC-H




SSC-W




B530-A_Gain




B585-A_Gain




B695-A_Gain




B780-A_Gain




R670-A_Gain




R780-A_Gain




FSC-A_Gain




SSC-A_Gain




Blue_LaserDelay




Red_LaserDelay




Blue_AreaScalingFactor




Red_AreaScalingFactor




B530-A-% rCV




B585-A-% rCV




B695-A-% rCV




B780-A-% rCV




R670-A-% rCV




R780-A-% rCV




FSC-A-% rCV




FSC-H-% rCV



FSC-W-% rCV



SSC-A-% rCV



The graph displays the daily count of COVID-19 cases in the United States. The y-axis is labeled with values 0, 20,000, 40,000, 60,000, 80,000, and 100,000. The x-axis is labeled with months: Oct, Jan, and Apr. A vertical red dashed line is positioned at the end of December. The data shows a period of fluctuating case counts between 10,000 and 30,000 from October through late December. Starting in early January, the case counts drop significantly, remaining mostly below 10,000 for the rest of the period shown, with a notable spike in early January reaching approximately 95,000 cases.

The graph displays the daily count of COVID-19 cases in the United States. The data begins in early November with approximately 5 cases. It shows a period of relative stability with minor fluctuations, peaking at around 14 cases in late January. A significant spike occurs in early February, reaching over 20 cases. Following this peak, the case counts drop sharply and remain low, generally below 5 cases per day, through the end of April.