




B530-A




B585-A




B695-A




B780-A




R670-A




R780-A




Blue_LaserDelay




Red_LaserDelay




FSC-A




FSC-H




FSC-W




SSC-A




SSC-H




SSC-W




B530-A_Gain




B585-A_Gain




B695-A_Gain




B780-A_Gain




R670-A_Gain




R780-A_Gain




FSC-A_Gain




SSC-A_Gain




Blue_LaserDelay




Red_LaserDelay




Blue_AreaScalingFactor




Red_AreaScalingFactor




B530-A-% rCV




B585-A-% rCV




B695-A-% rCV




B780-A-% rCV




R670-A-% rCV




R780-A-% rCV




FSC-A-% rCV




FSC-H-% rCV



FSC-W-% rCV



SSC-A-% rCV



The figure is a line plot showing the number of COVID-19 cases in the United States over time. The x-axis represents time, with labels for 'Oct', 'Jan', and 'Apr'. The y-axis represents the number of cases, with a grid of horizontal lines. The plot shows a sharp increase in cases in early 2020, peaking around March 2020, followed by a decline and then a period of relative stability with minor fluctuations. A sharp spike is visible in early 2022. Two vertical dashed red lines are present at approximately March 2020 and March 2021.

The graph displays the daily count of COVID-19 cases in the United States from August to April 2020. The y-axis is labeled with values 0, 5, 10, 15, and 20. The x-axis is labeled with months: Aug, Oct, Jan, and Apr. The data is represented by a black line with circular markers at each data point. Two vertical dashed red lines are drawn at approximately August 15 and September 15. The data shows a significant increase in cases starting in late August, peaking in early September, followed by a decline and then a second, larger peak in early October. After a period of relative stability, a third, very sharp peak occurs in early November, reaching over 20 cases. The graph is divided into three sections by vertical dashed red lines.