

-
-
-
-
-

Chapter 3

Drinks DRP Overview



Introduction

Drinks Distribution Requirements Planning (DRP) provides the necessary data for matching customer demand with the supply of product at various stages in the physical distribution system.

A well developed DRP module enables management to anticipate future requirements in the field, deploy inventory to meet customer-service requirements, and adjust to the vagaries of the market-place.

Drinks DRP evaluates the demand at the Distribution Centres (DCs) and 'implodes' it down to the Supply Centre. In doing so, it generates supply plans for Centres at a product level. These time-phased plans, known as 'schedules', provide the information which planners need to match supply and demand.

The planner can then confirm suggested supply orders, check the feasibility of suggested changes, monitor data integrity and assess the impact of new situations.

The key to the successful implementation of DRP is the development of the planner's role within the company.

Relationship to other Modules

Drinks Distribution Requirements Planning (DRP) is a fully standardised module, and as such operates under the control of Application Manager. Drinks DRP is one of the Advanced Drinks Application Modules which extend the functionality of Base Drinks Application Modules.

The modules which are pre-requisite for the operation of DRP are:

- Drinks Inventory Management.
- Drinks Sales Order Processing.
- Drinks Purchase Management.
- Drinks Requisitioning.

The module, however, is designed to be used in conjunction with, and enhance, the Warehousing and Production modules.

At DCs, the DRP confirmation of shipment receipt allows warehousing details to be entered so that these items can be included in the warehousing put-away processing.

At the Supply Centres, items may be picked by Distribution Order, within Warehousing. A Distribution Order is an internal order for transferring goods from Supply Centre to DC, DC to DC or DC to Supply Centre. It is generated from a DRP suggestion or entered manually, and is handled as an internal order within Drinks Sales Order Processing.

If the Supply Centre is a Production site, the Distribution Orders are considered as demand within the Production system's MPS/MRP processing runs. (This is achieved by defining items at the Centre to Production).

Module Configuration

Drinks Distribution Requirements Planning (DRP) can be operated for a number of companies, the characteristics of each being maintained on control files.

Drinks DRP uses the control data stored for the Drinks Inventory Management module. However, further information is required at company level specifically for DRP requirements.

The DRP policies which can be controlled at each company are:

- Method of forecast consumption.
- Maximum number of lines per distribution order.
- Default calendar parameters.
- Default absolute forecast error tolerance percentage.
- System calculation of safety stocks.
- Period forecasting.

Consumption of Forecast

One method of assessing demand is to compare by period the sales forecasts with actual sales orders on hand and to plan on the basis of whichever is greatest, the logic being that if actual sales registered for the period exceed the period forecast, the period forecast probably understated true demand. Conversely, if the forecast exceeded sales registered to date there were probably outstanding orders yet to be registered.

Consumption of Forecast is an alternative method of assessing demand by comparing cumulative forecasts with cumulative demand. The logic being that where a period demand exceeds the period forecast it may be because demand forecast for a following or prior period had either arrived early or late - i.e. the quantity forecast is accurate but the period due is not.

Consider the following item demand:

Period Start	1 Oct '95	8 Oct '95	15 Oct '95	22 Oct '95	Total
Forecast	100	100	100	100	400
Actual Sales	150	90	30	110	380
Demand A	150	90	60	100	400
Demand B	150	100	100	110	460



*Note: Demand A uses forecast consumption,
Demand B does not.*

The mechanics of consumption of forecast are explained by following these steps:

- Sum the forecast to date.
- Sum the actual sales to date.
- Set the demand to date as the greater of forecast to date and actual sales to date.
- Sum the 'consumed demand' to date as shown in the following table, excluding the current period which is not calculated until step 5.
- Calculate the consumed demand for the current period as:
- Demand to date (from 3) - Consumed Demand to date (from 4).

Reconsidering the previous example, then:

Period Start	1 Oct '95	8 Oct '95	15 Oct '95	22 Oct '95	Total
Forecast	100	100	100	100	400
Actual Sales	150	90	30	110	380
Forecast to Date	100	200	300	400	
Actual Sales to Date	150	240	270	380	
Demand to Date	150	240	300	400	
Consumed Demand	150	90	60	100	400

Distribution Orders

The maximum number of lines to be created on a distribution order (i.e. a supply order from Centre to DC), is specified at this level.

This may be changed when the orders are created from DRP suggestions.

Calendar Parameters

A default calendar code may be entered for the company. It is used within the DRP planning runs for any Centre or DC which does not have a calendar assigned to it.

Period details are also maintained:

- Number of periods per year.
- Period Names.
- Number of days per period.

These are used by the Working Days Calendar Maintenance function, in Drinks Inventory Management, when generating a calendar.

A standard week template can also be maintained. This specifies the normal working week, where N designates a non-working day. This is displayed and used within Calendar Maintenance when generating calendars.



Note: The DRP planning runs suggest actions only on working days.

Maintenance of Reference Data

As this is an Advanced Application Module of the Drinks system, much of the primary data has already been set up as part of the base Drinks modules. There is, however, additional information which must be entered in order to obtain the maximum benefit from the modules.

There are a number of common features in the way in which this data is maintained. These are:

- The standard item search routine has been adopted, in addition to a generic DRP item code search.
- The module makes the minimum use of 'codes' and where they are employed a prompt is always available to assist in selecting the correct one.
- Selection is normally from a displayed list.

Information for the following may be maintained:

- Periods.
- Stockrooms.
- Customers.
- Supply Networks.
- Item Master Details.
- Planner Codes.
- Net Change Reason Code.
- Profiles, Forecasts and Stock Levels.

Periods

The period intervals for the planning runs are maintained per site (i.e. Centre or DC). These are specified in terms of calendar days, and may be of variable length. Up to 46 periods may be specified.

The DRP planning runs assess the supply and demand falling into each of these periods, beginning at the start date for the particular run.

Stockrooms

Any number of Inventory Stockrooms may be defined to a single Centre or DC.

If there is only one stockroom per site, it may be advantageous to assign the stockroom code to the Centre or DC code also.

For multiple stockrooms, the DRP planning runs extract stock, supply and demand information for all stockrooms at the selected DC or Centre. This is done within one execution of the run.

A stockroom can only be assigned to one Centre or DC.

Customers

Customer numbers are given to each DRP defined stockroom, to enable a name and address, etc. to be established, allowing Distribution orders to be progressed through the Drinks Sales Order Processing module. These are valid customers from within the Sales Order Processing module with a delivery sequence code of '001'. These customers are used to hold the internal distribution orders, which have been raised for supply to that particular stockroom.

Supply Networks

A Supply Network must be set up for each 'level' of supply within a company. Typically, the Centre of one Network is a DC supplied by an alternative Centre within a different Network.

Any site may be defined to any number of Networks, using the same DC or Centre code.

A Network is simply given a code, description, a Centre, and all DCs to be supplied by this Centre.

Item Master Details

Additional item information is needed for Drinks DRP to be able to control how it's supply is to be administered. The two primary requirements are:

- How much is to be ordered when a net requirement has been calculated?
- Where is the main source of supply?

The first requirement is satisfied by specifying an order policy, and the appropriate quantities.

The second requirement is satisfied by specifying whether the item is purchased locally, or purchased/manufactured centrally. If the item is supplied centrally, a valid Centre code and stockroom defined to this Centre must be entered. Any distribution order lines are then created for this central stockroom.

Item master details must be entered for the item at each DC from where it is sold. Separate details must also be maintained at the Supply Centre, if the Item is centrally supplied.



Note: If the supply Centre is a production site, these items should be defined to the Production System and planned via its MPS facilities (after the DC demand has been evaluated and passed down to the Centre in the form of distribution orders). Otherwise, the items at the Centre are defined to DRP and the central supply plan created within it.

Planner Codes

At each Centre and DC, codes are maintained for each planner who will use this module.

Personal details are held for the planner, together with a cross reference to his/her purchase officer number in the Purchase Management module.

This planner code is assigned to items, for which he/she is responsible, in the item master details.

Forecast Manipulation

Sales Forecasts may be entered at item group (minor) level and then spread on a time phased basis over defined time bands down to period, weekly and daily levels in stages either by:

- Interactively selecting definable seasonal profiles.
- Invoking automatic spreading.
- Direct entry and manipulation of forecasts and spread indices.

The percentage spread of sales amongst items within an item group is maintainable. This is known as the item group profile.

From the item group profile and item group sales forecasts, time phased item level sales forecasts can also be generated automatically and then maintained.


It is also possible to build item level forecasts directly even if the items do not belong to a defined item group or where they are not included in the group level forecast.

Stock 'forecasts' may also be entered in order to specify stock building requirements. Creating demand in addition to sales, in order to build stocks covering future periods when supply would be constrained and insufficient. Typically this is where there is a highly seasonal demand and a belief that suppliers will not have the capacity to meet the requirements unless they are smoothed and pulled forward.

Processing

The DRP Cycle

The following flow diagram may be used to show the progress of the DRP cycle:



Review DC Forecasts

The stock and sales forecasts are reviewed and updated for relevant items at the DC.

This is done via the Drinks DRP Forecast Maintenance options.

Evaluate DC Demand

The supply and demand figures are assessed for all DCs in a specified network.

New supply orders from the Centre or from external suppliers, are suggested.

Amendments to existing supply orders are also suggested. All previous supply suggestions are deleted. This DC run is initiated via Drinks DRP Processing.

Confirm Suggestions

Once the DC Run has been reviewed and accepted, the suggestions are converted to requisitions. This is done via the Drinks Requisitioning module.

These may be amended within Requisitioning before the actual supply, i.e. before purchase or distribution orders are created.



Note: All outstanding requisitions sourced from DRP for the DC stockrooms are discarded when this option is taken, and new ones added from the latest DRP suggested orders for the DC.

Create Local Purchase Orders

The purchase requisitions created from Drinks DRP can be converted into purchase orders on the relevant external suppliers.

This is done within Drinks Requisitioning. The purchase orders are transferred into the Drinks Purchase Management module.

Create Distribution Orders

The distribution requisitions, i.e. those for supply from a Centre, can be converted into distribution orders.

This is done within Drinks Requisitioning. The distribution orders are transferred into the Drinks Sales Order Processing module. The order lines are placed against the Centre stockroom defined to the item in DRP.

Distribution orders can also be entered directly into the Drinks Sales Order Processing module without first creating requisitions. This is done via distribution order entry or amend. By specifying the 'from' and 'to' stockrooms, the link will automatically be created between the two stockrooms, and an internal sales order will be created for the customer which has been defined for the stockroom, which will receive the supply.



Note the following points:

- The distribution order is treated as an internal sales order, so no invoice details are raised. The customer is the one defined to the Stockroom which will receive the supply.
- On confirmation of assembly, the distribution order lines are added to the Drinks DRP shipments in-transit file.
- On receipt of distribution order lines at the stockroom, the goods are confirmed as received via the Drinks DRP processing menu.

Run Central Supply Plan

The supply and demand figures are assessed for the selected Supply Centre. New purchase orders from external suppliers are suggested. Amendments to purchase orders are also recommended.



Note: If the Centre is a production site, the items at the Centre must be defined to Production not Drinks DRP, and the Centre run should be an MPS run not a DRP one. Otherwise, this Centre run is self-contained within DRP.

Create Purchasing / Production Orders

If the Centre run was within Drinks DRP, the requisitions can be created from DRP Suggestions and subsequently made into purchase orders (via the Drinks Requisitioning module).

If the Centre run was within Production, the purchase requisitions can be created and subsequently converted into purchase orders (via Requisitioning).

Also, production orders can be created from MPS Suggestions within the Master Production Scheduling module.

Processing Options

Drinks Distribution Requirements Planning allows a considerable degree of flexibility in the way in which items may be selected for re-planning in the DRP run processing options (DC, Centre and Network planning runs).

Three distinct run types are available as follows:-

Full regeneration

All DRP items are re-planned for the selected network or Centre.

Net Change

A subset of items are selected for re-planning on the basis of changes in the supply, demand, stock and/or replenishment parameters of those items since they were last planned. This is achieved through the use of net change triggers.

Triggers are set throughout the Customer Services and Logistics modules under a set of defined reason codes.

A net change 'reason' may be defined as a type of business transaction which potentially affects the supply, demand, stock and/or replenishment parameters of a particular item.

The reason codes currently set up are shown in the following table:

Code	Description	Module where Triggers Set
01	Forecast vs. Actual Comparison	DRP
02	Forecast Generation	Forecasting
03	Forecast Maintenance	DRP
04	Distribution Item Master	DRP
05	Unplanned Inventory Transaction	Inventory Management
06	Requisition Maintenance	Requisitioning
07	Unplanned Issue or Receipt	Inventory Management/Warehousing
08	Purchase Order Maintenance	Purchase Management
09	Distribution Order Maintenance	Sales Order Processing/Requisitioning

Example

A purchase order is raised in Purchase Order Management for replenishment of item #1 at stockroom S1.

If stockroom S1 is attached to a Centre or DC in DRP, and item #1 is defined as a DRP item at that Centre or DC, then a net change trigger will be written for that particular location/item/reason code combination (provided that trigger has not already been set).

When net change triggers are reviewed for a Centre or DC prior to submitting a net change planning run, the number of triggers set for each reason code is displayed.

Using this information, the planner may select to process some or all of the items which have set triggers under any of the defined reason codes.



Note: When a particular item is re-planned at a particular DRP location (Centre or DC), all net change triggers are deleted for that location/item combination. This will occur irrespective of the DRP run type chosen for processing.

Selective Processing

A subset of items are selected for re-planning on the basis of the selection of ranges of DRP items, DRP Planners, Inventory minor item groups, Inventory cost/usage elements and/or preferred suppliers.

These selections may be made prior to submitting any of the DRP Planning Runs (DC, Centre or Network runs).

An item will only be re-planned at a particular Centre or DC under the following conditions:

- It is within the range of items selected, and
- The DRP planner assigned to the item is within the range of DRP planners selected, and
- The Inventory minor item group to which the item belongs is within the range of Inventory minor item groups selected, and
- The Inventory cost/usage element calculated for the item is within the range of cost/usage elements selected, and
- The preferred supplier defined on the Inventory item/stockroom details is within the range of preferred suppliers selected.

DRP Cycle Summary

This represents a one-level DRP cycle run. To accommodate multi-level, this cycle may be repeated, or partially repeated, for each required network. A supply Centre in one network can be defined as a DC in another network.

Confirm Shipment Receipt

This is the day-to-day functional part of DRP, as distinct from the planning runs.

When distribution order lines are confirmed as assembled from supply stockrooms, they are added to a shipments in-transit file. At this point they are considered to be in-transit between the two stockrooms.

On receiving the shipment, confirmation of receipt is done via the relevant DRP processing option. This enables order lines to be received 'en bloc', or selectively, with or without amendments.

The quantity of items recorded as despatched from the 'From' stockroom must be confirmed as received. This may be done across any number of shipment receipts until the full quantity is confirmed. If there is a discrepancy, the full despatched quantity must be received and an Inventory stock adjustment done (with an appropriate reason for the difference).

The details of each shipment received are output to a report, on confirmation taking place.

Warehousing details may be entered if the receiving stockroom is defined as a warehouse to the Drinks Warehousing module.

The Inventory stock figures are updated, and movement records created. This transaction is regarded as a 'transfer in' to the receiving stockroom. Similarly, distribution order lines confirmed as assembled at the supply stockroom are treated as 'transfers out' (within history and movement records).

On receiving an item, the costs are updated, based on the cost held on the in-transit record in Drinks DRP.

Enquiries

Enquiries can be grouped into one of three categories:

- Planning.
- Static Information.
- Status.

More simply, these can be regarded as:

- What is to be done?
- What are the parameters?
- Where are things?

Planning

All supply and demand information generated by any of the DRP planning runs may be viewed via the Schedule Enquiries.

There are separate DC and Centre schedule enquiries, which are almost identical in content. Separate enquiries allow restriction of access if required.

Static Information

The ordering policies and parameters may be enquired on for each Distribution Item, at any selected Centre or DC.

Status

The current stock situation is shown for any item/stockroom combination, via the Drinks Inventory Management Enquiries.

The items in transit between stockrooms are shown in the Shipments In-Transit enquiry. This gives all distribution order lines despatched by the supplying stockroom but not yet confirmed as received at the receiving stockroom.

Reports

As part of the general policy of the modules, selection and sequencing parameters are available before a report is run.

In general, standard reports are printed on standard listing paper with 132 print positions and 6 lines to the inch.

All reports are printed with the procedure or program number in the top left and the page number and date of run in the top right of the report.



Note: The schedule and valuation reports both have 198 print positions.

As with the enquiries, the reports can be grouped into Planning, Static Information and Status.

Implementation Guide

This section is intended to be used as a guide during the planning and implementation stages of Drinks DRP.

It describes pre-requisites of the module, the basic data requirements, a recommended implementation procedure and how to find your way around the system.

Each implementation will be different; therefore, the various stages need to be thought through and an implementation plan produced. This should allow for the training of those who will be using the module, for the identification of the required configuration, and for the necessary data to be entered and validated.

Prerequisites

For the full operation of the Drinks DRP module the following modules should be installed:

- Drinks Inventory Management.
- Drinks Sales Order Processing.
- Drinks Purchase Management.
- Drinks Purchase Requisitioning.
- Drinks Warehousing.
- Drinks Bonded Inventory.
- Forecasting.
- Scheduled Orders.
- Production.

Module Configuration

To enable the Drinks DRP module to be functional, it is necessary to define the network(s) and the relationships that enable the module to identify how to process each item within the network(s).

The data considerations are considered for each function in turn and are presented in the logical order required to satisfy the inter-dependency of functions.

The following is a summary of the functions considered:

- Company Profile.
- Calendars.
- Periods.
- Stockrooms.
- Customers.
- Networks.
- Planner Codes.
- Distribution Item Masters.

If forecasting is required:

- Item Profiles.
- Seasonal Profiles.

If sales forecasting is required:

- Item Group Forecasts.
- Item Sales Forecasts.

If stock building is required:

- Item Group Stock Levels.
- Item Stock Levels.

Company

This must be defined for each company using Drinks DRP.

It requires company profile to have already been set-up in Drinks Inventory Management.

This defines the default calendar, the maximum number of lines on each Distribution Order, whether consumption of forecast is required and forecast error tolerance.

Calendars

All calendars to be used within the DRP company must be defined via the Working Days Calendar Maintenance function in Drinks Inventory Management (refer to the Maintenance section in Drinks Inventory Management).

Periods

For each centre or DC to be handled by DRP, the number of days in each period must be defined. These are used to establish the intervals within the DRP run for this centre or DC.

Stockrooms

For each centre or DC within DRP, all stockrooms to be included must be defined. These stockrooms must be defined to Drinks Inventory Management.

The Centre or DC must have had periods specified previously.

Each stockroom can only be defined to one centre or DC. Each stockroom must be assigned an SOP dummy internal customer number, which will be used to reflect distribution orders which have been raised for that particular stockroom.

Networks

The relationships of centres or DCs must be specified within a network. Each centre must have had periods and stockrooms defined previously. Each DC must have had periods and stockrooms defined previously.

Multiple networks may be defined for a company. Sites may be included in more than one network, typically as a centre within one level and a DC in another level.

Distribution Item Master

For each centre or DC, all items to be included in the DRP run must be defined. Re-ordering rules and source of supply details are defined.

Items must be defined to the local stockroom, within Drinks Inventory Management.

The Centre or DC must be defined to at least one network.

A centrally supplied item does not necessarily have to have an order policy defined at the centre. This is only required if it is to be included in the DRP run for the centre.

Customers

This associates each DRP active stockroom with an internal “customer” code allowing transfer requirements between stockrooms to be executed through distribution orders created for the “supplying” store against the demand raised by its “customer” store.

Net Change Reason Codes

This controls which operational transactions can set net change processing flags and will affect the efficiency and run times of DRP processing in net change mode.

Item Group Profiles

The percentage sales of each item within each item group may be defined. This can be done for any centre or DC.

Item Group Forecasts

Sales and stock forecasts can be maintained for each item group within each centre or DC.

These may be in terms of value or quantity. An annual forecast is entered and spread over the weeks in the specified year.

Item Sales Forecast

These can be generated from the relevant item group forecasts and profiles. Facilities are available to maintain forecasts manually.

Item Stock Levels

These may be generated from the relevant item group profile and the specification of a target stock quantity and range of dates. Facilities are available to maintain these manually.

Implementation Procedure

After installing the software, the recommended steps for implementing Drinks DRP are outlined as follows:

1. - Create customer records for each stockroom, within the module. They must be additional and different to the existing customers, and have a delivery address number of 001.
2. - Ensure the necessary processing profiles are present in Drinks Inventory Management.
3. - Create the DRP Company Profile record, using the same company code as the one defined to Drinks Inventory Management.
4. - Create DRP calendars for this year, and any subsequent years.
5. - Design the DRP networks, and the method (how/when) of processing.
6. - Create the DRP period records for each centre and DC.
7. - Create the DRP stockroom records for each centre and DC.
8. - Assign the internal customer number to the stockroom within DRP Customer Maintenance.
9. - Create the DRP network records.
10. - Create the DRP planner records.
11. - Ensure that the item is defined to all stockrooms (at centres and DCs) via Drinks Inventory Management.
12. - Create the Distribution Item Master records for every centre or DC which stocks or sells the item.
13. - Create item group profiles.
14. - Create seasonal profiles.
15. - Create item group forecasts.
16. - Create item sales forecasts.
17. - Maintain the generated sales forecasts (where appropriate).
18. - Enter item group stock level parameters and create item stock levels (if stock building is required).
19. - Maintain the generated item group stock level forecast (where appropriate).
20. - Set up net change reason codes (if net change DRP is to be used).



Note: Steps 13, 14, 15 and 16 are not required if the sales forecasts are to be exclusively created and transferred from the Forecasting module. However, if seasonal profiles are maintained (step 14) then the Forecasting module will apply them as part of the transfer into DRP forecasts.



Note: DRP can be run based on actual demand only, i.e. excluding forecasts.



Note: Only steps 1 to 12, inclusive, are mandatory.

A Recommended Path

This Drinks DRP product information is designed to take you through the stages of setting up and maintaining the module.

A summary of each section is given below:

Overview

- An overview outlining the scope of the Drinks Distribution Requirements Planning module, its functions and its relationship to other modules.
- An Implementation Guide gives general information on getting around the system.

Maintenance

The options to be taken when setting up your Drinks DRP. The section explains how to set up:

- Company Profile: how each input field (parameter) will affect the working of that company. Some settings will mean that fields shown on screens within this Product information do not appear on the screens you see on your screen. You can simply ignore such fields, although their inclusion in the Product information will make you aware of the many facilities available to you which you may or may not choose to use.
- Distribution Networks: This includes specifying distribution centres and their relationship in the supply chain, associated stockrooms, internal customer codes, item supply rules, calendars, planner codes etc. This reference data is used to support the companies logistics planning and operational activities.

Forecasting

This section explains how to:

- Create a supply plan for individual distribution centres, supply centres or whole networks.
- Plan selectively, through net change or on a full regenerative basis.
- Manage distribution orders and receipts, ad hoc order creation, order amendment and registration of receipts against orders.

Processing

This section explains all the different processing options available within Drinks DRP.

Enquiries

This section explains the available enquiries covering reference data set-up, results of planning runs and distribution order details.

Reports

This section explains the available management reports relating to reference data, results of planning runs, and distribution order details.

Utilities

This section explains the Utility functions available within Drinks DRP.

Planning and Preparation

Consideration should be given to the definition of the supply chain network and flows of products between them, particularly the relationship between distribution centres and stockrooms. Multiple stockrooms can be associated with a distribution centre for planning purposes, yet for any item only one stockroom is defined as the primary receiving/issuing store for planning purposes.

Entering Basic Data

You must prepare your module by entering the following basic data:

Company Profile

This is a record which contains control and parameter information for the operation of your company within the module.

Periods

This defines for a Centre/DC the structure and scope of the forecasting periods which will be used for planning purposes.

Stockrooms

This defines the stockrooms which are associated with a Centre/DC and controls which stock balances, demands and supply orders are considered during a planning run.

Customers

Defines internal customer codes associated with stockrooms for distribution centres in order to generate order details and despatch documentation to support stock transfers between Centres/DCs.

Networks

Defines the supply chain planning relationship.

Distribution Item Master

Defines by item and DC/centre the re-supply rules used for planning.

Planner

Defines the person responsible for planning an item or range of items.

Using Drinks Distribution Requirements Planning

When you have set up the basic data, you can start using Drinks DRP.

The system will be able to access data maintained through other modules - e.g. from Drinks Inventory Management - stock; from Drinks Purchase Management - supply from external sources; and from Forecasting (if installed) - Item and Item Group sales forecasts.

If there are outstanding transfer orders between distribution centres, it will be necessary to register details manually using the ad hoc Distribution Order Maintenance functions. Alternatively, if the number of orders are significant and are held on an existing computer system, it may be more cost effective to transfer data using a conversion routine commissioned for the purpose.

Installing Application Manager PTF's

Application Manager PTF's must be restored and installed as QSECOFR.



Note: To install the Application Manager PTF's the system must be in a minimum state (that is with no users or subsystems / jobs running - this is important)

Use a normal User ID to create the state then sign off and sign on as QSECOFR.

At the first screen, add in library OSLPTP1 (ADDLIB OSLPTP1 *FIRST)

Type in MNGPTF and install the PTF as normal.

Once installed, the library and PTF object can only be removed by QSECOFR. Install this PTF then sign off and sign back in as PTFOwner for subsequent PTF's.

If the above is NOT done, PTFOwner, being inside Application manager, will say the AM PTF is installed when it has not, as PTFOwner is using one of the objects the PTF requires, and the system will work - but will NOT have been updated.