

-
-
-
-
-

Chapter 1

Maintenance



Maintain Documents



1/DEM



Select Maintain Documents on the menu to display the Maintain Document IDs screen.

Use this option to define the types of documents that can be sent to and from the EDI network and the System 21 database.

Within this, the document ID must be defined for each EDI message standard used. For example, the most common ones for purchase orders are:

Document ID	Type	Standard
ORDFL		Tradacoms
ORDERS		EDifact
850	PO	ANSI X12
ORDERR		Odette

If purchase orders are sent to some suppliers via Tradacoms and others via EDIFACT, they should both be defined via this option.

When passing documents into EDI/400, the module uses these document IDs to determine which message standards are used.



Note: Once entered, these document IDs will be shared by all companies defined to the module.

Maintain Document IDs Screen 1



Select Maintain Documents option.

You use this screen to select the document type to be maintained.

```
AI005                                     User GBJBA1MS    19/12/97
Maintain Document IDs                    15:00:06
Document type . . . . .
                                           A = Orders
                                           B = Order Acknowledgements
                                           C = Despatch advices
                                           D = Invoices
                                           E = Ship Notices
                                           F = Product Activity
                                           G = Confirm Assembly
                                           H = Catalogue Information
                                           I = Stock Adjustments
                                           J = Pick Notes
                                           K = Stock Balances

F3=Exit

5-24  SA  MW  KS  CL  IM  DM  II  STUD140  KB  ST0672S1
```

Fields:

Document Type

Enter a valid document type in the range, as follows:

- A - Orders
- B - Order Acknowledgements
- C - Despatch Advices
- D - Invoices
- E - Ship Notices
- F - Product Activity
- G - Confirm Assembly
- H - Catalogue Information
- I - Stock Adjustments
- J - Pick Notes
- K - Stock Balances.



Note: These document types are defined using Inventory Descriptions Maintenance, major type EDID.



Enter an option in the Document Type field and

press **Enter** to display the Maintain Document
IDs Screen 2.

Maintain Document IDs Screen 2

 This screen is displayed when you enter an option in the Document Type field on the Maintain Document IDs Screen 1 and press **Enter**.

You use this screen to define document IDs required for the document to be transmitted via EDI.

You can define one document per message standard, for the selected document type.

AI005User: GBJBA1MS 19/12/97 15:19:05

Maintain Document IDs

Document Type : Orders

Document ID	Type	Description
QBDFL	—	UN/EDT orders
DESADV	—	
■	—	
	—	
	—	
	—	
	—	
	—	
	—	
	—	
	—	
	—	
	—	
	—	
	—	

F3=Exit F12=Cancel

10-2 **SA** MW KS CL IM DM II STUD140 KB ST0672S1

Fields:

Document ID

The document ID, as defined by the relevant EDI standards organisation, must be entered for each standard you use. This code is used by the EDI translator to call this document.

Type

Some standards, ANSI X.12 in particular, require that the Document ID is appended by a document type. This field should be left blank for standards that do not require a document type.

The Document ID and Type are not validated as the number of standard documents is constantly growing, and indeed trading partners may create their own document standards. Any invalid document references will simply be ignored.

Description

This may be entered for information only.

 Press **Enter** to save the new entries to the database and return to Maintain Document IDs

Screen 1.

Maintain Trading Partners



2/DEM

All trading partners, either customers or suppliers, who are to be sent EDI documents must be defined using this option.

You select the document types to be sent to each particular partner. The document types displayed are restricted to those defined via the Maintain Documents option.

The print functions check if the supplier or customer is defined, via this option, as a trading partner for the relevant document. The decision to print the document or not is then based on the following rules.

Document Active	In Production	Send Via EDI	Print
Yes	Yes	Yes	No
Yes	No	Yes	Yes
No	Yes	No	Yes
No	No	No	Yes



Note: Further trading partner details are required to handle the translation and communications aspects of EDI. These are maintained within the EDI/400 module.

Maintain Trading Partners Screen 1



Select Maintain Trading Partners option.

You use this screen to select a trading partner to be maintained.

AI006	DK - QA Drinks	User GBJBA1MS	19/12/97 15:34:50
Maintain Trading Partners			
Trading partner ? _____			
Based on trading partner. . ? _____			
F3=Exit F4=Prompt			
5-32	SA	MW KS CL IM DM II	STUD140 KB ST0672S1

Fields:

Trading Partner

Enter a valid customer, or supplier code, and sequence number. If adding a new partner, this may be selected from a standard prompt on Customers or Suppliers. If amending an existing partner, then a prompt is available on partners already defined via this option.

The sequence number for the trading partner corresponds to the location to which this document is to be transmitted.



Note: For invoices, this may be the delivery point or statement address (as defined to Sales Order Processing).

Based On Trading Partner

A new trading partner may be copied from an existing one by entering a valid partner or selecting one from the prompt.



Press **Enter** to display the Maintain Trading Partners Screen 2.

Maintain Trading Partners Screen 2



This screen is displayed when you enter data in the Maintain Trading Partners Screen 1 and press **Enter**.

You use this screen to select documents to be sent to the trading partner selected in the previous screen. You select the documents by entering values in the corresponding Test/Production and Active/Inactive fields.

AI006		DK - QA Drinks		User	GBJBAMS	19/12/97
						15:57:13
Maintain Trading Partners						
Trading partner	EDI001	001				
VAT Registration Number . . .	VAT REG					
EAN Location Number	EAN LOC					
Document name	Test/ production	Active/ inactive	Generation number	Tradacons standards		
Orders	2	1	0	1		
Order Acknowledgements	2	1	0	1		
Despatch advices	2	1	0	1		
Invoices	2	1	2	1		
Product Activity	2	1	2	1		
Confirm Assembly	2	1	0	1		
Catalogue Information	2	1	0	1		
Stock Adjustments	2	1	0	1		
Pick Notes	2	1	0	1		
Stock Balances	2	1	0	1		
F3=Exit F12=Cancel F16=DI partner maintenance						
6-32	SA	MW	KS	CL	IM	DM II STUD140 KB ST0672S1

Fields:

Trading Partner

The name of the trading partner entered in the previous screen.

VAT Registration Number

Enter the VAT registration number of the trading partner.



Note: This field is not displayed if the current country code is USA.

EAN Location Number

You can enter the EAN(European Article Number) location number of the trading partner in this field.



Note: This field is not displayed if the current country code is USA.

Document Name

The following documents may be listed:

- Orders
- Order Acknowledgements

- Despatch Advices
- Invoices
- Product Activity
- Confirm Assembly
- Catalogue Information
- Stock Adjustments
- Pick Notes
- Stock Balances.

Test/Production

You can enter the following:

- 1 - Test. The document is in test, or parallel mode.
- 2 - Production. The document is in full production.

Active/Inactive

You can enter the following:

- 1 - Active. The document is currently active.
- 2 - Inactive. Deactivates the document for a period of time whilst any current issues are resolved. For example, if there are communication line problems.

Generation Number

This displays the last file generation number used for this trading partner/document type combination.

Each time a file is sent to the trading partner containing this document type the file generation number is incremented by 1 and included in the transmitted message header for reference.

Tradacoms Standards

You can enter the following:

Blank - Do not use Tradacoms standard.

- 1 - Use Tradacoms standard to send this document to the trading partner.

Functions:

F16

DI Partner Maintenance. Select this option to display the Trading Partner Maintenance screen. EDI/400 must be available on the system.



Press **Enter** to update the data file, or **F16=DI Partner Maintenance** for partner maintenance.

Trading Partner Maintenance Screen (F16)



This screen is displayed when you select **F16=DI Partner Maintenance** on the Maintain Trading Partners Screen 2.

You use this screen to maintain additional information for the Trading Partner to enable documents to be exchanged via EDI. The additional information is necessary for translation into EDI message standards and communications to take place.

```

SED130-A                      Trading Partner Maintenance          9/01/98
                                Trading Partner Selection          11:21:18

Position to. . . . . Partner ID

Type options, press Enter.
  2=Change  3=Add duplicate  4=Delete  6=Print

Opt Net Document  S/R Partner ID      Partner Company          Sts
-  IA  ORDERR      S  3FEDISUPP 000    EDI SUPPLIER              A
-  IA  ORDFL       S  3FEDISUPP 000    EDI SUPPLIER              A
-  IA  FORDIS      R  3FEDISUPPB000    EDI SUPPLIER IN GBP      I
-  IA  INVFL       R  3FEDISUPPB000    EDI SUPPLIER IN GBP      A
-  IA  INVFL       R  3FEDISUPP2000    EDI SUPPLIER 2           A
-  IA  ACKFL       S  3FGC01      000    GB CUSTOMER              A
-  IA  DELINS      R  3FNH001      000    EDI CUSTOMER             I
-  IA  DELINS      R  3FNH001      000    EDI CUSTOMER             A
-  IA  DELINS      R  3FNH001      000    EDI CUSTOMER             A
-  IA  ORDERR      R  3FNH001      000    EDI CUSTOMER             A
-  IA  DELINS      R  3FNH001      000    EDI CUSTOMER             A
-  IA  DELINS      S  3FNH001      000    EDI CUSTOMER             A +

F3=Exit  F12=Previous  F14=Add  F15=Extended display  F20=Print

10-3      *      MW      KS  CL  IM  DM  II      EDN400A  KB  ST0672S1
  
```

Fields:

Partner ID

The partner ID must be structured as follows:

Positions:

1-2 = Company code

3-10 = Customer or supplier code

11-13 = Sequence number

14-15 = Blanks.

This is necessary for translating external trading partner IDs for incoming documents into a form that the system will recognise.



Warning: Refer to the *EDI/400 User Guide* for details on defining trading partners to this application.



Note: The sequence number is only used if the documents received are for a single delivery location. For multiple locations, the Location References Maintenance option must be used to

define the location references.

Maintain Location References



3/DEM

When trading in a multiple location environment, it is necessary to be able to identify the location by a mutually agreed location reference.

For incoming documents, the alternative reference received in the EDI message is converted into the delivery address code for the customer.

For outgoing documents, the receiving address code is converted into the alternative reference code and output in the EDI message to the supplier.



Note: Location references are not required if the document exchange is between single locations.

Alternative Location References Maintenance Screen 1



Select the Maintain Location References option.

You this screen to select the trading partner to be maintained.

AI002	DK - QA Drinks	User GBJBA1MS	19/12/97
			16:13:43
Alternative Location References Maintenance			
Trading partner ? █			
F3=Exit F4=Prompt			
5-32	SA	MW	KS CL IM DM II
STUD140		KB	ST0672S1

Fields:

Trading Partner

Enter a valid customer or supplier code. Alternatively, the partner may be selected via the appropriate prompt.



Press **Enter** to display the Alternative Location References Maintenance Screen 2.

Alternative Location References Maintenance Screen 2

 This screen is displayed when you enter a valid code for a Trading Partner in the Alternative Location References Maintenance Screen 1 and press **Enter**.

You use this screen to associate the Location Code, that is the delivery address or receiving address code, with an alternative reference for each geographical location. The alternative reference is the code included in the EDI message and is known to both trading partners.

This screen displays the selected trading partner and a list of locations. You can add and edit locations on the list by entering details in the fields on the lower portion of the screen.

AI003		DK - QA Drinks		User: GBJBA1MS	19/12/97
					16:27:05
Alternative Location References Maintenance					
Trading partner EDI001					
Line	Location code	Alternative reference	Delete		
1	000	LOCATION 1			
2	001	LOCATION 2			
Line	Location code	Alternative reference			
F3=Exit F5=Refresh F8=Update F12=Previous					
21-12 SA MW KS CL IM DM II STUD140 KB ST0672S1					

Fields:

Line

Enter the corresponding number for the line to be amended or deleted.

Location Code

Enter a unique delivery address or receiving address code for the Trading Partner.

Alternative Reference

Enter a unique code which represents the location and is recognised by both Trading Partners. This code is the one included in the EDI message.

 Press **Enter** to validate the data and **F8=Update** to update values on the database.

Maintain Company Profile



4/DEM

This option allows you to:

- Enter the VAT and EAN (European Article Number) location numbers for the current company.
- Specify the date and time on which the Catalogue is transmitted.



Note: The Catalogue Transmission Date and Time can be manually updated, allowing re-transmission of sales catalogues.

When the Catalogue is sent to a trading partner, System 21 will send any item details, that have changed since the last time the Catalogue was sent. These item details are taken from the Inventory Management item maintenance audit files.

The company name and address are displayed for information only.

AI001	DK - QA Drinks	USER GBJBA1MS	19/12/97 16:40:41
Maintain EDI Company Details			
Name.....	QA Drinks Company		
Address line 1....	Mansfield Depot		
Address line 2....	Willsford Industrial Park,		
Address line 3....	Comings Road,		
Address line 4....	Chillsford,		
Post Code.....	H45 J56		
VAT Number.....	231231231231231		
EAN Location Number.....	2312312312321		
Catalogue Transmission Date 16/10/97 Time 14:55:03			
F3=Exit F8=Update			
13-35 SA MW KS CL IM DM II STUD140 KB ST0672S1			

Fields:

VAT Number

Enter the company's VAT number. This is used for reporting purposes for SPEX and Intrastat.

EAN Location Number

Enter the EAN (European Article Number Association) location number of the company.

Catalogue Transmission Date/Time

The date and time on which the sales catalogue is transmitted to an external (third party) trading partner.



Press **F8=Update** to update the values in the

database.

Maintain Third Party Trading Partners

1... **5/DEM**
2...

You use this option to:

- Define which stockrooms are under third party control.
- Define if it is necessary to send catalogue information to the third party trading partner for that stockroom. A single third party trading partner can operate more than one stockroom and so the catalogue information may need only be sent once.
- Define if orders despatched from the stockroom are invoiced at assembly.

You can use this option to set up a new third party stockroom or modify an existing third party stockroom.

Maintain Third Party Trading Partners Screen

1



Select the Maintain Third Party Trading Partners option.

You use this screen to select the stockroom to maintain.

AI800		DK - QA Drinks		User GBJBA1MS		19/12/97					
						16:55:25					
Maintain Third Party Trading Partners											
Sel	SR	Description	Trading Partner								
█	T9	Needle House									
-	WF	WF Stone									
-	WH	Drinks Warehouse									
-	WP	WIP STOCKROOM									
-	Q1	Main Store (Central)									
-	Q2	Alcester Warehouse	Third Party Trading Partner								
1 = Select											
F3=Exit											
7-3		SR	MW	KS	CL	IM	DM	II	STUD140	KB	ST0672S1

Fields:

Sel

Enter 1 against a stockroom to select it.



Select a Stockroom and press **Enter** to display the Maintain Third Party Trading Partners Screen 2.

Maintain Third Party Trading Partners Screen 2



This screen is displayed when you select a Stockroom in the Maintain Third Party Trading Partners Screen 1 and press **Enter**.

You use this screen to define the third party trading partner who has control of the stockroom selected in the previous screen.

AI800	DK - QA Drinks	User GBJBA1MS	19/12/97
Maintain Third Party Trading Partners			16:57:02
Stockroom..... 02 Alcester Warehouse			
Third Party.....?.. <u>HIRD</u> <u>000</u>			
Send Catalogue Information.... <u>0</u>			
Invoice At Assembly..... <u>1</u>			
F3=Exit F4=Prompt F8=Update F11=Delete F12=Previous			
10-34 <u>SA</u> MW KS CL IM DM II STUD140 KB ST0672S1			

Fields:

Third Party

Enter the supplier code and sequence number of the third party trading partner who controls this stockroom.

Send Catalogue Information

0 - No. Do not send catalogue information for this stockroom to the third party trading partner.

1 - Yes. Send catalogue information for this stockroom to the third party trading partner.

Invoice At Assembly

0 - No. Orders despatched from this stockroom are not invoiced at assembly.

1 - Yes. Orders despatched from this stockroom are invoiced at assembly.



Note: If this option is turned off, then the confirm delivery process can be performed manually, in the normal way.



Note: There is no EDI support for Confirm

Delivery.



Press **Enter** to confirm the data and return to the Maintain Interface Trading Partners Screen 1.