

-
-
-
-
-

Chapter 3

Processing



Drinks Warehousing Processing Functions

Most of the work in a warehouse can be divided into three types of tasks:

- Putting away items.
- Moving items to optimise storage, picking and despatching.
- Picking and despatching.

One main function of Drinks Warehousing is to make recommendations for each of the three tasks, and then produce instruction lists on paper and on screen. Once these tasks have been completed, confirmation is a simple 'tick'. This tick can either be a single character or can be the entry of a Check Digit or Return Code from the target location. It can be seen, therefore, that the module is designed for simple interface to an RDT (Remote Data Terminal), or to intelligent storage systems. Equally, if the instructions have been obeyed as intended, it is not necessary to enter item numbers or Location Codes. Even if a change is necessary, all the information can be selected from a displayed list. This not only reduces the amount of work to be done but also reduces the risk of error.

All the options required for processing in Drinks Warehousing can be taken from the Processing Menu.

DWP	HW - Handy Wholesalers Ltd	User PGMR1	24/03/97 12:03:40
Warehousing Processing Menu			
Standard Movements		Adjustments	
1. Request a move		11. Adjust committed to sales	
2. Record a non-requested move			
Frozen Movements		Batch	
3. Request a move		13. Process receipts for put-away	
4. Record a non-requested move			
Movement Confirmation		Documents	
5. Confirm movements		21. Put-away labels	
6. Confirm put-away		22. Pick list for sales	
7. Confirm pick		23. Move list	
8. Confirm assembly		24. Pick list for production	
9. Confirm pick for production			
10. Confirm material issue		90. Signoff	
Option ☐ _____			
Search _____			
F3=Exit F4=Prompt F6=Messages F12=Previous F16=Change company F18=Prints			
21-11 SP MW KS IM II KENB20A PET007S2			

Receiving and Putting Away

There are a number of steps in recording the receipt of an item and putting it away within the warehouse.

These steps are either the recording of specific actions or the making and processing of recommendations by the module. The recording of all external events is done by using interactive procedures. In order to manage the computer resources, some of the processing is carried out in a “continually processing sub-system”. This waits for the next instructions and then carries them out. As a third possibility, work can be performed in small batches. This is particularly true where printing is involved and special stationery for work planning is required. In some instances a choice in the way processing is performed is provided.

The following steps are involved with receiving and putting away.

Inventory Receipt

This is recorded in one of the operational modules, i.e. Drinks Purchase Management, Drinks Inventory Management, Production or Drinks Sales Order Processing. The result is an increase in the Inventory balance at the stockroom. This must be reflected as an increase in the warehouse.

The continually processing sub-system or the batch program (‘Process receipts for put-away’) moves the item into the warehouse location denoted as *receiving*. Drinks Warehousing and Drinks Inventory are now in balance. No explicit additional action is required to achieve the second posting. However, as the Drinks Warehousing module can operate on multiple packaging types, an opportunity is provided to confirm or change the pack type at the time the receipt is made in to a warehouse.

The receiving sub-system performs the following functions:

- Moves the item into the receiving location.
- Determines the number of packs.
- Identifies the rules for putting the item away.
- Makes a sufficient number of recommendations to put the item away into the warehouse.
- Produces a recommendation for each unique combination of item/lot/pack type and location.

The item is now planned out of receiving and planned into the locations.

Printing Documents

Put-away labels must be generated by the module before actions can be confirmed. These labels specify for each item received the location it is to be put away in. A separate label is produced for different lot numbers, pack types and rotation dates for each item. If the item is packaged in a pack type set up to be processed by label number (this is set in ‘Packaging types’ maintenance) the module will print the appropriate numbers on the put-away labels.

In order to provide the proper control, put-away labels are only printed in the warehouse when requested.

Confirmation of the Action

As with all recording of actions this procedure is interactive. There is an obvious advantage in this recording being as close to real-time processing as possible. Confirmation of the put-away can either be by entry of a single character or by a Check Digit which can only be found by visiting the location.

In order to guarantee the best possible response times while recording put-away transactions the update of the database may optionally be moved into a continuously updating sub-system. This can be started by selecting the start 'Confirmation updates' option. With continuous processing, updates will be applied sequentially based upon the arrival of each update request.

Intra-Warehouse Move

Movements inside the warehouse or intra-warehouse movements are performed to improve the organisation of items in order to reduce work at more critical times.

It is necessary not only to be able to record that a move is required, but also that a movement has occurred. A move may be necessary for a number of reasons. The most common is moving items from a main storage area to a picking area. At times it may be decided to refurbish part of the warehouse which may result in the movement of items out of a specific part of the warehouse. Finally, the need for action may be so immediate that the action to re-locate is taken and then reported to the module after the event. In a well planned warehouse such events will be rare.

In common with the other two types of actions, putting away and picking, a list of instructions is produced which can then be viewed on a screen and confirmed or changed.

A distinction is drawn between movements generated by the module as replenishments of pick location and those manually requested. These two actions may be produced as separate lists in order to assign the appropriate priority for the different actions. When confirmation is being performed, different overrides are appropriate for the different moves. For example, if a replenishment of a picking location has been requested by the module, it is not possible to change the item or the 'move to' location because the intention of the instruction is to replenish a fixed picking location for a specific item.

Picking and Despatching

The initial allocation of stock to sales orders or production orders takes place in the Drinks Sales Order Processing module or the Production module. This allocation is done against the available stock figure in the nominated stockroom and does not identify in which location the stock will be found to meet that particular requirement.

This identification of stock locations is performed by the Drinks Warehousing module. The particular location being decided upon by considering such factors as:

- The quantity to despatch.
- Stock rotation.
- Physical proximity of location if not date controlled.
- The practicality of picking a number of order lines together.
- Lot reservations.

The picking and despatching cycle involves carrying out the following actions:

- Request picking notes.
- Request pick lists for sales/production.
- Confirm pick for sales/production.
- Confirm assembly for sales / Confirm Material issue for production.

Request Picking Lists

This is performed by the Drinks Warehousing module and considers requests to 'assemble' generated from the Drinks Sales Order Processing module as a result of Pick Note Print, or requests to 'issue' generated from the Production Control & Costing module as a result of Generating Warehouse Requirements. A series of tasks, as outlined below, are performed which result in the printing of the documents necessary to pick and despatch the items.

- Select a range or group of orders to pick.
- Print pick list, organised to suit the warehouse.
- Print appropriate marshalling lists which cross-reference picking lists and despatch or issue notes.
- Print the pick / issue notes. These are used for assembly in the marshalling areas.



Note: Kit parent and non-stock items are not committed and do not print on the warehouse pick list.



Note: It is recommended that items are not flagged as 'bulk pick' in depots that are warehouse controlled.

Confirm Pick

This is essentially similar to the confirmation of all the Drinks Warehousing actions and can be performed by entering either a character, or the check digit. It is possible to override the module's instructions changing both the location and the quantity involved which will result in an error being recorded. The result of a confirmation is to transfer the stock to the marshalling location.

Confirm Assembly

Confirm assembly is carried out at Sales Order despatch note level. Reports are available to aid marshalling of complex loads, which link picking lists and despatch notes.

Confirm Issue

Confirmation of issue may be performed from the production marshalling location. It is carried out at order level using the standard shop documentation as produced in the Production module.

Reports are available from the module to aid the marshalling of complex loads which link picking lists and despatch/issue notes. If the issue has taken place as intended, it may be confirmed using a single function key.

Standard Movements Request A Move



1/DWP

This is a supervisory function which may be the result of a decision to empty part of the warehouse or move items closer to a despatch point. It is used to define an instruction specifying that an item with certain characteristics is to be moved from one location to another.

Before the moved items are recorded in the database, a move list should be produced using the 'Move list' option and the actions on the list confirmed using the 'Confirm movements' option.

Request Intra Warehouse Transfer Movement Details Screen

 Select the Request a Move option.

The system will display the Movement Details Screen.

 *Note: Sufficient information must be entered to uniquely identify the item to be moved:*

WH100	ZM - Multi-Currency Company	USER GALBRAIJ	14/03/96
	Warehouse #1		9:49:59
Request Intra-Warehouse Transfer			
Item.....?..	12345	Ballantine's 35x24	
Lot number.....?..			
Rotation date.....?..	13/03/96		
Pack type.....?..	24P	24 pack	
Label No.....?..			
Movement Qty.....?..	6.000		
From location.....?..	W1		
To location.....?..	WH		
F3=Exit F4=Prompt F5=Refresh			
05-24 SP MW KS IM II PLYM400A PED171S1			

Fields:

Item

The item code of the item to be moved. A prompt is available.

Lot Number

The lot/batch/serial number associated with the item to be moved. A prompt is available.

Rotation Date

The date used for the stock rotation of the item, for example, expiry date.

Pack Type

The packaging type associated with the item to be moved. A prompt is available.

Label No

If the pack type is label-controlled, the label number must be entered. Note only a whole label quantity can be moved.

Movement Qty

The quantity of the item to be moved.

From Location

The location from which the item is to be moved.

To Location

The location to which the item is to be moved.



Press **Enter** to ensure that the specification of the item to be moved is correct; that it is present in the 'from' location and that it will fit in the 'to' location. A check is also made to ensure there is sufficient stock for the move.

Standard Movements Record a Non-Requested Move

1... **2...** 2/DWP

This option is used to record the fact that an item has been moved. This option can also be used to record the repackaging of items, providing that the new packaging type is already defined to the item in its item/warehouse profile.

Request Intra Warehouse Transfer Movement Details Screen



Select the Record a Non-Requested Move option.



Note: Sufficient information must be entered to uniquely identify the item that has been moved.

WH105	ZM - Multi-Currency Company	USER GALBRAIJ	14/03/96
	Warehouse #1		9:54:32
Record Intra Warehouse Transfer			
Item.....?..	A12345		
Lot number.....?..			
Rotation date.....	13/03/96		
From : Pack type...?..	24P	24 pack	
Label number..			
Location...?..	A01A		
To: Pack type...?..	24P		
Label number..			
Location...?..	A01B		
Movement Qty.....			
Movement Reason...?..	#1	Put-Away Override	
F3=Exit F4=Prompt F5=Refresh F8=Update			
05-24 Sr MW KS IM II PLYM400A PED171S1			

Fields:

Item

The item code of the item that has been moved.

Lot Number

The lot/batch/serial number associated with the item that has been moved.

Rotation Date

The date used for rotation of the item, for example expiry date.

From:

Pack Type

The packaging type associated with the item in the 'from' location.

Label Number

If the pack type is label number controlled, the label number must be entered.
Note only a whole label quantity can be moved.

Location

The location 'from' which the item has been moved.

To:

Pack Type

The packaging type associated with the item in the 'to' location. A pack type must be entered if the item is not moving to the marshalling location.

Label Number

If the pack is label number-controlled, the label number must be entered. The label number must refer to an existing pack. A label number should not be entered when moving to the marshalling location.

Location

The location to which the item has been moved.

Movement Qty

The quantity that has been moved.

Movement Reason

The reason code describing why the item has been moved. A prompt is available.



Press **F8=Update** to ensure the move does not violate the rules set up for the item. The movement quantity is checked against the physical stock to ensure there is sufficient stock. Press **F8=Update** to confirm the recorded move.

Frozen Movements Request a Move



3/DWP

This is a supervisory function which may be the result of a decision to empty part of the warehouse or consolidate frozen stock. This option is used to define an instruction specifying that stock frozen for an item with certain characteristics is to be moved from one location to another.

Before the moved items are recorded in the database, a move list should be produced using the 'Move List' option and the actions on the list confirmed using the 'Confirm Movements' option.

Record Intra Warehouse Frozen Stock Transfer



Select the Request a Move option.



Note: Sufficient information must be entered to uniquely define the item that should be moved.

WH100	ZM - Multi-Currency Company	USER GALBRAIJ	14/03/96
	Warehouse #1		9:59:59
Record Intra Warehouse Frozen Stock Transfer			
Item.....?..	<u>12345</u>	Ballantine's 35x24	
Lot number.....?..			
Rotation date.....	<u>13/03/96</u>		
Pack type.....?..	<u>24P</u>	24 pack	
Label No.....			
Movement Qty.....	<u>6.000</u>		
From location.....?..	<u>GI</u>		
To location.....?..	<u>BU</u>		
F3=Exit F4=Prompt F5=Refresh			
05-24 SC MW KS IM II PLYM400A PED171S1			

Fields:

Item

The item code of the item to be moved. A prompt is available.

Lot Number

The lot/batch/serial number associated with the item to be moved. A prompt is available.

Rotation Date

The date used for the stock rotation of the item. For example: expiry date.

Pack Type

The packaging type associated with the item to be moved. A prompt is available.

Label No

If the pack type is label controlled, the label number must be entered. Note only a whole label quantity can be moved.

Movement Qty

The quantity of the item to be moved.

From Location

The location from which the item is to be moved.

To Location

The location to which the item is to be moved.



Press **Enter**. Validation is performed to ensure that the specification of the item to be moved is correct, that it is frozen, present in the 'from' location and that it will fit in the 'to' location.

Frozen Movements Record a Non- Requested Move

1... 4/DWP
2...

To explicitly inform the module that frozen stock for an item has been moved. This option can also be used to record the repackaging of items, providing that the new packaging type is already defined to the item in its item/warehouse profile.

Record Intra Warehouse Frozen Stock Transfer



Select the Record a Non-Requested Move option.



Note: Sufficient information must be entered to uniquely define the item that has been moved.

WH105	ZM - Multi-Currency Company	USER GALBRAIJ	14/03/96
	Warehouse #1		10:02:26
Record Intra Warehouse Frozen Stock Transfer			
Item.....?	12345	Ballantine's 35x24	
Lot number.....?			
Rotation date.....	13/03/96		
From : Pack type...?	24P	24 pack	
Label number..			
Location...?	A01A		
To: Pack type...?	24P		
Label number..			
Location...?	A02A		
Movement Qty.....	10.000		
Movement Reason...?	#1	Put-Away Override	
F3=Exit F4=Prompt F5=Refresh F8=Update			
05-24 SF MW KS IM II PLYM400A PED171S1			

Fields:

Item

The item code of the item that has been moved.

Lot Number

Enter the lot/batch/serial number associated with the item that has been moved.

Rotation Date

The date used for rotation of the item, for example expiry date.

From:

Pack Type

The packaging type associated with the item in the 'from' location.

Label Number

If the pack type is label number controlled, the label number must be entered.
Note only a whole label quantity can be moved.

Location

The location 'from' which the item has been moved.

To:

Pack Type

The packaging type associated with the item in the 'to' location. A prompt is available. A pack type must be entered if the item is not moving to the Marshalling location.

Label number

If the pack is label number controlled, the label number must be entered. The label number must refer to an existing pack. A label number should not be entered when moving to the Marshalling location.

Location

The location 'to' which the item has been moved.

Movement Qty

The quantity that has been moved.

Movement Reason

The reason code describing why the item has been moved.



Validation is performed upon pressing **F8=Update** to ensure the move does not violate the Location Rules set up for the item. The movement quantity is checked against the frozen stock balance.



F8=Update must be pressed a second time to confirm the update.

Confirm Movements



5/DWP

To confirm to the module that the instructions in the move list have been performed, i.e. the items have been moved correctly and the module can expect to find the items at the locations specified in the move list, unless previously amended.

Move instructions are either generated manually using the 'Standard Request a move' or 'Frozen Request a move' options, or are generated by the module as part of the replenishment of picking locations process.

Move lists are then produced, using the move list option

Confirm Intra Warehouse Transfer Select List Screen



Select the Confirm Movements option.

The initial screen allows a move list to be selected for confirmation.

WH110	Z1 - Demonstration Company	USER SP1	01/09/94
	Central Warehouse		12:00:00
Confirm Intra-Warehouse Transfer			
List number.?.. <u>3</u>			
F3=Exit F4=Prompt			

Fields:

List Number

Enter a valid list number.



Press **Enter** to display the Confirm Intra Warehouse Transfer Confirm Action Screen.

Confirm Intra Warehouse Transfer Confirm Action Screen



This screen is displayed when a list number has been entered onto the Confirm Intra Warehouse Transfer Select List Screen.

This enables instructions to be confirmed or marked for amendment. A list of unconfirmed actions is displayed. Amendment to actions is performed on a secondary screen.

At the right-hand end of each instruction is the status of the action, either 'Move' or 'Replenish'. Replenishments are module generated transfers to replenish the pick locations. Movements are user requested transfers.

WH110	ZH - Multi-Currency Company	USER GALBRAIJ	14/03/96
	Warehouse #1		10:05:45
Confirm Intra-Warehouse Transfer			
List number....	3		
Item/Rotation	Lot/Label	Quantity	Loen from/to Action
WHP1	12/07/95	156.000	A05A A02A
			☐ Replenish
F3=Exit F5=Refresh F8=Update F12=Previous			
08-64	82	MW	KS IM II PLYM400A PED171S1

Fields:

Action

There are three possible entries.

- If check digit validation is required two check digits need to be entered, one for the 'from' location and one for the 'to' location.
- If check digit validation is not required, enter either:
 - 1 - to confirm an action.
 - * - to mark an action for amendment.
- If default confirmation has been selected in the warehouse profile, any actions not requiring override and not in error are set to '1' by default. This can be overtyped with a '*' if required for amendment.



Default confirmation and confirmation using check digits are mutually exclusive.



Press **F8=Update** to initiate the update routine. Those records flagged for update are either processed by the continuously operating sub-system or interactively processed. Instructions flagged for amendment are sequentially presented to the override screens.

Confirm Intra Warehouse Transfer Manual Override Screen



This screen is displayed if you have marked an entry for amendment on the Confirm Intra Warehouse Transfer Confirm Action Screen.

It lets you amend an intra-warehouse move. The entries allowed will differ according to the status of the move, i.e. 'Replenishment' or 'Move'.

The upper part of the screen contains the details of the instruction, such as the item, lot, quantity, label and pack type. For move instructions the original 'to' location is shown, whereas for replenishments the 'from' location is shown.

At the completion of the override, the total quantity moved should be less than or equal to the total requested.

WH110	ZM - Multi-Currency Company	USER GALBRAIJ	14/03/96
	Warehouse #1		10:14:05
Confirm Intra-Warehouse Transfer - Replenishment			
List..	3	Date.. 13/07/95	Time.. 14:12:18
Remaining Qty..	141.000		
Item	Description		
WHP1	Warehousing product WHP1 do NOT USE		
Label	Lot number	SR Date	Quantity
		12/07/95	156.000
Pack	From location		
C75	A05A		
Manual override			
Line Rsn.	Label	Lot number	SR Date
01 #1			12/07/95
Quantity	Pack	From location	
15.000	C75	A05A	
Line Rsn.	Label	Lot number	SR Date
			0/00/00
Quantity	Pack	From Location	
F3=Exit F4=Prompt F5=Refresh F8=Update F12=Previous			
21-03	82	MW	KS
IM	II	PLYM400A PED171S1	

Fields:

Common to both Move and Replenish:

Reason

A valid reason code must be entered. A prompt is available.

Quantity

The quantity of the item being moved.

Pack

A valid pack type for the item. A prompt is available for pack types.

Move only:

To Location

A valid location. A prompt is available.

Replenish only:

The item being moved must be defined in sufficient detail to uniquely define the item within the location. Some or all of the following are required:

Label

Enter the label number of the pack to be moved. If the pack type associated with the item is label number controlled.

Lot Number

The lot/batch/serial number.

SR Date

The rotation date of the item.

From Location

The location from which the replenishment will be sourced.



*Note: To amend a line which has already been entered, enter the line number and press the **Enter** key. This will recall the line for modification.*



Press **Enter** to validate the data in the entry line and roll it up into the screen. The update key **F8=Update** checks that the total accounted for is equal to the total to move and performs the update. A confirmation screen is then displayed and **F8=Update** must be pressed a second time to confirm the update.



Note: A label cannot be split into two or more locations. If you wish to split it, the pack type must be changed.



If actions are marked as PEND, check that the 'Confirmation Updates' job has been started.

Confirm Put-Away



6/DWP

This confirms to the module that the instructions in the put-away list have been performed, i.e. the items have been put away correctly and the module can expect to find the items at the locations specified in the put-away list, unless they have been amended.

Items To Be Put Away Selection Screen

-  Select the Confirm Put-Away option.

The initial screen allows a put-away list to be selected for confirmation.

Fields:

List Number

Enter a valid List Number.

-  Press **Enter** to display the Items To Be Put Away Confirm Action Screen.

Items To Be Put Away Confirm Action Screen



This screen is displayed when you have entered a valid list number into the Items To Be Put Away Selection Screen.

It enables instructions to be confirmed or marked for amendment. A list of the unconfirmed actions is displayed.

WH115		ZM - Multi-Currency Company		USER GALBRAIJ	14/03/96
		Warehouse #1			10:34:11
Items to be Put Away					
List number....		11			
Item	Lot	Quantity	Label	Location	Action
VODKA		120.000		A01B	
BRANDY		30.000		No location	☐ LOC.INVLD
F3=Exit F5=Refresh F8=Update F12=Previous					
08-69 SF MW KS IM II PLYM400A PED171S1					

Fields:

Action

There are three possible entries.

- If check digit validation is required two check digits need to be entered, one for the 'from' location and one for the 'to' location.
- If check digit validation is not required, only one entry is possible.
 - 1 - to confirm an action.
 - * - to mark an action for amendment.
- If default confirmation has been selected in the warehouse profile, any actions not requiring override and not in error are set to '1' by default. This can be overtyped with a '*' if required for amendment.



Note: Default confirmation and confirmation using check digits are mutually exclusive.



Press **F8=Update** to initiate the update routine. Those records flagged for update are either processed by the continuously operating sub-system or interactively processed. Instructions

flagged for amendment are sequentially presented to the override screens.

Items To Be Put Away Manual Override Screen



This screen is displayed when you have pressed **F8=Update** on the Items To Be Put Away Confirm Action Screen.

This screen enables a receipt to be recorded in the warehouse. The upper part of the screen contains the details of the instruction, with the item, lot, quantity and recommended location. The lower part enables entry of the details of the put-away. The quantity put away must equal the original quantity.

WH115	ZM - Multi-Currency Company	USER GALBRAIJ	14/03/96
	Warehouse #1		10:35:05
Items to be Put Away			
List..	11		
Movement..		Date.. 25/07/95	Time.. 13:00:33
Item	Description		Label
BRANDY	Really Warm your Belly up stuff		
Lot number	Quantity	Location	Pack
	30.000	No location	C12
Manual override			
Line	Reason	Quantity	Location
01	#1	30.000	A05A
			Pack
			C12
F3=Exit F4=Prompt F5=Refresh F8=Update F12=Previous			
21-16	SE	MW	KS
		IM	II
PLYM400A PED171S1			

Fields:

Reason

A valid reason code must be entered.

Quantity

The quantity of this item / lot / location / pack combination to be put away in this particular location.

Location

A valid location. A prompt is available for locations.

Pack

A valid pack type for the item.



*Note: To amend a line which has already been entered, enter the line number from the left hand column and press **Enter**.*



When **Enter** is pressed, the data in the entry line is validated and rolled up into the screen. The

update key **F8=Update** checks that the total accounted for is equal to the total received and updates the database.



Note: If the instruction being overridden has a label number, only the whole pack may be put into a different location. If part of the pack is moved to a different pack type, it may be put away in a different location.



Tip: If actions are marked as PEND, check that the 'Confirmation Updates' job has been started.

Confirm Pick for Sales



7/DWP

To confirm to the module that the actions listed in the pick list have been performed, i.e. the items have been picked correctly.



Note: This function refers to pick lists produced for sales.

Confirm Pick for Sales Select List Screen

-  Select the Confirm Pick option.

The initial screen allows a pick list to be selected for confirmation.

Fields:

List Number

Enter valid list number. The **F4=Prompt** is available.

-  Press **Enter**. The Confirm Pick for Sales Confirm Action Screen displays the current status of the outstanding instructions on the list.

Confirm Pick for Sales Confirm Action Screen



This screen is displayed when you have entered a valid List Number into the Confirm Pick for Sales Select List Screen.

It enables you to confirm the actions specified on the pick list, or mark actions for amendment. A list of unconfirmed pick instructions is displayed. Amendments to actions are done on a secondary screen.

WH145	ZM - Multi-Currency Company	USER GALBRAIJ	14/03/96
	Warehouse #1		12:28:39
Confirm Picking for Sales			
Picking list no....	13		
Date raised.....	25/07/95		
Line Item	Lot number	SR Date	Quantity Location Ac
0001 100000		0/00/00	72.000 C04A *
0002 150000		0/00/00	84.000 A06A 1
F3=Exit F5=Refresh F8=Update F12=Previous			
09-75 SP MW KS IM II PLYM400A PED171S1			

Fields:

Action

There are three possible entries.

- If check digit validation is required, enter the check digit at the pick location.
- If check digit validation is not required enter either:
 - 1 - to confirm an action
 - * - to mark an action for amendment.
- If default confirmation has been selected in the warehouse profile, any actions not requiring override and not in error are set to '1' by default.



Note: Default confirmation and check digit validation cannot be selected at the same time.



Press **Enter** to write the entries back to the work area. Press **F8=Update** to initiate the update routine. Actions flagged for amendment are sequentially presented to the override screen.

Confirm Pick for Sales Manual Override Screen



This screen is displayed when you have pressed **F8=Update** on the Confirm Pick for Sales Confirm Action Screen.

This screen enables a pick instruction to be amended and then completed. The upper part of the screen contains the details of the pick instruction. The lower part of the screen lists the picks which have been entered to amend the pick instruction.



*Note: To cancel a pick instruction **F8=Update** should be pressed with no lines entered.*

WH145		ZM - Multi-Currency Company		USER GALBRAIJ		14/03/96	
		Warehouse #1				12:31:51	
Confirm Picking for Sales							
Picking list number.. 00000013				Remaining Qty.. 50.000			
Line	Item						
0000	100000	Beer					
	Label	Lot number	SR Date	Quantity	Pack	Location	
			0/00/00	72.000	C12	C04A	
<u>Manual override</u>							
Line	Rsn.	Label	Lot number	SR Date	Quantity	Pack	Location
01	#1			0/00/00	22.000	C12	C04A
Line	Rsn.	Label	Lot number	SR Date	Quantity	Pack	Location
				0/00/00			
F3=Exit F4=Prompt F5=Refresh F8=Update F12=Previous							
21-03		S	MW	KS	IM	II	PLYM400A PED171S1

Fields:

Rsn

Reason code. The reason why a change is necessary. The **F4=Prompt** is available.

Label

The label number of the pack type if label controlled.

Lot Number

The lot/batch/serial number picked.

SR Date

Stock rotation date of the item picked.

Quantity

Quantity picked.

Pack

The pack type of the item picked.

Location

Location from where the item has been picked.



Press **Enter** to validate and roll up the data in the entry line. The update key, **F8=Update**, checks that the total to pick is equal to or less than the total to be picked and performs the update.



Tip: To confirm pick of zero, do not enter override details but simply press **F8=Update**. You will be warned that you have requested a zero pick and asked to press **F8=Update** again to confirm.

Confirm Assembly

1...
2...

8/DWP

The purpose is the same as the procedure within Drinks Sales Order Processing, to confirm that despatch has taken place, and that stock balances can be updated. However, during the consolidation, committing and picking procedures in Drinks Warehousing, other links have been created. For example, a specific portion of stock, perhaps with a lot number and expiry date, has been moved into marshalling for an order. Confirmation of Assembly must therefore update Drinks Warehousing in addition to Drinks Sales Order Processing and Drinks Inventory Management.

Confirm Assembly Select Order Screen



Select the Confirm Assembly option.

This screen enables the selection of the order for which assembly is to be confirmed.

WH160	ZH - Multi-Currency Company	USER GALBRAIJ	14/03/96
	Warehouse #1		12:38:22
Confirm Assembly			
Order	6000818		
Sequence			
Despatch date	14/03/96		
Trailer Number.....			
Haulier.....			
F3=Exit F4=Prompt			
05-22	SP	MW	KS IM II PLYM400A PED171S1

Fields:

Order

The order number to be despatched. If only the order number is entered, a secondary screen displays the outstanding despatches for the order.

Sequence

Despatch note sequence number. If this is entered, and it is valid, the details of the despatch are displayed. An order may have several sequence numbers if it could not all be picked in one go, so this allows part orders to be despatched.

Leave the sequence blank to display a list of outstanding despatch notes for the order.

Despatch Date

(Defaults to the current date). The date the despatch was made. This cannot be in the future.

Trailer Number

If Drinks Transport Planning is being used, enter a valid Trailer Number for the despatch.

Haulier Name

If Drinks Transport Planning is being used, a two-part code



Press **Enter** to display the status of despatch notes associated with this order.

Confirm Assembly Screen (Option 1)



This screen is displayed when you have made valid entries into the Confirm Assembly Select Order Screen and pressed **Enter**.

This screen displays the order lines to be assembled.

Confirmation of assembly from a warehouse can only take place if:

- The stock has been committed to the despatch note.
- Sufficient stock has been picked to satisfy the amount of the despatch being confirmed.

In most cases, the procedures are standard. Committing takes place, which results in picking and confirmation of pick. If what was intended to be assembled was assembled, confirmation can be carried out using a single function key - **F8=Update**. If however, short picks were recorded or if there is any doubt as to which lot is assembled, the module forces explicit confirmation of the actual action. Equally, if a full pick was confirmed, but not everything assembled, the module requests the identification of stock not sent. A reason code must be given if any non-standard action is taken in confirmation of assembly. Details of the selected despatch notes are displayed. If more than one despatch was selected, they will be displayed consecutively.

WH160	Drinks US System Test Company (U1)	USER PGMR1	24/03/97
	Warehouse #1		12:38:33
Confirm Assembly			
Order ... 0001813		Customer ... NB0D15/1 000	
Bonded cust. del. type 15 /1			
Des	Order	Quantity	Assembly
seq	Line	to assemble	Quantity
00	001	2 0	0 1 *
00	002	2 0	2 0
00	003	2 0	2 0 -
F3=Exit F5=Refresh F8=Update F12=Previous F14=Containers			
F15=Order text			
10-67 82 MW KS IM II KENB20A PET007S2			

Fields:

Des Seq

Despatch note sequence number.

Order Line

Line number on the Sales Order.

Item

Item code.

Lot

If the item is lot/serial/batch controlled, or rotation date controlled, this field is set to 'yes', otherwise it is set to 'no'.

Quantity to Assemble

The quantity which should be despatched.

Assembly Quantity

The quantity that was despatched.

Override

If it is necessary to change the quantity to be despatched, this can be overridden by entering an '*' in the field. When **Enter** or **F8=Update** is pressed, an override window is displayed. In some cases the override is forced, e.g.

- If insufficient stock has been picked for the order, **or**
- If there is insufficient stock in the marshalling location, **or**
- If the order was part of a consolidated pick, which spanned a number of lots or rotation dates, a choice is then necessary.

If an override has been requested or forced by the system, the override window will be displayed. See the section on 'Override Quantity Despatched' later in this chapter.

If component override is forced for sales kits because of reason 1 or 2, the kit parent and all other components are forced override. Component force override for reason 3 has no effect on other components or the kit parent.

Non lot/rotation date controlled components cannot be manually overridden.

Lot/rotation date controlled components can be overridden, but the despatch quantity must equal the lot parent quantity (or ratio thereof).

To change component quantities for despatch, the kit parent quantity must be manually overridden.

If no override is in force, the assembly will be confirmed, upon update using **F8=Update**.

Functions:

F14

Containers / Control Totals / Additional Detail.

F15

Display the order text for modification before the invoice is printed.



Press **F8=Update** to confirm the assembly.

Confirm Assembly Override Quantity Despatched Window



This window is displayed as a result of an override request.

It enables you to define how much of a non-lot controlled item was despatched against the order. At the top of the window the details of the order line are displayed. This is followed by the 'Quantity to Despatch', as stated in the original order line. The module will enter the quantity that it calculates could be despatched on the following line - 'Despatch Quantity'. This may be changed.

Fields:

Despatch Quantity

The quantity actually sent.

Reason Code

The reason why the full quantity is not to be despatched. A prompt for reason codes is available.



Press **F8=Update** - if the full quantity confirmed as picked is not confirmed as assembled, a window is displayed allowing a reason code to be entered to account for the short shipment.

Confirm Assembly Enter Reason for Short Shipment Window



This window is displayed when you have pressed **F8=Update** on the Confirm Assembly Override Quantity Despatched Window, and the full quantity confirmed as picked is not confirmed as assembled.

The parameter limit of the reason code defined on the Inventory Descriptions file is used to decide what action is carried out on the remaining stock in the marshalling area. Parameter limits can be displayed by prompting on reason codes, followed by **F15=Order / Invoice Text** - Extend which shows extended information. Parameter limits are shown under the column 'Limit'. A blank parameter limit is taken to be '0'.

Fields:

Limit Action Fields

0 - Stock remains frozen for further investigation.

1 - Stock remains committed



Note: This allows breakages and short picks to be controlled.



Update using **F8=Update** - reconciliation is performed to ensure that all the stock picked for the order has been accounted for. The confirm screen is displayed again. Any despatch lines which have been accepted as ready for update are flagged with a '+'.



Tip: If the item is a kit item, any components displayed as Lot = 'No' will be automatically overridden with the Lot quantity and Reason Code entered.

Confirm Assembly Enter Lots Despatched Window



This window is displayed as the result of a forced or requested override of a lot / batch / serial controlled item. At the top of the window the details of the order line are displayed.

The quantity to despatch of a lot / batch / serial controlled item can be reduced by adjusting the amount of each lot involved in the order line.

This window enables the quantities of specific lots to be adjusted to bring the total amount for the order line to the original despatch quantity or less.

This is followed by the 'Quantity to Despatch' as specified on the order and the 'Despatch Quantity' which is the amended amount to despatch.

A list of lots in the marshalling location is displayed. The lots in this list can be amended, added or deleted to produce a final total number of items to despatch for the order line. The total cannot be greater than the original quantity for the order line.

WH160		Drinks US System Test Company (U1)		USER PGMR1		24/03/97	
		Warehouse #1				12:41:00	
Confirm Assembly							
Order ... 0001013							
Des	Order						
seq	Line	Item					
00	001	S101N					
00	002	S301N					
00	003	S401N					

Enter Lots Assembled					
Despatch seq..		Order line.. 1			
Item.. S101N					
1.751 Smirnov 80% Proof					
Quantity to Assemble:		0		1	
Assembly Quantity:		0		1	
Sel	Lot	Rotation date	Quantity	Rsn. code	
-	96B1000113	0/00/00	0	0	
-	97B1000038	0/00/00	0	1	
1=Select 4=Delete					
0/00/00					
F4=Prompt F5=Refresh F8=Update F12=Previous					
F13=Lots Committed to Marshalling					

F3=Exit F5=Refresh F8=		F15=Order text	
11-30	SE	MW	KS IM II KENB20A PET007S2



*Note: To add a new lot to the list, enter the appropriate details at the bottom of the window and press **Enter**.*

Fields:

Sel

1 - Select the lot for amendment.

4 - Delete the lot from the list.

Lot

The lot/serial/batch number for the item.

Rotation Date

The rotation date of the lots listed.

Quantity

The quantity of the lots involved in the order line being amended.

RSN. Code

The reason code associated with any changes made. If any change is made a valid reason code must be entered.

If you are updating a kit component, the 'Assembly Quantity' must equal the 'Quantity to Assemble, which is the kit quantity.

Function

F13

Lots Committed to Marshalling.



Press **F8=Update**. If a part despatch is confirmed for an item where a complete pick has taken place, the module needs to know which lots have been picked that are not going to be despatched. If this is the case the 'Lots NOT Despatched' window is displayed upon update. If not, the update will be performed.

Confirm Assembly Lots Committed In Marshalling Window (F13)



This window is displayed when you press
F13=Lots Committed to Marshalling on the
Enter Lots Despatched Window.

WH160		Drinks US System Test Company (U1)		USER PGMR1	24/03/97
		Warehouse #1			12:41:00
Confirm Assembly					
Order ... 0001013					
Des	Order				
seq	Line	Item			
00	001	S101N			
00	002	S301N			
00	003	S401N			

Enter Lots Assembled					
Lots committed in marshalling					
De	It	Qu	As	Rotation	Committed
	Item..		S	Date	Quantity
	Locn.. AB				
			97B1000035	0/00/00	24 0
			97B1000038	0/00/00	11 0
			97B1000043	0/00/00	8 0

1=	
1=Select	
Pos	0/00/00

F4 F5=Refresh F12=Previous F13=Lots picked			
F13=Lots Committed to Marshalling			

F3=Exit F5=Refresh F8=	
F15=Order text	
09-35	SP

MW	KS	IM	II	KENB20A	PET007S2
----	----	----	----	---------	----------

Fields:

Lot Number

This is the lot number.

Date

The date despatched.

Quantity

The quantity.



Function:

F13

Lots picked.



Press **F12=Previous** to return to the Confirm
Assembly Enter Lots Assembled Window.



Lot numbers may either be keyed in or selected from lots in marshalling. An entry made in error may be recalled and amended or deleted.

The quantity not despatched (assembled) should be entered together with a reason code.

A reconciliation is performed to ensure that the stock known to be picked for the order has been accounted for. The confirm assembly screen is then displayed. Any despatch lines which have been accepted as ready for update are flagged with a '+'.



Press **F8=Update**. Update ensures the quantity known to be picked for this despatch is accounted for.

Confirm Assembly Container / Control Tables / Additional Details Window (F14)



This screen enables additional charges to be added to the despatch and can be accessed by pressing **F14=Container / Control Tables / Additional Details** from the Order Lines Screen.

Charges are entered in the currency of the customer.

```

WH160           Drinks US System Test Company (U1)   USER PGMR1   24/03/97
                Warehouse #1                        12:38:33

Confirm Assembly

  Container Details
  Despatch Sequence... 00

  Code          Description                      Quantity to  Assembly
                Description                      Assemble   Quantity
  C101N         1.75l Bottle Glass                12          1
  C111N         1.75l bottle case                   2          1

  Number of cartons... _____ More /

  F8=Update  F12=Previous
  F3=Exit   F5=Refresh  F8=Update  F12=Previous  F14=Containers
  F15=Order text
                20-25  S2      MW      KS      IM      II  KENB20A  PET007S2
  
```

Fields:

Number of Cartons

Enter the total number of cartons assembled.

Function:

F14

Additional Detail.

F23

Control Totals.



Press **F8=Update** to update the details on the file.

Confirm Pick for Production



9/DWP

To confirm to the module that the actions listed in a pick list have been performed, i.e. the items have been picked correctly.



Note: This function only refers to pick lists generated for production.

Confirm Pick for Production Select List Screen



Select the Confirm Pick for Production from the Movement Confirmation area of the Processing Manual.

The initial screen allows a pick list to be selected for confirmation.

Fields:

Pick List

Enter a pick list. The **F4=Prompt** is available.



Press **Enter** to display the current status of the outstanding instructions on the selected pick list.

Confirm Pick for Production Confirm Action Screen



This screen is displayed when you have entered a valid pick list on the Confirm Pick for Production Select List Screen.

It enables you to confirm the actions specified on the pick list, or mark actions for amendment. The unconfirmed pick instructions for the selected list are displayed. Amendments to actions are performed on a secondary screen.

WH145	Z1 - Demonstration Company Central Warehouse	USER SP1	25/10/94 15:19:43
-------	---	----------	----------------------

Confirm Picking for Production
Picking list no.... 15
Date raised..... 25/10/94

Line Item	Lot number	SR Date	Quantity	Location	Ac
0001 5022		0/00/00	12.000	BA1	1
0002 5023		0/00/00	11.000	AA3	1
0003 5023		0/00/00	1.000	AC5	1
0004 5025		0/00/00	12.000	BB1	1
0005 5029		0/00/00	36.000	BD1	1
0006 5036	L0001	0/00/00	12.000	AC1	1
0007 5037		0/00/00	12.000	AD1	*

F3=Exit F5=Refresh F8=Update F12=Previous

Fields:

Action

To confirm an action:

- If check digit validation is in operation, enter the check digit at the pick location.
- If check digits are not in use enter:
 - 1 - To confirm an action.
 - * - To mark an action for amendment.
- If default confirmation has been selected in the warehouse profile, any actions not requiring override and not in error are set to '1' by default.



Note: Default confirmation and check digit validation cannot be selected at the same time.



Press **F8=Update** to initiate the update routine. Actions flagged for amendment are sequentially presented to the override screen.

Confirm Picking for Production Manual Override Screen



This screen is displayed when you press **F8=Update** on the Confirm Pick for Production Confirm Action Screen.

This screen enables a pick instruction to be amended to indicate the actual locations stock was picked from to meet the requirements. The upper part of the screen displays the details of the original pick instruction. The lower part of the screen lists the actual pick actions which have been entered to amend the original pick instruction.



Tip: To cancel a pick instruction **F8=Update** should be pressed with no amendment lines entered.

WH145	Z1 - Demonstration Company Central Warehouse		USER SP1	25/10/94 15:19:56		
Confirm Picking for Production						
Picking list number.. 00000015			Remaining Qty..		12.000	
Line Item	Toner 75ml					
0000 5037	Label	Lot number	SR Date	Quantity	Pack	Location
			0/00/00	12.000		AD1
Manual override						
Line Rsn.	Label	Lot number	SR Date	Quantity	Pack	Location
No override details have been entered.						
Line Rsn.	Label	Lot number	SR Date	Quantity	Pack	Location
— #1		L0001	0/00/00	12	CAS	AE3
F3=Exit F4=Prompt F5=Refresh F8=Update F12=Previous						

Fields:

Rsn

Reason Code. Enter a code detailing why the change is necessary. A prompt is available.

Label

Enter the label number of the pack actually picked. This is only necessary if the pack is label controlled.

Lot Number

Enter the lot, batch or serial number of the item actually picked.

SR Date

Enter the stock rotation date of the item actually picked.

Quantity

Enter the quantity of the item picked.

Pack

Enter the pack type of the actual item picked.

Location

Enter the location code from where the item has been picked.

Functions:

F14

Create extra pick list. If after **F8=Update** has been pressed, the override amount is less than the amount to be picked, the excess can be placed in a new pick list as a reminder.



Press **Enter** - the data in the entry line is validated and rolled up into the screen. The update key, **F8=Update**, checks that the total picked is equal to or less than the total to be picked. If the total picked is less than the total to be picked a message is displayed acknowledging this, and allowing the excess to be placed in a new picking list by pressing **F14=Create Extra Pick List** or the excess to be ignored by pressing **F8=Update**.

Confirm Material Issue



10/DWP

The purpose is the same as the Material Issues function of the Production Order Control module, namely, to confirm that component issue has taken place and that stock can be relieved. However, during the consolidation, committing and picking procedures in Drinks Warehousing, other links have been created. For example, a specific portion of stock, perhaps with a lot number and expiry date has been moved into marshalling for this order. Confirmation of issue must therefore update Drinks Warehousing in addition to Production Order Control and Drinks Inventory Management.

Confirm Material Issue Select Order Screen



Select the Confirm Material Issue option.

This screen enables the selection of the order for which issues are to be confirmed.

WH170	Z1 - Demonstration Company Central Warehouse	USER SP1	01/09/94 12:00:00
-------	---	----------	----------------------

Confirm Issue	
Order	?.. W000194
Issue requirement....	__
Operation sequence...	___
Include backflushes..	0 (0=No, 1=Yes)

F3=Exit	F4=Prompt
---------	-----------

Fields:

Order

The order number to be issued. If only the order number is entered, a secondary screen displays the outstanding issue requirements for the order.

Issue Requirement

Issue requirement sequence number. If this is entered, and it is valid, the details of the issue are displayed.

Operation Sequence

Enter the operation sequence if specific components for one operation are to be issued.

Include Backflushes

1 - If issue of a component defined as backflush is required, i.e. where additional material is required for the finished goods but the receipt quantity is not changed.

0 - if no issue of backflush components is necessary.



Press **Enter**. If only the order number is entered, a list of current issue requirements is displayed. However, if the issue sequence number is entered, its details are displayed.

Confirm Material Issue Select Issue Requirements Screen



This screen is displayed when you have pressed **Enter** on the Confirm Material Issue Select Order Screen and only the order number has been entered.

A number of issue requirements for the same order can be confirmed together. This displays all outstanding issue requirements and enables selection. The order number and finished item details are displayed for confirmation. This is followed by a list of outstanding issues.

WH170	Z1 - Demonstration Company Central Warehouse	USER SP1	01/09/94 12:00:00
Confirm Issue			
Order ... W000194		Finished Item ... 6002 Miniatures Selection (VO, WH, BR)	
Sel	Issue Requirement	Date Raised	
-	1	28/08/94	
F3=Exit F5=Refresh F12=Previous			

Fields:

Select

A '1' is entered against the issues to be confirmed. Any number may be selected for confirmation.



Press **Enter** to display the details of the selected issue requirements on the confirm issues screen.

Confirm Material Issue Confirm Issue Screen



This screen is displayed when you have pressed **Enter** on the Confirm Material Issue Select Issue Requirements Screen.

This screen displays the order components to be issued. Confirmation of issue from a warehouse can only take place if:

- The stock has been committed to the issue requirement.
- Sufficient stock has been picked to satisfy the amount of the issue being confirmed.

In most cases the procedures will be standard. Committing will take place, which will result in picking and confirmation of pick. If what was intended to be issued was issued, confirmation can be by a single function key. If however, short picks were recorded or there is any doubt as to which lot is issued, the module requires explicit confirmation of the actual action. Equally, if a full pick was confirmed, but not everything issued, the module invites the identification of stock not issued which must include the reason. A Reason Code must be given if any non-standard action is taken in confirmation of issue. Details of the selected issue requirements are displayed. If more than one issue was selected, they will be displayed consecutively.

WH170	Z1 - Demonstration Company	USER SP1	01/09/94
	Central Warehouse		12:00:00
Confirm Issue			
Order ... W000194		Finished Item ... 6002	
Miniatures Selection (VO, WH, BR)			
Iss req	Oper seq	Comp seq	Item
			Lot
			Quantity to issue
			Issue Quantity
			Override Blank, 1, 2 or 3
1	10	10	5022
			No
			12.000
			12.000
			-
1	10	20	5023
			No
			12.000
			12.000
			-
1	20	10	5025
			No
			12.000
			12.000
			-
1	20	20	5029
			No
			36.000
			36.000
			-
1	20	30	5036
			Yes
			12.000
			12.000
			-
1	30	10	5037
			Yes
			12.000
			12.000
			-

Blank=No override, 1=Complete issue, 2=Partial issue, 3=Force completion
F3=Exit F5=Refresh F8=Update F12=Previous F22=Detail

Fields:

Iss Req

The issue requirement sequence number.

Oper Seq

The production operation sequence number.

Comp Seq

The component sequence number

Item

The code of the item issued to production.

Lot

If the item is lot, batch, serial or rotation date controlled then 'Yes' is displayed in this field, otherwise 'No' is displayed.

Quantity to Issue

The quantity that should be issued, i.e. the quantity on the pick list.

Issue Quantity

The quantity that will be confirmed as being issued.

Override

1 - Complete issue. On pressing **Enter** or **F8=Update** a window will be displayed enabling the issue quantity to be changed. If the changed issue quantity is less than the quantity to be issued a further window will be displayed allowing you to account for the stock not issued. Reason codes must be entered for both the change in issue quantity and to account for the stock not issued.

The parameter limit of the reason code entered to account for stock not issued will determine what is to happen to the stock remaining in the marshalling area. The parameter limits of the reason codes can be viewed by prompting for the codes and pressing **F15=Extend**. A parameter limit of blank or '0' will leave the items frozen, whereas a parameter limit of '1' will leave the items committed. This option is used in the case of breakages or damaged goods allowing for further inspection.

2 - Partial issue. On pressing **Enter** or **F8=Update** a window will be displayed enabling the issue quantity to be changed. Any stock not issued is left committed in the production marshalling area. A reason code must be entered for the change in issue quantity. Further issues may be made against this order number for this line, until all the committed stock has been issued.

3 - Force completion. All the stock picked for the line is confirmed as issued regardless of any previous amendments.

Leave this field blank if no amendment is required.

Functions:

F22

Toggle display of additional detail for each component line.



On pressing **F8=Update** to confirm the update the appropriate windows will be displayed to allow the override of the selected issues. Issues where no override has been marked will be confirmed as having been issued.

Confirm Material Issue Override Quantity Issued Window



The window is displayed as a result of a requested override on a non lot / batch / serial or rotation date controlled item.

This screen enables you to define how much of the item was issued against the order. At the top of the window the details of the component line are displayed. This is followed by the target quantity to issue. The module will enter the quantity that it calculates could be issued. This may be changed.

WH170		ZM - Multi-Currency Company		USER QUSER	29/10/9*
		Warehouse			15:49:25
Confirm Issue					
Order ... W000088		Finished Item ... 2300			
Miniatures Selection (CB, AB, GW)					
Iss req	Oper seq	Comp seq	Item	Lot	Quantity to issue
1	10	10	2440	Yes	200.000
1	10	20	2678	No	200.000
1	10	30	2907	No	1.000
1	20	10	2450		
					Issue Quantity
					50.000
					200.000
					1.000
					Override
					1
					2
Override Quantity Issued					
Issue req. 1 Operation 10 Comp seq. 20					
Item.. 2678					
Apricot Brandy					
Quantity to issue 200.000					
Issue quantity 50.000					
Reason code?.. #P					
F4=Prompt F8=Update F12=Previous					
F3=Exit F5=Refresh F8=Update F12=Previous F22=Detail					

Fields:

Issue Quantity

The quantity actually sent.

Reason Code

The reason why the full quantity is not to be issued. A prompt for Reason Codes is available.



Press **F8=Update**.

Confirm Material Issue Enter Reason for Short Issue Window



This window is displayed if the full quantity confirmed as picked is not confirmed as issued and if the 'Complete issue' option has been taken for amendment.

The parameter limit of the reason code on the Inventory Descriptions file is used to decide what action is carried out on the remaining stock in the marshalling area. Parameter limits can be displayed by prompting on reason codes, followed by **F15=Extend** which shows extended information. Parameter limits are shown under the column 'Limit'. A blank parameter limit is taken to be '0'.

WH170		Z1 - Demonstration Company Central Warehouse		USER SPI	01/09/94 12:00:00		
Confirm Issue							
Order ... W000194		Finished Item ... 6002					
Miniatures Selection (VO, WH, BR)							
Iss req	Oper seq	Comp seq	Item	Lot	Quantity to issue	Issue Quantity	Override Blank, 1, 2 or 3
1	10	10	5022	No	12.000	.000	1
1	10	20	5023	No	12.000	12.000	2
1	10	30	5025	No	12.000	12.000	3
1	10	40	5029				
1	10	50	5036				
1	10	60	5037				

Enter Reason for Short Issue

Issue req. 1 Operation 10 Comp seq. 10
 Item.. 5022
 Malt Whisky

Quantity to issue 12.000
 Issue quantity 10.000
 Quantity remaining ... 2.000
 Reason code?.. #2

F4=Prompt F8=Update F12=Previous

Blank=No override, 1=Complete i
 F3=Exit F5=Refresh F8=Update F12=Previous F22=Detail

Fields:

Limit / Action

0 - Stock remains frozen for further investigation.

1 - Stock remains committed.



Note: This allows breakages and short picks to be controlled.



On update using **F8=Update** reconciliation is performed to ensure that all the stock picked for the order has been accounted for. The Confirm Material Issue Confirm Screen is displayed again.

Confirm Material Issue Lots Issued Window



The window is displayed as a result of a requested override on a lot / batch / serial or rotation date controlled item.

This window enables you to confirm which lots were issued against the order. At the top of the window the details of the component line are displayed. This is followed by the target quantity to issue. If the module can sensibly suggest the lots to issue these are displayed in the list of the lots which will be confirmed as being issued. This can be confirmed by pressing **F8=Update**. If different lots are issued, these may be selected from those lots known to be in marshalling.

WH170		Z1 - Demonstration Company		USER SP1	01/09/94
		Central Warehouse			12:00:00
Confirm Issue					
Order ... W000194			Finished Item ... 6002		
Enter Lots Issued					
Issue req. 1		Operation 10		Component seq. 60	
Item.. 5037		3 Star Brandy			
Quantity to Issue		12.000			
Issue Quantity		10.000			
Sel	Lot	Rotation date	Quantity	Rsn. code	
-	L0001	0/00/00	10.000	#2	
1=Select 4=Delete					
0/00/00					
F4=Prompt F5=Refresh F8=Update F12=Previous					

Blank=No override, 1=Com
F3=Exit F5=Refresh F8=

Fields:

Select

- 1 - Select the lot to be modified
- 4 - Delete a lot from the list.



Note: Details of new lots may be entered by entry of the lot number or selection from those lots in marshalling.



Tip: If any change is made, a valid Reason Code must be entered.



Note: If full override is required and part issue is confirmed for an item for which full confirm pick has taken place, the module will require you to identify lots picked but not issued. This will force the 'Lots Not Issued' window to be displayed. If not the update will be performed.



Press **F8=Update**.

Confirm Material Issue - Lots Not Issued Window



This window is displayed as a result of an issue quantity being less than the confirmed pick quantity.

This window is used to identify those lots or amounts of stock in the marshalling area known to be picked but not issued. At the top of the window the details of the component line are displayed. This is followed by the quantity to account for and that so far actioned. Below this is a list of the lots not issued with the Reason Code.

The reason code is used to determine what action is required for the stock in marshalling. The actions are based on the parameter limit of the reason code. Parameter limits for reason codes can be displayed by pressing **F15=Extend** on the reason code prompt window.

WH170	Z1 - Demonstration Company	USER SP1	01/09/94
	Central Warehouse		12:00:00
Confirm Issue			
Order ... W000004		Finished Item ... 6002	
Enter Lots NOT issued			
Iss req	Oper seq	Comp seq	Item
1	10	10	5022
1	10	20	5023
1	10	30	5025
1	10	40	5029
1	10	50	5036
1	10	60	5037

Issue req. 1 Operation 10 Component seq. 60				
Item.. 5037				
3 Star Brandy				
Quantity remaining		2.000		
Quantity accounted for		2.000		
Sel	Lot	Rotation date	Quantity	Rsn. code
-	L0001	0/00/00	2.000	#2

1=Select 4=Delete

Blank=No override, 1=Com
F3=Exit F5=Refresh F8=

F4=Prompt F5=Refresh F8=Update F12=Previous

Fields:

Reason Code Parameter Limits

0 - The entered lot/rotation date stock will be frozen at the marshalling location.

1 - The entered lot/rotation date will remain committed at marshalling. (If the lot/rotation date do not exist, then they can be left blank; using a reason code with limit '1' will prevent update).

Lot numbers may either be keyed in or selected from lots in marshalling. An entry made in error may be recalled and amended or deleted. The quantity not issued may be entered together with a Reason Code.

A reconciliation is performed to ensure that the stock known to be picked for the order has been accounted for. The confirm issue screen is then displayed. Any component issues which have been accepted as ready for update are flagged with a '1'.



Press **F8=Update**.

Adjust Committed to Sales



11/DWP

This option allows you to adjust the 'committed to sales' quantity of items in the marshalling location. This is necessary when short despatches have been made.

Adjustment Details Screen



Select the Adjust Committed to Sales option.



Note: Sufficient information must be entered to uniquely define the item that is to be adjusted.

WH130	ZM - Multi-Currency Company	User GALBRAIJ	14/03/96
	Warehouse #1		13:17:52
Adjust Committed to Sales			
Item.....?..	B002P	Queensway Mild Promotion	
Lot.....?..			
Rotation date.....	13/03/96		
Quantity.....	10.000		
Reason code....?..	#2	Commit Override	
F3=Exit F4=Prompt F5=Refresh F8=Update			
05-21	SE	MW	KS IM II PLYM400A PED171S1

Fields:

Item

The item code of the item to be adjusted.

Lot

The lot / batch / serial number.

Rotation Date

The date used for rotation of the item. For example, expiry date.

Quantity

The quantity of the item to adjust as being committed to sales. A positive quantity will increase the quantity of this item committed to sales and a negative quantity will reduce it. The resulting value cannot be less than zero and available cannot be less than zero.

Reason Code

Enter the reason code.



Press **F8=Update**. Validation is performed to ensure that the adjustment is acceptable.

Adjust Committed to Production



12/DWP

This option is used to adjust the committed to production quantity of items in the marshalling location. This is necessary when short issues have been made.

Adjustment Details Screen



Select the Adjust Committed to Production option.



Note: Sufficient information must be entered to uniquely define the item that is to be adjusted.

WH130	Z1 - Demonstration Company Central Warehouse	User SP1	01/09/94 12:00:00
Adjust Committed to Production			
Item.....?..	5029	Irish Whiskey	
Lot.....?..			
Rotation date....	0/00/00		
Quantity.....	15		
Reason code....?..	#2	Commit found in error	
F3=Exit F4=Prompt F5=Refresh F8=Update			

Fields:

Item

The item number to be adjusted.

Lot

The lot / batch / serial number.

Rotation Date

The date used for rotation of the item, for example, expiry date.

Quantity

The quantity to adjust as being committed to production. A positive quantity will increase the quantity of this item committed to production and a negative quantity will reduce it. The resulting value cannot be less than zero and available cannot be less than zero.

Reason Code

A prompt is available.



Press **F8=Update**. Validation is performed to ensure that the adjustment is acceptable.

Process Receipts For Put-away



13/DWP

This option is used to identify receipts made in Drinks Inventory and update the stock levels in Drinks Warehousing. The items received are moved into the receiving area.

The process also:

- Determines the number of packs received and the packaging types the items are received in.
- Identifies the rules for putting the items away.
- Makes a sufficient number of recommendations for putting the items away. One recommendation is produced for each unique combination of item, lot, pack, type and location.

This option also processes all outstanding receipts for the user's current warehouse. The processing of receipts can either be done continually in the background, by selecting the start 'Receipts for put-away' option, or done in batch by taking the option 'Process receipts for put-away' option. The process produces no output, but does update the database.



Select the Process Receipts for Put-Away option.

Put-Away Labels



21/DWP

This option submits a job directly to produce the put-away labels which specify the necessary item movements from the receiving location to the recommended locations. All receipts into the warehouse that have not previously had put-away labels printed for them are included in this job.

A separate put-away label is produced for each lot, rotation date and pack type combination belonging to an item. Label-controlled packs will have a label for each pack to be put away. The put-away label specifies:

Label Number

'0' unless the pack type is set to be processed using label numbers.

Item

The item code for the item being put away.

Lot

The lot number of the item. This is blank unless the item is lot/batch/serial controlled.

Date

The rotation date of the item.

Pack

The pack type associated with the item.

List

The put-away confirmation list number. The put-away actions are separated onto lists of a size determined in the 'Warehouse list profile'. When confirming put-away actions this list number must be specified.

Quantity

The quantity of the item to be put away.

Location

The warehouse location the item is to be placed in. If no location can be recommended, the text specified for a serious error, as set up in the Warehouse profile is printed instead.

Check Digit

A blank line to allow the Check Digit at the location to be recorded when putting items away.



Select the Put-Away Labels option.



Note: You must produce put-away labels before confirming that items have been put away.

Pick Lists for Sales



22/DWP

To select and sequence a group of orders to create a picking job. The picking rules are used to commit the stock to the orders. Committing involves identifying items in specific locations and marking them as committed to sales. This avoids allocating the same stock to different orders. The locations to visit for picking can be sequenced and then the picking lists printed.



This option relates only to pick lists for sales. For production picks, select the option 'Pick list for Production' option.



Non-stock items and kit parent items are not committed and therefore do not require picking.

Pick Lists For Sales Screen



Select the Pick List for Sales option.

This screen provides control over the committing of stock and the production of the picking documentation.

WH500	Z1 - Demonstration Company Central Warehouse	USER SP1	01/09/94 12:00:00
Request Picking List for Sales			
Commit sequence.....	<u>1</u>	1-Order 2-Customer 3-Route 4-Despatch 7-Carrier 8-Load	
Item sequence.....	<u>3</u>	1-Item 2-Alternative location 3-Location	
Pick list organization..	<u>2</u>	1-Warehouse 2-Area 3-Dimension 1	
Instructions per list...	<u>15</u>		
Marshalling list.....	<u>2</u>	0-None 1-Orders for pick list 2-Pick lists for Order 3-Both	
Selection	<---From-->	<---To---	
Order.....	_____	_____	
Customer.....?	_____	_____	
Route.....?	_____	_____	
Despatch date.....	<u>07/00/00</u>	<u>07/00/00</u>	
Carrier.....?	_____	_____	
Load.....?	_____	_____	
F3=Exit F4=Prompt			

Fields:

Commit Sequence

This field determines the level at which order lines are grouped together to perform committing.

Order lines for the same item within the commit sequence will be consolidated to provide a total quantity to be committed.

1 - Order. The items in the warehouse are committed on an order by order basis.

2 - Customer. The items in the warehouse are committed on a customer by customer basis.

3 - Journey/Route. The order lines are grouped by delivery routes. The items in the warehouse are committed on a journey by journey, or route by route basis. The option for Journey is only available if Telesales is attached, and the option for Route is only available if Transport Planning is attached. If both Telesales and Transport Planning are attached, Route takes precedence.

4 - Despatch Date. The items in the warehouse are committed in despatch date order.

7 - Carrier. The order lines are grouped by the transport carrier company. The items in the warehouse are committed on a carrier by carrier basis. This option is only available if Transport Planning is attached.

8 - Load. The order lines are grouped by load, or truck number. The items in the warehouse are committed on a load by load basis. This option is only available if Transport Planning is attached.

Item Sequence

This field determines the sequence in which the instructions will be printed on the pick list.

- 1 - Item code.
- 2 - Alternative location - not currently used by the module.
- 3 - Location.

Pick List Organisation

This field determines how the pick lists will be organised for printing.

- 1 - Warehouse. A new list will only be started when the value set for the number of instructions per list has been exceeded.
- 2 - Area. Separate lists are printed for each area. A list for an area may be broken down into several lists if the value set for the number of instructions per list is exceeded.
- 3 - Dimension 1. A separate list will be printed for each unit of dimension 1. This list may be broken down if the number of instructions exceeds the value set for the number of instructions per list. This option is useful for narrow aisle trucks, where a separate pick list can be produced for each aisle.

Instructions per List

This field determines the maximum number of instructions that will be printed on one list. If the number of instructions exceeds this value, a new list is started. If this field is set to '0', or left blank, any number of instructions can be printed on a single list. This value will default from the Pick List profile, which is maintained using the option 'Warehouse list profile'.

Marshalling List

This field is used to determine the documentation required to cross reference the orders and pick lists. The marshalling lists are created at the same time as the pick lists.

- 0 - None. No marshalling lists are required.
- 1 - Orders for pick lists.
- 2 - Pick lists for orders.
- 3 - Both.

Selection

The order lines that will be involved in the pick job can be chosen using a range of selection criteria.



For each criterion enter the appropriate values in the 'From' and 'To' fields that define the limits of the required range. In order to select all of a particular range, leave the 'From' and the 'To' fields blank. Possible criteria are:

Order

Both the 'From' and 'To' values must exist.

Customer

Both the 'From' and 'To' values must exist. A prompt is available.

Journey/Route

The option for Journey is only available if Telesales is attached. The option for Route is only available if Transport Planning is attached. If both Telesales and Transport Planning are attached, then Route takes precedence. A prompt is available.

Despatch Date

The 'From' date must be less than the 'To' date.

Carrier

A range may not be entered if the commit sequence is not by route, carrier or load. A prompt is available. This option is only available if Transport Planning is attached.

Load

A range may not be entered if the commit sequence is not by route, carrier or load. A prompt is available.



Note: This option is only available if Transport Planning is attached.



Note: This option produces:

Picking lists, used within the warehouse for picking and confirm pick.

Marshalling lists.

Picking Notes. (This is the same format as Drinks Sales Order Processing pick notes).

Marshalling lists and picking notes are used within warehousing for

Assembling orders.

Confirm assembly.



Press Enter to save the details.

Move List



23/DWP

To print out an action list of requested moves and module generated replenishment moves. The action list must be printed before the moves can be confirmed.

Move List Details Screen



Select the Move List option.

There are a number of parameters which control how the move lists will be sequenced and printed. This procedure controls how many lists are printed, how many instructions are on a list and the sequence in which they are printed.

WH540	Z1 - Demonstration Company Central Warehouse	User SP1	01/09/94 12:00:00
Request Move List			
Print lists by.....?.. <u>1</u>		1 Warehouse 2 Area 3 Access to dimension 1	
Sequence by.....?.. <u>1</u>		1 Item 2 Arrival time	
List definitions:			
Separate replenish, move available & move frozen.. <u>1</u>		0=No;1=Yes	
No.of instructions per list.....		<u>15</u>	
No.of lists.....		<u>100</u>	
Selection criteria:			
Item.....?..	From	To	
F3=Exit F4=Prompt F5=Refresh			

Fields:

Print Lists by

- 1 - A list for the warehouse.
- 2 - A list for each area.
- 3 - A list for each major dimension of each area.

Sequence by

- 1 - Item number.
- 2 - The sequence in which the moves were requested.

List definitions

Separate Replenish & Moves

- 0 - Print both types on the same list.
- 1 - Separate lists for moves and replenish.

Number of Instructions per List

Maximum number of instructions on a move list.

Number of Lists

The maximum number of lists to be printed as a result of this request.

Selection Criteria

Item

The range of items to be selected.



Press **Enter** to submit a batch job to generate work lists which can be handed to warehouse personnel.

Pick Lists for Production



24/DWP

To select and sequence a group of orders to create a picking job. The picking rules are used to commit the stock to the production orders. The locations to visit can be sequenced and then the picking lists printed.



Note: This option relates only to pick lists for production. For sales picks, select the option 'Pick list for sales'.



Select the Pick List for Production option.

This screen provides control over the production of the picking documentation.

WH500	Z1 - Demonstration Company Central Warehouse	USER SP1	01/09/94 12:00:00
Request Picking List for Production			
Commit sequence.....	<u>5</u>	1-Pick Ref	5-Operation start date
Item sequence.....	<u>1</u>	1-Item 2-Alternative location 3-Location	
Pick list organization..	<u>1</u>	1-Warehouse 2-Area 3-Dimension 1	
Instructions per list...	<u>15</u>		
Marshalling list.....	<u>2</u>	0-None 1-Orders for pick list 2-Pick lists for Order 3-Both	
Selection	<---From---	<----To----	
Order.....	_____	_____	
Operation start date...	<u>0/00/00</u>	<u>0/00/00</u>	
F3=Exit			

Fields:

Commit Sequence

This field determines the level at which order lines are grouped together to perform committing. Order lines for the same item within the commit sequence will be consolidated to provide a total quantity to be committed.

1 - Pick ref. The items in the warehouse are committed on an order by order basis, or a Schedule by Schedule basis.

5 - Operation start date. The items in the warehouse are committed by operational start date, i.e. if two orders request the same item, the order referring to the operation with the earlier start date will have its item committed first.

Item Sequence

This field determines the sequence in which the instructions will be printed on the list.

1 - Item code.

2 - Alternative location - not currently used by the module.

3 - Location.

Pick List Organisation

This field determines how the lists will be organised.

1 - Warehouse. A new list will only be started when the value set for the number of instructions per list has been exceeded.

2 - Area. Separate lists are printed for each area. A list for an area may be broken down into several lists, if the value set for the number of instructions per list is exceeded.

3 - Dimension 1. A separate list will be printed for each unit of dimension 1. This list may be broken down if the number of instructions exceeds the value set for the number of instructions per list. This option is useful for narrow aisle trucks, where a separate pick lists can be produced for each aisle.

Instructions per List

This field determines the maximum number of instructions that will be printed on one list. If the number of instructions exceeds this value, a new list is started. If this field is set to '0', or left blank, then any number of instructions can be printed on a single list. This value will default from the Pick List profile, which is maintained using the option 'Warehouse list profile'.

Marshalling List

This field is used to determine the documentation required to cross reference the orders and pick lists. The marshalling lists are created at the same time as the pick lists.

0 - None. No marshalling lists are required.

1 - Pick Ref for pick lists.

2 - Pick lists for Pick Ref.

3 - Both.

Pick Reference From/To

These fields are used to select a range of orders or schedules that will be included in the pick job. The 'From' and 'To' values define the limits of the range and both must be valid order numbers that have not had picking documentation printed already. To select all valid orders leave both fields blank.

Operation Start Date From/To

These fields can be used to narrow the items selected for pick, to only those that refer to operations with a start date between the range specified. The 'From' and 'To' values define the limits of the range of dates. To include all the orders selected, leave both the 'From' and 'To' fields blank.



Press **Enter** to save the details you have entered.