

-
-
-
-
-

Chapter 4

Utilities



Sales Analysis Utilities Introduction

Sales Analysis includes a number of Utility options. These are not used during the day to day operation of the system, but can be used during installation, or under certain special circumstances.

Maintain Company Profile



1/SAU

You use this procedure to maintain system parameters specific to a company.

Company Profile Maintenance Screen



Select Maintain Company Profile.

You use this screen to select the company you want to maintain. It displays a list of all companies currently defined to this application.

SA005	Company Profile Maintenance	USER SP1	8/09/94 16:27:07
Company name	Company Code		
1 Demonstration Company	Z1		
Enter company code to maintain.. __			
1=Select company			
F3=Exit			

Fields:

(Untitled)

Enter 1 to select a company for maintenance.

Enter Company Code To Maintain

Enter a new company code to create a new company.



Press **Enter** to display the Maintain Company Profile Amendment screen.

Maintain Company Profile Amendment Screen



To display this screen select a company on the Company Profile Maintenance screen and press **Enter**.

Use this screen to edit company-specific processing options.

SA005	USER GBJBA1MS	23/01/98 12:33:34
Maintain Company Profile - amendment		
Company.....	Z1	GB Demonstration Company
SOP system.....	1	(1=JBA, 2=MAAPICS, 3=Other)
SOP company.....	Z1	(If JBA)
Inventory system.....	1	(1=JBA, 2=MAAPICS, 3=Other)
Inventory company.....	Z1	(If JBA)
Current year.....	00	
period.....	00	
week.....	00	
No. periods this year....	12	
No. weeks this year.....	52	
No. weeks last year.....	52	
Lowest level of history...	2	(1=period, 2=week)
Margin.....	1	(1=Sales, 2=Cost)
Value derivation.....	2	(1=Apportionment on basis of cost, 2=Standard selling price of item master)
UoM for sales quantities..	2	(1=Item/stockroom issue unit of measure, 2=Item master issue unit of measure)
Invoice History Source....	1	(1=OE, 2=AI)
F3=Exit F11=Delete		
6-29	SA	MW KS CL IM DM II EDN400A KB PET087S1

If you are maintaining an existing company then this screen displays the current details. For a new company, this screen shows the default values.

Fields:

SOP System

Enter the Sales Order Processing application to which Sales Analysis is interfaced:

1 - For JBA.

2 - For MAAPICS.

3 - For OTHER.

Normally this value is 1 to use the Sales Order Processing application. In bespoke environments, there may be an interface to MAAPICS or a bespoke system.

SOP Company

Enter the company code of the company in Sales Order Processing which this Sales Analysis company interfaces with.

Inventory System

Specify which Inventory application interfaces to Sales Analysis:

1 - For JBA.

2 - For MAAPICS.

3 - For OTHER.

This defaults to 1 and should be 1 for normal operation.

Inventory Company

Enter the Company Code of the company in Inventory Management which this Sales Analysis company interfaces with.

Current Year

Enter the current year. You should define this during the installation, but it is maintained by Sales Analysis during the last period end run during the year.

Current Period

Enter the Current Sales Period. Define this when you install the application. The Sales Analysis Period End update maintains this.

Current Week

Enter the Current Week. Define this when you install the application. The Sales Analysis Week End update maintains this.

Number Of Periods This Year

Enter 12 if your Sales Periods are calendar months or 13 if they are 4 week periods.



Note: This information is linked to Inventory Management's Calendar details and Forecasting's Company Profile Periods/Backups details.

Number Of Weeks This Year

Enter either 52 or 53.

Number Of Weeks Last Year

Enter the number of weeks last year, either 52 or 53.

Lowest Level Of History

Enter one of the following:

1 - To hold sales data at period level. If you enter 1 then reports only show period and year to date figures.

2 - To hold it at a weekly level. If you require reports to show weekly figures then enter 2.

Margin

Enter one of the following:

1 - To express margins as a percentage of Sales Value.

2 - To express margins as a percentage of Cost Value.

Value Derivation

Use this when you use Sales Kits in Sales Order Processing, and you wish to see details of Kit components in Sales Analysis. As the components in a kit have no invoice value, this must be derived by the application.

- 1 - For the Sales Value of kit components to be apportioned on the basis of cost
- 2 - For the Sales Value to be taken from the selling price of the component in Inventory Management.

UOM For Sales Quantities

Enter one of the following:

- 1 - To post the sales quantity of an item to Sales Analysis in the issue unit of the stockroom.
- 2 - To post the sales quantity of the item to Sales Analysis in the issue units defined on the item master file (where the issue units of stockrooms differ from each other).

Invoice History Source

Enter one of the following:

- 1 - To source sales analysis data from Sales Order Processing.
- 2 - To source sales analysis data from EDI (Electronic Data Interface).



Tip: If you enter 1 to source from Sales Order Processing, System 21 gathers sales analysis data for just that company. If you enter 2 to source using EDI, you can capture sales analysis data for your Customer's as well as your own - saving time updating your customer database.



Press **Enter** to validate the values on the screen and write them to the company profile.

Clear Database



2/SAU

Use this function to clear all user data in the Sales Analysis system. You can also use it to clear test data prior to live running.



Warning: This function clears all data for all companies.



Note: Before a Clear Database is attempted, make sure that the logical file SALESSUM, or physical file SALANALD has not been created in the interactive job QTEMP. This causes problems with the later recreation of the database. In the event that the logical file SALESSUM has been created in QTEMP, sign off to clear QTEMP. You can now use the Clear Database function.

SA301CLP	Sales Analysis Utilities	0/00/00 12:20:08
Clear Database		
W A R N I N G		
This utility will clear ALL data in the Sales Analysis system not just the Sales History Database.		
Only continue if you are sure you want to do this.		
Press ENTER to continue, or F3 to exit this function.		
F3=Exit		



*Note: When you select this option a warning is displayed. Press **Enter** to continue or **F3=Exit** to exit the function.*

If you choose to continue you are prompted to select **F8=Submit** to submit the job to clear the following data files:

- Calendar File.
- Sales Analysis History File.
- Sales Analysis Budget File.
- Spread Profile Detail File.
- Spread Profile Header File.

- Budget Format File.
 - Sales History Format File.
 - Sales Enquiry Format File.
 - Ranking Analysis File.
 - Sales Analysis Report File.
 - Record Locking File.
 - Sales Analysis Report Select/Omit File.
-  Select **F8=Submit** to clear the database, or select **F3=Exit** to exit.


Reset Invoice Posted Flag For Company

3/SAU

Use this function to re-set the invoice posted-flag on the invoice details file. This flag indicates whether invoices have been posted to Sales Analysis.



Tip: You can use this function before running the Sales History Update function for a second time with the same invoice data, when, for example, the Sales History Database has been re-defined.



SA300CLP Sales Analysis Utilities 8/09/94 12:20:29

Reset Invoice Posted Flag

Company number?... ?

Company Selection More:

1	CO	Company name
1	Z1	Demonstration Company

Position to:

F12=Previous

Fields:

Select

Enter 1 next to the company you want to process.



Once you have selected a company, select **F8=Submit** to submit the batch job to un-flag the invoices.

Reset Invoice Posted Flag Within Dates

1... 4/SAU **2...**

This function is similar to the Reset Invoice Posted Flag function, but you use this to restrict the time period to be processed by entering a from and a to date, as well as specifying the company code.

SA300CLP	Sales Analysis Utilities	8/09/94 12:20:59
Reset Invoice Posted Flag Within Dates		
Company number?... <u>Z1</u>		
Dates..... From <u>010194</u> To <u>310194</u>		
F3=Exit F4=Prompt		

Fields:

Company Number

Enter the company number.

Dates

Enter the required date range. Enter all dates using the format DDMMYY, where DD is Day, MM is Month and YY is Year.



Press **Enter**. Then select **F8=Submit** to submit a batch job to un-flag the selected invoices.

Flag All Invoices As Posted For Company

1... **2...** 5/SAU

Use this function to flag invoice details as posted to Sales Analysis for a particular company.

SA300CLP	Sales Analysis Utilities	8/09/94
		12:21:27
Flag All Invoices as Posted		
Company number.?.?. <u>Z1</u>		
F3=Exit F4=Prompt		

Fields:

Company Number

Enter the company for processing.



Press **F8=Submit** to submit a batch job to flag invoices for the selected company.

Zeroise Sales Analysis Values For Period/Company



6/SAU

Use this function to zeroise sales history data on the Sales History Database for a specified company and period.



Tip: You can reset data for a customer without having to delete the customer, or simply reset unnecessary test data.

SA300CLP	Sales Analysis Utilities	8/09/94
		12:21:40
Zeroise Sales Analysis Values for a Period		
Company number.?. <u>Z1</u>		
Date.....	Year <u>94</u>	
	Period <u>1</u>	
F3=Exit F4=Prompt		

Fields:

Company number

Enter the company code.

Date

Enter the year and the period for which you wish to zeroise data.

The following files will have some fields cleared by this option:

- Sales Analysis History File.
- Sales History Summary File.



Press **Enter**.



Select **F8=Submit** to submit the batch job to delete the data.

Delete Sales Analysis Data For A Year/Company

1...
2... 7/SAU

Use this function to delete data in the Sales History Database for a selected company and year.



Tip: You can delete old data which is no longer of interest, or simply remove unwanted test data.

SA300CLP	Sales Analysis Utilities	8/09/94 12:21:58
Delete Sales Analysis Data for a Year		
Company number?... <u>Z1</u>		
Date..... Year <u>93</u>		
F3=Exit F4=Prompt		

Fields:

Company Number

Enter the company.

Date

Enter the year to delete data for.

The following files will be purged by this option:

- Sales Analysis History File.
- Sales Analysis Summary File.



Press **Enter**.



Select **F8=Submit** to submit the batch job to delete the data.

Change Initial Field Descriptions

1...
2...**8/SAU**

Use this function to change the descriptions of fields known to Sales Analysis. To be effective, you must do this prior to creating the Sales History Database. The names of the fields shown on displays and enquiries are defined in this option.

SA098	Z1 - Demonstration Company	USER SP1	8/09/94 12:22:14
Short Descriptions			
Field type.....	X		
Field name.....	SAYR20		
Description....	1		
Short name.....	<u>Sales</u>	<u>Year</u>	<u>Sales Year</u>
F3=Exit			

This function steps through the fields in sequence. Overtyping the descriptions of fields.

Changes made using this function are incorporated into the database during Sales History Database creation, and are available to IBM Utilities such as DFU and QUERY.



Press **Enter** to update the information and go on to the next field.

Change Database Field Descriptions

1... 9/SAU
2...

This function is similar to the Change Initial Field Description, except that it only changes those fields chosen for incorporation in the Sales History Database, and may be used after Sales History Database Creation.

```
SA099                Z1 - Demonstration Company        USER SP1        8/09/94
                                                12:22:26

Short Descriptions

Field name..... ATC120
From..... CCLS20
File..... OEP20
Short name..... Customer          Class          Customer Class

F3=Exit
```


Define Database



10/SAU

Use this procedure at installation time to define the contents of the Sales History data file.

Choose up to six customer related fields, up to six item related fields, and up to five value or invoice related fields.

The submitted batch job deletes any existing Sales History Database, and creates a new version according to your definition.

The Sales History Database uses information from both Inventory Management and Sales Order Processing. This structure allows easy manipulation and analysis of the available information.

Selection of Data Elements

Use the Sales Analysis Define Database function to define a database file containing those data elements which you choose to be of importance or relevance.

You may be looking for trends, such as the changes in sales volumes across regions, or the relative performance of the sales force; or you may want to analyse the sales performance of different item groups, and so on.

The nature of the analysis you wish to perform, together with the information held for items and customers should serve as a guide when defining the database.

If you group your customers by region, and you wish to analyse the sales performance by region, then the Region from the customer related information should be chosen for inclusion on the database. If Salesman is important, then this data element should also be included. Similarly, if the Item Group from the item related information is important then this should be included.

Select up to six customer-related data elements and six item-related data elements for inclusion on the database, along with 5 value data elements.

The Sales Analysis application itself incorporates the Customer Code and delivery sequence, the Item Code, and the value fields cost, quantity and sales value.

Values

When you define the database, consider the sales volumes which you expect to handle as it is possible for particularly high values to be too large to display on the enquiry (if they are in excess of 9 digits). In this event, use scaling factors to scale values into 10's, 100's, 1000's or 10,000's.

The default is a factor of 01, which is standard units. 02 will scale in 10's, 03 in 100's and so on.

Defining Time Period

Whilst not a part of the Create Database function, you should also consider the level of analysis you require in terms of time period.

This is defined on the Company Profile, and may be by week or by period. If you hold information at a weekly level, more information is stored than if it is held by period. This value should not be changed during the normal operation of the system.



Note: There is only one Database definition for all companies in an installation of Sales Analysis. This definition may be used by all companies independently, once created.

Re-naming of Data Elements

It is possible, within Sales Analysis, to alter the names of data elements or fields which you see when using the system.

For example, if you use the customer related field Territory to actually mean County then you can change the name used in Sales Analysis. This may be done in two ways, that have slightly differing effects.

- You can use the function Change Initial Field Descriptions to change the names of fields before database creation. The changed names are available in views of the database external to Sales Analysis, for example, IBM utilities such as QUERY.
- You can use the function Change Database Field Descriptions after database creation, and only change the names within Sales Analysis.

Technical Notes

If the logical SALESSUM or physical SALANALD is created in an interactive job's QTEMP, then any attempt to recreate the database fails. If this occurs, recreate the following logical files: SALANAL1, SALANAL2, SALANAL3, SALANAL4 CRTLFFILES(SALANAL1)SRCFILE(SARUNTIME). Then define and recreate your database.

To prevent this situation, do not use the Sales Analysis enquiry program before attempting a Recreate Database. If you do need to do a Sales Analysis Enquiry (which creates the logical SALESSUM in the interactive jobs QTEMP), clear QTEMP by signing off, and then attempt to recreate the database.

Define Sales History Database Screen 1

 Select Define Database.

Use this screen to view details for the first Define Sales History Database screen.

SA010		Z1 - Demonstration Company		User SP1	8/09/94
					14:30:00
Define Sales History Database					
Customer related				Short name	line 1+2 S/F
- CORPORATION				Corp	corporatio
- CURRENCY CODE				Currency	Code
- CUSTOMER CLASS				Customer	Class
- CUSTOMER GROUP CODE 1				Customer	Group 1
- CUSTOMER GROUP CODE 2				Customer	Group 2
- CUSTOMER GROUP CODE 3				Customer	Group 3
- CUSTOMER GROUP CODE 4				Customer	Group 4
- DISCOUNT LIST CODE				Discount	List code
- DIVISION				Division	
- GENERAL LEDGER COMPANY NUMBER				G/L	Company no
- POST CODE 1				Post	Code 1
- POST CODE 2				Post	Code 2
- PRICE LIST CODE				Price list	Code
- REGION				Region	
- S/L REGION CODE				S/L Region	Code
- S/L SALESMAN				S/L	Salesman
					+
F3=Exit F8=Confirm update					

The screen displays a list of data elements, together with their names within Sales Analysis, grouped into Customer Related elements, Item Related elements and Invoice Related elements (values). For value items a default scaling factor is also displayed.

 Press **Page Down** to view the second Define Sales History Database screen.

Define Sales History Database Screen 2



To display this screen press **Page Up** and **Page Down** on the other Define Sales History Database screens.

Define Sales History Database		Short name	line 1+2	S/F
Item related	- SALESMAN	Salesman		
	- SPECIAL CUSTOMER INDICATOR	Special	Customer	
	- STATE	State		
	- SUB-DIVISION	Sub-	Division	
	- TERRITORY	Territory		
	- WAREHOUSE/DEPOT LOCATION	Depot		
	- COSTING METHOD	Costing	Method	
	- DISCOUNT GROUP	Discount	Group	
	- DIVISION	Division		
	- ISSUE UNIT	Issue	Unit	
	- ITEM CLASS	Item	Class	
	- ITEM TYPE	Item	Type	
	- MAJOR ITEM GROUP	Major Item Group		
	- MINOR ITEM GROUP	Minor Item Group		
- PRICE LIST SEQ CODE	Price List Seq Code			
- PURCHASE UNIT	Purchase	Unit	+	

F3=Exit F8=Confirm update



Press **Page Down** to display the third Define Sales History Database screen.

Define Sales History Database Screen 3



To display this screen press **Page Up** and **Page Down** on the other Define Sales History Database screens.

Use this screen to select data elements for inclusion in the Sales History Database.

SA010		Z1 - Multi-Demonstration Company		User SPI	8/04/94
					14:31:46
Define Sales History Database					
				Short name	line 1+2 S/F
	-	STOCK SOURCE		Stock	Source
	-	STOCK UNIT		Stock	Unit
	-	SUB-DIVISION		Sub	Division
	-	VAT CODE		VAT	Code
Invoice related	1	COST VALUE		Cost Value	1
	-	DISCOUNT VALUE		Discount Value	1
	-	INVOICE LINE EXTRA VAT		VAT	1
	-	INVOICE LINE NORMAL VAT		VAT	1
	1	INVOICE LINE QUANTITY		Quantity	1
	1	INVOICE LINE VALUE		Goods Value	1
	-	INVOICE LINE VAT		VAT	1
	-	TERM 1 DISCOUNT		DISC 1	1
F3=Exit F8=Confirm update					

Enter 1 alongside the element to include them in the Sales History Database.

To the right of each data element, you can overtype the short name which is used within Sales Analysis. These names are incorporated into the database definition of Sales Analysis, and are therefore available to IBM utilities such as QUERY.

You must enter a scaling factor for value fields. The default is 01, but you can enter a value from 01 to 05 as a default for scaling.

If you use Forecasting then you can select Despatch Stockroom.



Select **F8=Confirm Update** to update the details selected.

Change Default Scaling Factors

1... 11/SAU **2...**

When you create the Sales History Database you must specify scaling factors which scale the data shown on the enquiry. However, you may need to change these at some time. You use this function to do this.

SA500	Z1 - Demonstration Company	USER SP1	8/09/94 12:22:35
Change Scaling Factors			
Field	Scaling factor		
Cost Value	1		
Discount Value	1		
Quantity	1		
Goods Value	1		
VAT	1		
F3=Exit F5=Refresh F8=Update			

Fields:

Scaling Factor

Overtyping any of the displayed scaling factors.

Valid scaling factors are:

- 01 - Units.
- 02 - Tens.
- 03 - Hundreds.
- 04 - Thousands.
- 05 - Ten Thousands.



Select **F8=Update** to update the information.