

-
-
-
-
-

Chapter 2

Processing



AFI Processing Functions

If the source application is Inventory Management, Sales Order Processing, Service Management or Transport Planning, the extract is not run by the AFI, but has to be initiated by the relevant application.

The option Initiate AFI-GL / Costing Update takes the extracted data and makes the postings to the target application(s).

This option need only be used if the application has the 'Automatically Update?' field set to 0 in Maintain Application. If this code is 1 or 2, the update automatically follows the extract which occurs whenever an invoice / credit note processing is run or the Inventory or Transport Planning extract is initiated.

Two Enquiry options are found on the AFI Processing menu.

The screens and functions available within the two options are very similar, but one enquires on the data which has been extracted, the other enquires on data which has been archived by the AFI.

Initiate AFI to GL / Costing Update

1... 1/FIP **2...**

This option is used to initiate the posting of all data not yet posted from the specified source application held in AFI.

The option is used only if you are not using the automatic update facility (if you do wish to update automatically, go to the Maintain Application option and set the 'Automatically Update?' field to 1). If you are not updating automatically, any information for posting will be held within AFI until this option is selected.



Select the *Initiate AFI to GL / Costing Update* option to display the Initiate AFI to GL / Costing Update screen.

```
FI553                      Advanced Financial Integrator  User TESTQA  18/09/96
                                                                11:36:43

Prompt for AFI-GL/Costing Update

Source application . . . ? __
Consolidate GL postings? . 0
Run-time options . . . . . 1  0=List only
                               1=Update
                               2=Update and list

F3=Exit  F4=Prompt  F8=Proceed  F12=Previous

09-32  SF  MM  KS  IM  II  KENB20A  PET179S2
```

Fields:

Source Application

Enter the source application whose data, held in AFI, is to be posted.

Consolidate GL Postings

1 - You wish consolidation to take place on those postings defined as 'consolidatable'.

0 - No consolidation will take place, even though you may have postings defined as consolidatable.

The default is taken from the setting in Maintain Application.

Run Time Options

0 - Print a listing only. No update takes place, but a report is produced indicating what updates will take place if options 1 or 2 are selected.

1 - Update the target application without producing a report.

2 - Update the target application and produce a report.



Press **Enter** to validate the selection screen.

Functions:

F8

Proceed. Used to proceed with the update after selecting the required options.

Extract Sessions / Transactions Enquiry

1... **31/FIP** **2...**

This facility enables you to display data relating to both AFI sessions and to journal postings made to the target application.

After selecting the option a window is displayed showing the available source applications (this does not appear if a source application has already been selected within another AFI function). Indicate the required application by placing a 1 alongside it. The screen now displays details of all AFI sessions for that application held on the system.

AFI Session Enquiry Screen

FI650		Advanced Financial Integrator				User TESTQA	18/09/96	
Current Application.: IN		Inventory					11:37:48	
AFI Session Enquiry								
Opt	GL Co	Extract Session	Extr Sts	Start Date	Start Time	User Identity	Private Session	Sts Flag
-	Z1	5	1	13/09/96	12:48:48	GBJBALC		
-	Z1	4	0	13/09/96	12:48:48	GBJBALC		
-	Z1	3	1	13/09/96	12:33:13	GBJBALC		
-	Z1	2	1	13/09/96	9:41:19	GBJBALC		
-	Z1	1	1	12/09/96	15:43:44	GBJBALC		
Enter a GL co. and extract session (opt) from which to display: __								
1=Display session details 5=Display session transactions								
F3=Exit								
07-02		SA	MA	KS	IM	II	KENB20A	PET179S2

Fields:

Options

You may either display session details (by placing a 1 against the session to be displayed) or session transactions (by placing a 5 against the session to be displayed).

General Ledger Company

The company code of the General Ledger company to which each session's data has been posted, or is to be posted.

Extract Session

The session number of the AFI extract session within which the data was brought into AFI from the source application.

Extract Status

1 - indicates that data has been fully extracted from the source application.

Blank - indicates abnormal termination of the extract session, a situation which should be referred to your software agent for attention.

Start Date And Time

The start date and time at which this extract session was initiated.

User Identity

The user ID of the user controlling the source application task which caused this extract session to be initiated.

Private Session

The session number of the private session from which this AFI extract session was initiated. For example, if the AFI extract session relates to sales invoices, this would be the session number of the Accounts Receivable update session within which the invoices were posted to Accounts Receivable.

Status Flag

A - The session has been previously archived.

It is possible to access the archive via the Archived Sessions / Transactions enquiry.

Position To

Enter the General Ledger company and the extract session number from which the display of detail records should start.



Enter 1 against the session you wish to enquire on to see the AFI Session Control Enquiry screen:

AFI Session Control Enquiry Screen



Enter 1 against the session you wish to enquire on to see the AFI Session Control Enquiry screen:

FI650		Advanced Financial Integrator		User TESTQA	18/09/96
Current Application.: IN		Inventory			11:38:18
AFI Session Control Enquiry					
Source company.		Z1			
Target company.		Z1			
Target application. . . .		CG		Transaction source . . . : I	
Extract Details					
Session no.		5		Status: 1 (Extract complete)	
Terminal ID		QPADEV0004		User ID : GBJBALEC	
Session opened: 13/09/96 at 12:48:48		Session closed: 13/09/96 at 12:48:54			
AFI to Target Update Details					
Session no.		8		Status: 1 (Posted to GL)	
Terminal ID		QPADEV0004		User ID : GBJBALEC	
Session opened: 13/09/96 at 12:49:27		Session closed: 13/09/96 at 12:49:27			
Status flag					
F3=Exit F12=Previous					
01-02 SF MK KS IM II KENB20A PET179S2					

Fields:

Source Company

The source company from which transactions were extracted.

Private Ledger Session No.

The session number of the private session from which this AFI extract session was initiated. For example, if the AFI extract session relates to sales invoices, this would be the session number of the Accounts Receivable update session within which the invoices were posted to Accounts Receivable.

Target Company

The General Ledger or Advanced Business Costing company to which the journal has been posted, or is to be posted.

General Ledger Session No.

If this session has already been used to post a journal to the General Ledger then the General Ledger session number will be displayed here.

Target Application

The application to which postings are to be made or have been made.

GL - General Ledger

CG - Advanced Business Costing

Transaction Source

The source application.

Each has its own code. The following are some examples:

S - Sales Order Processing

I - Inventory Management

T - Transport Planning.

Extract Details

Session No.

The session number of the session under which this data was extracted from the source application by AFI.

Status

This should always be 1 to indicate that the extract completed successfully. If the status is not 1 your software agent should be informed.

Terminal ID

The ID of the display terminal from which this extract session was initiated.

User ID

The user ID of the user controlling the source application task which caused this extract session to be initiated.

Session Opened

The data and time at which this extract was initiated.

Session Closed

The date and time at which this extract was completed.

Total Debits

The total debit amount within the journal generated by this extract. This is a control figure for reference purposes.

Total Credits

The total credit amount within the journal generated by this extract. This is a control figure for reference purposes.

AFI to Target Update Details

Session No.

The session number of the session under which the journal was posted from AFI to the General Ledger.

This is not relevant to ABC.

Status

Blank - The session has not been posted.

1 - Posting has taken place.

Terminal ID

The ID of the display terminal from which this AFI to target update session was initiated.

User ID

The user ID controlling the AFI to target update session.

Session Opened

The date and time at which this update session was initiated.

Session Closed

The date and time at which this AFI to target update session was completed.

Status Flag

If this session has been archived the status flag will be displayed as A.

AFI Session Enquiry Transactions Screen



Enter 5 on the initial screen to display individual journal lines created within an AFI session. This screen is modified depending on whether the transactions are for the General Ledger or the Advanced Business Costing application. The field descriptions given show both versions.

FI645	Advanced Financial Integrator						User TESTQA	18/09/96
Current Application.: IN Inventory								11:43:11
AFI Session Enquiry								
Extract session . . . : 5								
	Src	Trg	Trns	Pstg	Source	Line	Performing	Posting
Opt	Co	Co	src	Type	Ref	Number	ALO	Value
█	Z1	Z1	I	IJ	960913124715	310000		50.00
-	Z1	Z1	I	IJ	960913124728	310000		2000.00

Enter a target co and source ref(opt) from which to display: _ _ _ _ _							
1=Display posting details 2=SOP Details 3=AR Details							
F3=Exit F12=Previous							
07-02	SF	ML	KS	IM	II	KENB20A	PET179S2

Fields:

Extract Session

The AFI extract session within which the data was brought into AFI from the source application.

Opt

- 1 - Display the posting details for a journal.
- 2 - Display Sales Order Processing details for the journal.
- 3 - Display Accounts Receivable details for the journal.

Src Co

The source company from which transactions were extracted.

GL Co

The General Ledger company to which the journal has been posted, or is to be posted.

Trg Co

The Advanced Business Costing company to which the journal has been posted, or is to be posted.

Trns Src

The source application. For example S indicates Sales Order Processing, I indicates Inventory Management.

Pstg Type

The type of posting from which this transaction has been generated. For example IN - invoice, CR - credit note.

Consolidated Posting Reference

This reference will be one of the following:

For consolidated postings, the consolidated posting reference number generated by AFI. This will be prefixed with I.

For non-consolidated postings, this will be the original document reference number (for example, the invoice number, or Inventory movement reference number.).

Source Ref

The original document reference number.

Account Code

The General Ledger account code to which this journal line has been posted. This only appears after posting has taken place.

Line Number

The line number created from the account code rule is displayed.

This field is relevant only to postings for ABC.

Performing Alo

The allocated object number created from the account code rule is displayed.

This field is relevant only to postings for ABC.

Posting Value

The value of the posting.

Source Ref

The transaction reference of the source transaction, i.e. invoice number (Sales Order Processing) movement date / time (Inventory Management), load number (Transport Planning).

Position To

Enter the target company and the posting reference from which the display of detail records should start.

AFI Posting Enquiry Screen



Enter 1 against a journal on the above screen. This display shows more detail relating to individual journal lines than that shown on the Transactions screen.

```

I645                      Advanced Financial Integrator  User TESTQA      18/09/96
Current Application.: IN  Inventory                      11:44:04
AFI Posting Enquiry

Source company. . . . . : Z1      Extract session no . . . . . :      5
Target company. . . . . : Z1      Update session no. . . . . :      8
Transaction source. . . : I
Posting details
Source transaction date : 13/09/96      CA updated? . . . . . : 1
Original posting ref. . : 960913124715    Period number. . . . . : 9504
Posting value . . . . . : 50.00          Journal no . . . . . : 7
Associated Quantity . . :                Posting no . . . . . : 12
                                         Posting type . . . . . : IJ
                                         Rule number. . . . . : 8

Line description. . . . . : 960913124715
Data string . . . . . : 310000      FG
Line number . . . . . : 310000
Performing ALO. . . . . :
Receiving ALO . . . . . : PURCH
Line no. (Perform). . . :

F3=Exit   F12=Previous

01-02    SF    MK    KS    IM    II  KENB20A  PET179S2
  
```

Fields:

Source Company

The source company from which transactions were extracted.

Extract Session No.

The session number of the AFI extract session within which the data was brought into AFI from the source application.

Target Company

The company to which the journal has been posted, or is to be posted.

Update Session No.

If this session has already been used to post a journal, then the session number is displayed here.

Transaction Source

The source application. For example S indicates Sales Order Processing, I Inventory Management, T Transport Planning.

Private Ledger Session No.

The number of the private session from which this AFI extract session was initiated. For example, if the AFI extract session relates to sales invoices, this would be the session number of the Accounts Receivable update session within which the invoices were posted to Accounts Receivable

GL Updated?

1 - An update to General Ledger has taken place.

CA Updated?

1 - An update to Advanced Business Costing has taken place.

Source Transaction Date

The date on which this transaction took place in the source application.

Period Number

The period number of the source application period in which the transaction originated. This is not necessarily the one actually used for posting. If, for example, the period number from the source application has already been closed in the General Ledger, the currently open General Ledger period number will be used.

Consolid. Control Field

If the posting definition indicates this as being a consolidatable posting, then this shows the field on which consolidation takes place.

Journal No

The number of the journal definition, within AFI, used to create this journal.

Original Posting Ref

The original document number (such as invoice or credit note no.) from which this journal line was generated. For Inventory transactions, the date and time of the inventory movement is used; for Transport Planning the load number is used.

Posting No

The number of the posting definition, within AFI, used to create this journal line.

Consolid Posting Ref

For consolidated postings, this is the consolidated posting reference number generated by AFI. This is prefixed with 1.

For non-consolidated postings, this is the original document reference number (for example, the invoice number, or the AFI-generated Inventory movement reference number).

Posting Type

The type of posting from which this transaction has been generated. Examples of valid values are as follows:

- SOP: IN - Invoice, CR - Credit
- Inventory Management: IJ - Inventory Journal
- Transport Planning: RJ - Rating Journal, PJ - Payment Journal, CJ - Cancellation (rating) Journal

Posting Value

The value of this journal line.

Consolidatable Pstg

1 indicates that the posting has been defined as consolidatable.

Goods / Service Value

When posting a VAT value, this is the goods or service value associated with the VAT value.

VAT Type / Code

The VAT type indicates whether this is a VAT amount being posted:

1 - VAT posting. If it is a VAT posting, the VAT code is shown.

0 - Not VAT posting.

Associated Quantity

If entered, the quantity associated with the posting value is shown here.

VAT Inputs / Outputs

Indicates whether a VAT posting relates to purchases or sales.

Private Ledger Account

The account code in the source application, such as a customer account code for a posting originating in Sales Order Processing.

Rule Number

Where an account code rule has been applied, the rule number is shown here.

Line Description

Relevant data extracted from the source transaction, for example the customer name for a sales invoice posting.

Default Posting Account

This is the General Ledger default account to be used for this posting, or the account code to which an account code rule will be applied to build an account code.

Data String

The input data string, where an account code rule has been used.

Account Code

The actual General Ledger account code used, either nominated or defined by an account code rule.

Account Extension

The General Ledger extension code used, either nominated or defined by an account code rule.

Line Number

The line number created from the account code rule is shown.

This field is relevant only to postings for ABC.

Performing Alo

The performing allocation object number created from the account code rule is displayed.

This field is relevant only to postings for ABC.

Receiving Alo

The receiving allocation object number created from the account code rule is displayed.

This field is relevant only to postings for ABC.

Line No. (Perform)

The performing line number created from the account code rule is displayed.

This field is relevant only to postings for ABC.

Archived Sessions / Transactions Enquiry



32/FIP

This is a further screen enquiry, for sessions and postings which have been archived (using the AFI archive facility) but which are still held on the system.

The operating instructions are identical to those for enquiring on current sessions and postings as described earlier, but with an additional window enabling you to select the library containing the archived data.