

-
-
-
-
-

Chapter 8

Journal Processing



Journal Processing User Journals

This procedure enables you to enter a journal to post transactions to the General Ledger. This procedure is common to the following journals and menu options.

General

Post journals to the general journal.

Inter-company

This option enables you to post values from one company to another.

Prior period

This enables you to post values to a prior period.

Statistics

As well as for posting quantities, the journal is useful for posting ratio data to memo accounts, which can be used in cost allocation journals. An example of where it can be used is to register departmental floor area for the allocation of rent.

Journal Reversal

This enables you to correct a journal entered in error by entering the document type and journal reference of the incorrect journal. When you press **Enter**, the system displays a journal that is already completed with the correct entries for reversing out the original entry.

Post Correcting VAT Transactions

This GL utility option enables you to make amendments to GL accounts posted with an incorrect VAT code.

General Journals Processing Screen

1/... 2/... 1/GLP

Use this option to post journals to the general journal.

GL088	Y9 - Education Company - Y9		USER FFY9	26/06/95
General Journals				11:42:33
			Session . . . :	*****
			Last reference:	
Journal reference . .	MGS00001			
Description	Test Journal			
Control value	100.00	Currency . . ?	GBP	
Journal date	11194			
VAT content type . .				
External reference .	NONE			
Posting period . . .	9411			
Tax point for VAT . .	11194			
Supersede quantities?	0			
F4=Prompt		F17=Override rate code		
09-25	SE	MW	KS	IM II EDN400A PCET02S3

Fields:

Journal Reference

Enter the reference name given to the journal of up to 8 characters in length.

If a previously suspended general journal reference is entered, that journal will be recalled for completion and no further details are required. A General Ledger period cannot be closed if there are any outstanding suspended journals.

Description

Enter a description for the journal of up to 30 characters in length.

Control Amount

Enter the control amount for the general journal. This is used to balance the detail debit postings.

Values are only controlled on postings to fiscal accounts, not memorandum accounts; should you be entering a journal to memo accounts only, the control value must be zero.

Currency Code

For a multi currency ledger, enter a valid currency code.

Journal Date

The current date is displayed, but can be overridden.

VAT Content Type

Enter one of the following:

Blank - No VAT applies.

P - Purchase. VAT will be calculated in accordance with an input VAT rate code and the VAT amount will be posted to the General Ledger code that was specified for that VAT code.

S - Sales. As for purchase, but the sales VAT account code will be used for General Ledger posting.

External Reference

Enter an external reference as required.

Posting Period

The current period is displayed, but can be overridden. Format YYPP.

Posting to previous periods is only allowed on prior period journals. These are reserved for use by nominated members of the accounts staff.

You are not allowed to suspend a prior period journal.

Reversal Period

Displays when Journal Reversal option selected. The reversal period field enables you to post values within the current period and to reverse those values out again in a subsequent period - For example, accruals or reserves or prepayments.

Reversing a journal involves the same processes as posting a normal journal, but with an extra field, the reversal period. This field will default to the period immediately after the posting period; the period may, of course, be changed to any future period.

The reversed value is posted immediately to the reversal period and is, therefore, available for enquiries and reports.

The accounting period of the reversal posting. It defaults to the period immediately after the posting period, but may be changed to any future period.

The reversal value is posted immediately to the reversal period and is, therefore, available for enquiries and reports.

Reversing journals can be of six journal types:

- General journal.
- Standing journal.
- Constant journal.
- Spread journal.
- Apportionment journal.
- Cost allocation journal.

Tax Point for VAT

The current date is displayed, but can be overridden for lines within this journal.

Supersede Quantities

0 - If you wish the entered quantity to increment this value.

1 - If you wish the entered quantity to supersede the existing value.

Cross Period

This field will appear only if you are authorised to post cross period journals.

Enter 1 to enter a period against each dissection line. This will result in the creation of several journals, one for each period, with balancing postings being made automatically to the prior and future suspense accounts defined to the General Ledger company profile.

Functions:

F17

Override Rate Code. Override the exchange rate for the displayed currency with a new rate, or rate code or target value.



Note: Where the source and target currencies are both Euro currencies no override is permitted.



Press **Enter** to check your entries and to display the Dissection screen, where you enter the item breakdown of the transaction.

Override Conversion Parameters Window F17

Override the default currency rate. To override the current rate you enter either:

- A predefined rate code specified on the General Ledger currency options.
- A new rate by which the value is to be multiplied or divided.
- The target value. The conversion rate will be calculated by the system.



Note: Where both the source and target currencies are Euro you may not override the conversion rate.



Press **F17=Override Rate** at the General Journals Posting Screen to display this window.

```

GL088          EW:Eurocurrency Test Company(DEM)  USER GBJBA1MS  28/05/98
                                           8:30:43

General Journals

Journal r      Session . . . : *****
Descripti     Last reference:
Control v     ef :
Journal d
VAT conte
External
Posting p     . ?  GBP

Tax point
Supersede

Override Conversion Parameters
Source  GBP to target DEM
Complete one section only.
Rate Code . . . . . ?  _____
-----
Rate . . . . . : 2.89011
Multiply or Divide . : M (M/D)
Source to Euro . . . : 1
-----
Target Currency Value : _____
F4=Prompt  F12=Previous

F3=Exit  F4=Prompt          F17=Override rate code
MA  a          MW          16/038
  
```

Fields:

Rate code?

Select a pre-defined rate code as set up in the Currency Rate code option.

Rate

Or, you may enter the new rate code to be used with up to five decimal places.

Multiply or Divide

If this field is used, a value must be entered in the Rate field.

M - Multiply the values held in the source currency by the exchange rate to achieve the target currency value.



Note: For Euro conversion the system holds Euro/target fixed rates.



Note: For guidance on when to select Multiply or Divide in a Euro IN/OUT OUT/IN situation see

the section Eurocurrency: Phase 1: Illustration Of Conversions.

D - Divide values held in the source currency by the exchange rate to achieve the target currency values.

Source To Euro



Note: This field displays when either the source or target currencies are currencies IN the Euro Zone.

The values of 0 or 1 default from the Euro Currencies Maintenance Option and decide the calculation rules.

0 - The currencies will be converted directly.

1 - Uses a triangulation currency conversion via the Euro currency.

Target Currency Value

Enter the target currency value and the system will calculate the rate.



Note: Only the variable part of the rate displays if the currencies are Euro OUT/IN or IN/OUT.



Press **Enter**, to see the rate applied to the converted currencies.

General Journals Dissection Screen

For selected accounts, dissect items by values, quantity, VAT and other details.



Press **Enter** to see the Dissection screen, where you enter the item breakdown of the transaction.

GL008		Y0 - Education Company - Y0		USER GBJBAMGS	26/06/95
					11:44:50
General Journals				Session *****	
Jrnl MGS00001 Test Journal		GBP Gross . . .		100.00	
Doc date . . : 1/11/94		Period : 94-11		GBP Gross . . .	
				100.00	
Rate . . . : M 1.00000		Debit		.00	
Rate code : *DFT		Credit		.00	
		Difference . . .		.00	
1 Account	Description	T	VAT	Value/Qty	
Account . . ? 606100		Value . . .		100	
VAT code . ? Type . _		VAT value .			
Date 11194		Quantity .			
		Description		Test Journal	
1=Select		ROLL-UP=More accounts			
F4=Prompt		F8=Complete	F13=Cancel	F16=Suspend	F18=Control
19-18		SP	MW	KS	IM
				II	EDN400A PCET02S3

Fields:

Line

If you wish to maintain an existing line, enter that line number here and press **Enter**.

Account

Enter the account code of up to 12 characters in length. This must be a valid account set up in the chart of accounts.

If specified for the account, extension codes must be entered through the standard window.

Postings will be made to this account.

Value

Enter the value to be posted to this account. Credit values are entered with a trailing (-) minus. If the application is to calculate VAT, then this amount is inclusive of VAT.

VAT Code

Select a VAT code for the dissection of the value being posted. Your entry depends on your system set up.

- Entry of a valid code is only permitted if P or S has been entered against VAT Type.

- If the GL account has a VAT code assigned to it then that code must be used. A VAT code is assigned to a GL Account at the Accounts Maintenance option.
- At the Post Correcting VAT Transaction option any combination of VAT code and GL Account may be entered. This option is available if GL Country Specific Parameter 031 is set to 2.

Type

The VAT type defaults from the VAT Type entered on the journal header screen as Blank, P, or S. If the journal has a VAT element, but the detail line does not, this may be overridden for the line.

P - Purchases.

S - Sales

However, where the combination of GL Account Code and a specific VAT code are fixed, the VAT type may also be fixed as purchase or sales VAT.



Note: A fixed combination of GL Account with VAT and Type is created at Accounts Maintenance. Country Specific Parameter 031 also refers.

VAT Value

A VAT value can only be entered if a VAT code has been entered. If you enter a VAT code but leave the value blank, the value will be calculated by the system, using the VAT rate of the code.

When posting a VAT element on general journals, a VAT code and VAT type must be entered. The VAT value must be entered into the VAT value field, with a corresponding goods amount in the posting value field.



Note: Care must be taken that the VAT code and VAT type are blank when the opposite entry of the journal is entered, otherwise these transactions will not appear on the VAT reports.

Date

This displays the VAT tax point from the header, but can be overridden. This date controls transactions posted to the VAT sub-system.

Quantity

You can enter a quantity. This is added to the statistical amount posted to this account - and is also accumulated into relevant sub-ledger accounts and hierarchy accounts.

IC

(Inter-Company Accounts.) Enter the target company code if you are posting this dissection to another company. The account will be validated against this company.

Leave blank for a dissection posting within the current company.

The relationship between the current General Ledger company and the target General Ledger company must have been defined via the Inter-Company Accounts (Audit Control And Other Maintenance) option.

Balancing postings to the inter-company debtor and creditor accounts will automatically be made.

The journal can be retrieved (for amendment or cancellation) by entering the journal number on the first screen of this procedure.

Cross Period

1 - A window will be displayed allowing entry of a different period or periods to the header period.

If a range of periods is entered, the values entered on the dissection line will be spread across those periods either equally, or based upon the spread profile entered in the window.

Description

Enter a brief description for the item entered of up to 30 characters in length. This is optional. Your entry is used as the description of the General Ledger transaction.

Functions:

F13

Cancels the journal. You will be prompted to confirm before the cancellation proceeds.

F16

Suspends a journal. The details entered are stored by application, but are not posted to the General Ledger.

F18

Control. Redisplays the header screen where you may wish to amend the control amount.

F21

Text. Allows you to enter any text associated with the journal, using the page up and down keys to display further lines of text.



Once you have entered the journal details, press **Enter**. If the validation accepts the details, they will be displayed in the list at the top of the screen.



To complete the journal press **F8=Update**.

The procedure checks that debit postings to fiscal accounts agree with the control amount, and that the sum of debits equals the sum of credits (again for fiscal accounts only). No postings into the ledger will be made until the journal is in balance.

General Reversing Journal Processing



31/GLP

Reversing a journal involves the same processes as posting a normal journal, but with an extra field, the reversal period. This field will default to the period immediately after the posting period; the period may, of course, be changed to any future period.

Reversing Journal Extra Field:

Reversal Period

This field enables you to post values within the current period and to reverse those values out again in a subsequent period - for example, accruals, reserves or prepayments.

The accounting period of the reversal posting. It defaults to the period immediately after the posting period, but may be changed to any future period.

The reversal value is posted immediately to the reversal period and is, therefore, available for enquiries and reports.



Note: See General Journal Processing for details of completing the screen.

Post Correcting VAT Transactions



35/GLU



Note: The Post Correcting VAT Transactions option is only available if you have set up GL Country Specific Parameter 031 to option 2 (enabling the assigned VAT code to be either purchase or sales).

This GL utility option enables you to make amendments to transactions that were posted to GL accounts with an incorrect VAT code. Any combination of VAT code and GL Account can be posted at this option.



Select the GL utility option Post Correcting VAT transactions.



Note: See General Journal Processing for details of completing the screen.

Inter-Company Journal Processing



8/GLP



Note: Inter-company journals should consist of 44 characters, where the first two characters are the company code.

Inter-Company

This field is displayed only if you are authorised to the inter-company facility. Enter 1 if the journal is an inter-company journal.

IC

(Inter-Company Accounts) Enter the target company code if you are posting this dissection to another company. The account will be validated against this company.

Leave blank for a dissection posting within the current company.

The relationship between the current General Ledger company and the target General Ledger company must have been defined via the Inter-Company Accounts (Audit Control And Other Maintenance) option.

Balancing postings to the inter-company debtor and creditor accounts will automatically be made.

The journal can be retrieved (for amendment or cancellation) by entering the journal number on the first screen of this procedure.



Note: See General Journal Processing for details of completing the screen.

Prior Period Journal Processing



9/GLP

Prior period - This enables you to post values to a prior period.

Posting to previous periods is only allowed on prior period journals. These are separate for use by authorised users. You cannot suspend a prior period journal.



Note: See General Journal Processing for details of completing the screen.

Statistics Journal Processing



10/GLP

As well as for posting quantities, the journal is useful for posting ratio data to memo accounts, which might be used in cost allocation journals. An example of where it might be used is to register departmental floor area for the allocation of rent.



Note: See General Journal Processing for details of completing the screen.

Journal Processing Automatic Journals

Automatic and semi-automatic journals are those which have some posting details - account or value or both - set up in advance using one of the journal maintenance options. This processing option enables you to post an automatic or semi-automatic journal.

This procedure is relevant only for the following journal types:

- Standing.
- Constant.
- Spread.
- Apportionment.

Journal Selection Screen

Select a journal for automatic or semi-automatic processing.



Select one of the GL Journal Processing options, General, Standing, Constant or Spread, and the Journal Selection screen will appear.

```

GL071                                Y0 - Education Company - Y0          USER GBJBAMGS    26/06/95
                                                12:34:41
Post Standing Journals                Session *****
Last ref

Jnl      Description                  T          Cur      Last      Last
ST0001   Travel expenses             F          GBP      0/00/00   perd 1
                                                █

Post period .      9411
Doc date . . .    011194

1=Select
F3=Exit
07-78    Sf      MW      KS      IM      II    EDN400A  PCET02S3

```

Fields:

Select

1 - Select the journal to post.

Post Period

The current period is displayed, but can be overridden. Format YYPP.

Posting to previous periods is only allowed on prior period journals. These are separate for use by authorised users. You cannot suspend a prior period journal.

Document Date

The current date is displayed, but can be overridden.



Select your journal and press **Enter** to see the accounts defined to it.

Posting Value Screen

Enter values against accounts for the journal posting.



Select a journal and press **Enter** at the Journal Selection Screen to see the accounts defined to it.

GL071	Y0 - Education Company - Y0		USER GBJBAMGS	26/06/95
			12:34:41	
Post Standing Journals			Session *****	
Journal ST0001	Travel expenses	Type Fiscal	Rate Code	*DFT
1 Line Account	Description			Value
10 500ABC	Rail, Alan Clark,			
	Travel expenses			
20 500CLT	Rail, Cliff Taylor,			
	Travel expenses			
30 500DEF	Rail, Des Farmer,			
	Travel expenses			
40 500GHI	Rail, George Ireland,			
	Travel expenses			
50 500JKL	Rail, Jose Lawrence,			
	Travel expenses			
60 501JPL	Air, John Lewis,			
	Travel expenses			+
Currency . . . GBP		Rate . . . M	1.00000	Control value
Post per . . . 94-11		Doc date . . . 1/11/94		
1=Select				
ROLL-UP=More accounts				
F5=Resequene	F8=Accept	F10=Accept new value	F12=Previous	
F15=Add line		F20=Toggle	F22=Extn/Desc	
06-63	SP	MW	KS	IM II EDN400A PCET02S3

Fields:

Currency Value

The amount to be posted in the currency shown in the column heading, against this detail line.

Spread Factor

When you enter this screen the spread factors for each detail line will already be established. They may then be changed.

Spread Control

When you enter this screen the spread control will already be established, but it may be changed.

Control Amount

The control amount for the journal is entered. It will be allocated across the detail line postings in accordance with the spread factors. The control amount should equal the total of all postings made against each detail line, excluding values for memorandum accounts.

Rate Code

This defaults to the rate code from the company profile, but may be overridden by **F17**.

Rate

The rate displayed is as at the transaction date.

Functions:

F8

Accept. Accepts the amendment for this posting only as a temporary measure, and will revert to the old values for any subsequent posting of the journal.

F10

Accept New Value. Accepts the amendment for this posting and any subsequent postings as a permanent measure.



After the journal has been accepted and posted an audit report is produced automatically.



The detail lines for the selected journal are displayed on the screen. Press **F15=Add Line** to add accounts to the journal - the Add Line window will be displayed.

Add Line Window (F15)



To display this window press **F15=Add Line** at the Posting Value Screen.

GL071	Y0 - Education Company - Y0		USER GBJBAMGS	26/06/95
Post Standing Journals			12:34:41	
Journal ST0001	Travel expenses	Type Fiscal	Rate Code	*****
1 Line Account	Description			Value
10 500ABC	Rail,Alan Clark,			
	Travel expenses			
20 500CLT	Rail,Cliff Taylor,			
	Travel expenses			
30 500DEF	Rail,Des Farmer,			
	Travel expenses			
40 500GHI	Rail,George Ireland,			
	Travel expenses			
50 500J	Trav			
60 501J	Trav			+
Currency .				
Post per .				
Account code . ? _____ Description . : <u>Travel expenses</u> After line . . : <u>99999</u>				
1=Select F4=Prompt F12=Previous F5=Resequence F8=Accept F10=Accept new value F12=Previous F15=Add line F20=Toggle F22=Ext'n/Desc 16-34 Sf MW KS IM II EDN400A PCET02S3				

Fields:

Account Code

Enter the account for the posting.

Description

Enter the description to accompany the transaction.

After Line

Specify where the line should be positioned.



Note: All postings have a unique reference number generated sequentially by the application. A session number is not allocated until the first transaction has been posted for a session.



Press **Enter** to validate the details you have entered and then **F8=Update** to accept the journal. The header screen is displayed again for the entry of the next journal. This will also give the allocated session number.

After journals have been posted an audit report is produced.

Standing Journals Processing

1... 2/GLP
2...

Use this option to post journals to the standing journal.

See General Journal Processing for details of how to post journals.

Standing Reversing Journal Processing



32/GLP

Reversing a journal involves the same processes as posting a normal journal, but with an extra field, the reversal period. This field will default to the period immediately after the posting period; the period may, of course, be changed to any future period.

Reversing Journal Extra Field:

Reversal Period

This field enables you to post values within the current period and to reverse those values out again in a subsequent period - for example, accruals or reserves or prepayments.

The accounting period of the reversal posting. It defaults to the period immediately after the posting period, but may be changed to any future period.

The reversal value is posted immediately to the reversal period and is, therefore, available for enquiries and reports.



Note: See General Journal Processing for details of completing the screen.

Constant Journals Processing

1... **3/GLP**
2...

Use this option to post journals to the constant journal.

See General Journal Processing for details of how to post journals.

Constant Reversing Journal Processing



33/GLP

Reversing a journal involves the same processes as posting a normal journal, but with an extra field, the reversal period. This field will default to the period immediately after the posting period; the period may, of course, be changed to any future period.

Reversing Journal Extra Field:

Reversal Period

This field enables you to post values within the current period and to reverse those values out again in a subsequent period - for example, accruals or reserves or prepayments.

The accounting period of the reversal posting. It defaults to the period immediately after the posting period, but may be changed to any future period.

The reversal value is posted immediately to the reversal period and is, therefore, available for enquiries and reports.



Note: See General Journal Processing for details of completing the screen.

Spread Journals Processing

1... 4/GLP
2...

Use this option to post journals to the spread journal.

See General Journal Processing for details of how to post journals.

Spread Reversing Journal Processing



34/GLP

Reversing a journal involves the same processes as posting a normal journal, but with an extra field, the reversal period. This field will default to the period immediately after the posting period; the period may, of course, be changed to any future period.

Reversing Journal Extra Field:

Reversal Period

This field enables you to post values within the current period and to reverse those values out again in a subsequent period - for example, accruals or reserves or prepayments.

The accounting period of the reversal posting. It defaults to the period immediately after the posting period, but may be changed to any future period.

The reversal value is posted immediately to the reversal period and is, therefore, available for enquiries and reports.



Note: See General Journal Processing for details of completing the screen.

Apportionment Journals Processing



5/GLP

Use this option to post journals to the apportionment journal.

See General Journal Processing for details of how to post journals.

Apportionment Reversing Journal Processing



35/GLP

Reversing a journal involves the same processes as posting a normal journal, but with an extra field, the reversal period. This field will default to the period immediately after the posting period; the period may, of course, be changed to any future period.

Reversing Journal Extra Field:

Reversal Period

This field enables you to post values within the current period and to reverse those values out again in a subsequent period - for example, accruals or reserves or prepayments.

The accounting period of the reversal posting. It defaults to the period immediately after the posting period, but may be changed to any future period.

The reversal value is posted immediately to the reversal period and is, therefore, available for enquiries and reports.



Note: See General Journal Processing for details of completing the screen.

Cost Allocation Journal Processing



6/GLP

This procedure allows you to post a cost allocation journal which takes values from a range of target accounts, factorises them using values or quantities held in a range of factor accounts and posts them to a range of target accounts.



Select the GL processing option Cost Allocation.

A list of journals displays. Select a journal to post by entering 1 against it. The date or period when the journal was last posted is displayed alongside the journal line details.

Fields:

Option

- 1 - To select a journal for posting.
- 2 - Against a journal to select it to appear in a report where you can view the posting amounts that would be made.
- 3 - Against a line to confirm the posting of a journal that you have already viewed in a report.

Position To Journal

Enter the code of the required journal.

Date

Enter the date on which you wish the selected journals to be posted.

Period

Enter the period in which you wish the journal to be posted.

Functions:

F15

Post All. Allows you to post all the journals in the list displayed on the screen.

F16

Report All. Produces a report of all the journals in the list displayed on the screen with calculated values of what the posting would be if sent.

F17

Confirm All. Allows you to confirm all those journals you have viewed in report format for posting.

F18

De-select All. De-selects all journals you have previously selected with an option number.



Press **Enter** to accept the entries you have

made, and **F8=Update** to confirm.

Cost Allocation Reversing Journal Processing



36/GLP

Reversing a journal involves the same processes as posting a normal journal, but with an extra field, the reversal period. This field will default to the period immediately after the posting period; the period may, of course, be changed to any future period.

Reversing Journal Extra Field:

Reversal Period

This field enables you to post values within the current period and to reverse those values out again in a subsequent period - for example, accruals or reserves or prepayments.

This is the accounting period of the reversal posting. It defaults to the period immediately after the posting period, but may be changed to any future period.

The reversal value is posted immediately to the reversal period and is, therefore, available for enquiries and reports.



Note: See General Journal Processing for details of completing the screen.

Reversal Journal Processing



11/GLP

Journal Reversal enables you to correct a journal entered in error by entering the document type and journal reference of the incorrect journal. When you press **Enter**, the system displays a journal which is already completed with the correct entries for reversing out the original entry.



Note: See General Journal Processing for details of completing the screen.

Reverse Journal Selection Screen

Select the journal for reversal by the document type and journal reference.

Fields:

Document Type

Enter the two character code of a document type. Valid types for reversal are GJ, SJ and AP, which will create the new journal types GD, SD and AD respectively.

Journal Reference

Enter the journal reference of up to eight characters in length.



Select the Journal Processing User Journals to display the processing screen.

Journal Group Processing



7/GLP

This option enables you to submit a job to post all the journals defined to the group you choose.



Take the Journal Group option (Processing) to see the following fields:

Fields:

Enter the period for posting.

Document Date

Enter the date for the journals.

Reversing Period

Enter the reversal period to be used by any reversing journals in the journal group.



Select the group that you wish to post, then press **F8=Submit** to submit a batch job to process the journals.

PC Uplift

1... 12/GLP **2...**

Use this option to send information from your PC spreadsheet into the General Ledger to create journals.

The PC uplift feature can transfer spreadsheet data to a location on your machine known as the information base. The information base holds data from the spreadsheet (known as a worksheet).

This option takes the data out of the information base and creates the journals.

Sending the Information

The PC spreadsheet data must conform to certain rules if a successful uplift is to take place:

- There must be at least some data in column A, for example the spreadsheet title in cell A1.
- The column containing the account numbers must be defined as the row descriptor. This need not be column A, it can be any column.
- The area holding the data must be defined as the details area, where:
 - the first column holds the posting value
 - the second column holds the quantity (optional)
 - the third column holds the posting period, if the journal is a cross-period journal (optional).
- The journal must be in base currency.

The account code may be entered in one of the following formats:



Note: You will have to include blanks if the fiscal account is less than 12 characters long.

Inter-Company

	Length	Position
Company code	2	1 - 2 (leave blank if this line is not inter-company)
Fiscal account code	12	3 - 14
Extension code	30	15 - 44

Fiscal Account Code And Extension Code

	Length	Position
Fiscal account code	12	1 - 12
Extension code	30	13 - 42

GL Journal PC Uplift Screen

Use this screen to select the worksheet name and define the data to be uplifted.

- ➡ Use the PC uplift feature to put the spreadsheet into the worksheets, and take the PC Uplift processing option to see the GL Journal PC Uplift Screen.

GL621Y9 - Education Company - Y9User FFY92/08/9512:25:48

GL Journal - PC Uplift

Worksheet ?

Data cube ?

Data warehouse ?

Reference / Description .

Date 2/08/95

Period 9411

Uplifted Journal

Inter-company 0 (0/1)

Reversing 0 (0/1)

Supersede quantities . . 0 (0/1)

Review required 1 (0/1)

F3=Exit

F4=Prompt

06-28

SP

MW

KS

IM

II

EDN400A

PET147S1

Fields:

Worksheet

Enter an existing worksheet.

Data Cube

You will only see this field if you are using Viewfinder in preference to the PC uplift feature.

Enter an existing data cube.

Data Warehouse

You will only see this field if you are using Viewfinder in preference to the PC uplift feature.

Enter an existing data warehouse.

Reference

Enter the journal reference, which must be unique. This is a mandatory field.

Description

Enter a description. This field defaults to the entry Uplifted Journal.

Date

This field defaults to the current date, but this may be changed to any date within the period, or outside the period if date/period correspondence is the setting allows this. Date/period correspondence is a setting in the Country Specific Parameters (Utilities) option.

Period

This field defaults to the current General Ledger period, but may be changed to an open period that is not a prior period.

Inter-Company

This field is displayed only if you are authorised to the inter-company facility. Enter 1 if the journal is an inter-company journal.

Cross-Period

This field is displayed only if you are authorised to the cross-period facility. Enter 1 if this is to be a cross-period journal.

Cross-period processing and reversing are mutually exclusive.

Reversing

Enter 1 if the journal is to be a reversing journal.

Cross-period processing and reversing are mutually exclusive.

Period

This field is displayed if you enter 1 in Reversing. Enter a period that is later than that entered as the journal period at the top of the screen.

Supersede Quantities

0 - Quantities will be incremented when the journal is run.

1 - Quantities will be replaced when the journal is run.

Review Required

0 - You do not wish to review the journal before posting. The postings will be made automatically unless an error is found, when you will be taken to the dissections screen.

1 - You wish to review the journal before posting. The dissections screen will enable you to specify dissection accounts before posting takes place.



Press **Enter**. The next step in the procedure will be one of the following:

- If you entered 0 in the Review Required field and no errors are found while processing, then the journal is created and posted. No further intervention is necessary.
- If you entered 0 in Review Required and an error is found, a dissections screen will be displayed, with the account code(s) of the journal in error highlighted.
- If you entered 1 in Review Required, the standard General Ledger dissections screen enables you to enter the appropriate dissections.

For more details on how to enter dissections, see General Journal Processing.

Match Transactions



41/GLP

Transaction matching is used to match corresponding debit and credit transactions on an individual account in a way that is similar to cash allocation.

Most enquiries and reports allow the option to include or exclude matched transactions.

Match Screen 1



Select Match Transactions (GL Processing) to see the first Match Screen.

Action

Enter one of the following actions:

- 1 - Match previously unmatched transactions.
- 2 - Review fully matched transactions.
- 3 - Review partially matched transactions.

Account

Enter an account code of up to 12 characters in length. It must be a valid account code set up on the chart of accounts. If extension codes have been set up for this account you must enter them in the standard window.

This is the account for which transactions are to be matched.



Press **Enter** to proceed.

Match Screen 2

This screen will show different parameters depending on the action you decided to take.

Fields:

Match Reference

The reference number of the previous match on this account that is to be reviewed.

Actions 2 or 3.

From Period

The first period from which transactions are to be matched. Leave blank to start at the first transaction.

Action 1.

To Period

The latest period for which transactions are to be matched. Leave blank to end at the latest period for which transactions have been posted.

Action 1.

Display Debits & Credits Separately?

Determines how the transactions will be presented on the next screen. The default condition is set up on the company profile.

0 - Do not separate debits and credits on the displayed list.

1 - Split the screen to list credit transactions in the top half and debit transactions in the lower half.

Actions 1, 2 and 3.

Action 1 Screen 3

If you selected action 1 the Match Transactions Manually screen is displayed with the values in base currency. You may press **F15=Prime Values** to toggle between the displaying values in the base currency and prime currency.

GL440	Y0 - Education Company - Y0		GBJBAMGS	26/06/95
				12:31:07
Match Transactions Manually				
Account . . .	606130	Electricity,		
Last Ref. . .	*****	Balance . . .	.00	GBP
Opt	Reference	Description	Period	Value GBP
1	G RG MGS00004	Electricity Accrual	94-12	100.00-
Opt	Reference	Description	Period	Value GBP
-	G GJ ED000002	Utilities	94-10	300.00
1	G GJ MGS00004	Electricity Accrual	94-11	100.00
1=Match 2=Full details				
F3=Exit F8=Complete match F9=Partial match				
F12=Previous F15=Prime values				
09-03	SR	MW	KS	IM II EDN400A PCET02S3

Fields:

Opt

- 1 - Against each transaction to be matched. Further details will be displayed.
- 2 - Against transactions to be displayed before a decision is taken. The Transaction Enquiry screen is displayed. Note that you can:



Press **F21=Text** to create or amend text for this transaction.



You can press **Enter** to display the net total of the transactions at the top of the screen in base currency.

When all transactions have been selected for matching, the procedure step is completed.

Functions:

F8

Complete Match. If the balance is zero in base currency, press **F8=Complete Match** to complete the match. Each transaction is flagged as 'fully matched' against the match reference number.

F9

Partial Match. Allows you to partially match the transactions. Each transaction is flagged as 'partially matched' against the match reference number. The base currency balance may be zero or not zero for partial matching.



Press **F3=Exit** to exit. You will be prompted to specify if you wish a report to be printed or not.

Actions 2 and 3 Screen 3

These procedures are very similar to transaction matching. The differences are as follows:

- The transactions listed are those where the match reference equals that entered on the first screen. These are either partially or fully matched depending on the option chosen.
- Each transaction has, by default, 1 against it.
- You may clear all matches by pressing **F11=Delete**.
- If you review fully matched transactions, you can unmatched transactions as well as add transactions provided that the Base currency value is zero.
- If you review partially matched transactions and add or unmatched transactions, you may confirm by pressing **F8=Complete Match** if the new balance is zero, or **F9=Partial Match** to accept a partially matched transaction.
- You may add further transactions. Press **F10=Add** to display a window of unmatched transactions, from which further transactions may be selected. Once selected, press **F8=Complete Match** to incorporate the new transactions. (When the screen is split, **F10=Add** displays separate windows of debits or credits depending on where the cursor was positioned.)

After matches have been made an audit report is produced automatically.