

-
-
-
-
-

Chapter 14

Utilities And Archiving



Introduction To GL Utilities And Archiving Options

The General Ledger module provides a number of utilities for database reorganisation and verification. These utilities are not required during normal operation.



Warning: All the procedures which are provided here require great care and some a detailed technical understanding of the module. You are recommended to carry out these tasks with the advice of your computer manager and/or software supplier.

As the utilities need exclusive use of the General Ledger module, thereby preventing operational use. They are usually performed outside normal working hours.

Archiving enables you to take a security copy of period balance records and transactions before purging them from the computer system. The archived copies may be restored for enquiry and report purposes. (No postings can be made to a restored system.)

- Save company data to an archive file.
- Purge the data from the computer system.
- Restore archived data as and when required.
- Enquire and report on restored archived data.

Delete a company when you no longer need to keep accounts for the company concerned.

Rebuild balances rebuilds account period balances from the transactions if discrepancies have been found in the verification procedure. These procedures may take a very long time to process if your General Ledger has large data volumes.

Important

The Financials modules maintain balances using hidden programs known as subsystems.

Certain Utilities options also maintain these balances, and if you enter one of these options while a subsystem is active a message prevents you from using the option.

All subsystems must therefore be turned off before such utilities can be used.

Entering Details Of Libraries

Many of the functions contained in this Utilities section ask you to enter the names of certain libraries.

The names of the following libraries are usually required:

Program Library

This is the name of the library containing the Utility programs. This may be left as *LIBL.

GL File Library

This library contains the database files for the module.

Save/Restore Library

A user-defined library used to contain saved data. This is usually a library dedicated to these procedures and must be created before this procedure is run. (See note beginning You must have authority.)

Message Queue

Message Library

The message queue and library default to those for this work station. You may change them to any message queue available on your system, such as the one associated with your user profile.

Work Library

This is the name of a general purpose library to which intermediate files may be copied during certain procedures. You should create a new dedicated library for this task. Once the task has been successfully completed the library should be deleted.



Note: You must have authority to the create library command - CRTLIB - in order to use this function. If you do not have the required authority, an appropriate message displays.



Note: If you are uncertain which libraries apply to your particular system, or you are not authorised to create new libraries, you are strongly advised to consult your computer systems department or your software supplier.

AFI GL Extract Options

Three options are available to extract data for AFI use:

- Run AFI Test Extract.
- Run AFI Live Extract.
- Install General Ledger/AFI Link.

Run AFI Test Extract



1/GLW

Use this function to run test extracts.

This function takes a trial extract of data from a GL company. No actual updating of data takes place. A report is produced.



Select the GL utilities option Run AFI Test Extract.

```

FI570                      Advanced Financial Integrator  User GBJBA1MS    4/12/97
                               8:20:59

Prompt for GL Trial Extract and Update

Source company . . . . . ? 21
EITHER: work with journal postings not yet processed 1 (1/0)

OR      : work with sessions numbers from . : _____ to _____

Type of Journal definition to use: 1 1=Under Test
                                   2=LIVE
                                   3=Both

Consolidate postings? . . . . . 0 (1/0)

-----
F3=Exit  F4=Prompt  F8=Proceed  F12=Previous
-----
7-39    SA      MW      KS  CL  IM  DM  II      STUD140  KB  PKH312S1
  
```

Fields:

Source Company

Enter the source company whose data is to be used for this trial extraction.

Work With Journal Postings Not Yet Processed

0 - If you wish to specify a range of transaction numbers on which the trial is to be based.

1 - If, for trial purposes trial, you want to use only data which has not been extracted in live operation mode by AFI.

Work With Session Numbers From And To

This is only relevant if the previous response was 0.

Enter a range of transaction dates for the trial extraction. To extract from one session enter the same session twice.

Type Of Journal Definition To Use

Enter one of the following:

1 - Use only journal definitions which are specified as being under test.

2 - Use only journal definitions which are specified as being live.

3 - Use both test and live journal definitions.

Consolidate Postings

0 - Specifies that no consolidation takes place, even though you may have postings defined as consolidatable.

1 - Consolidation of those postings defined as consolidatable.



Press **Enter** to validate the selection screen,
then **F8=Update**.

Run AFI Live Extract

1...
2...

2/GLW



Select the GL utility option Run AFI Live Extract.

This facility enables you to initiate the extract of General Ledger transactions for processing by AFI.

```

GLW                                User GBJBAIMS      04/12/97
                                      10:04:52

General Ledger Utilities

AFI General Ledger Extract          Archiving and Deleting
 1. Run AFI test extract           31. Purge and archive data
 2. Run AFI li                     Advanced Financial Integrator
 3. Install Ge                     General Ledger extract
                                   files
                                   w balances
                                   w budgets
                                   ion x reference
                                   nts

Field Level Se
11. Security o
12. User secur
13. Authorised

Hierarchies
21. Search for identical hierarchies
22. Consolidate hierarchies

Option 2
Search

F3=Exit F4=Prompt F6=Messages F12=Previous F16=Change company F18=Prints

14-22  SA  MW  KS  CL  IM  DM  II  STUD140  KB  PKH312S1
  
```

Fields:

Demonstration Company

Enter the company code for which GL transactions are to be extracted.

Transactions are extracted according to the selection criteria set up on your journal condition.



Press **F8=Proceed** to proceed with the live data extraction.

Install General Ledger/AFI Link

1...
2... **3/GLW**

Where AFI is linked to the GL module (AFI is set to active), GL transactions are extracted. These are posted to the General Ledger as journals when the operator takes the AFI to General Ledger Update option.

As well as the AFI link status being set to active, there must also be one or more live journals. The facility to set up a journal as live is part of the Journal Conditions Maintenance facility.



Select the GL utility option Install General Ledger/AFI Link.

FI940	YZ - Test Copies	USER GBJBA1MS	4/12/97 9:42:15
Install AFI Control Data - APPLICATION: General Ledger			
This option causes AFI Control Data to be copied from the install files in the application library into the control files in the AFI Library. AFI will then be aware that this application is installed, and be able to extract data from it.			
Copy From Library . . .	<u>QSLGLD3</u>	Only amend this, if you have renamed your Application displays library.	
Copy To Library . . .	<u>QSLFIE3</u>	Amend this library to match your Financial Integrator files library, or the Consolidated Financials files library.	
Please note that records will be added to the file if they do not already exist. If they do exist, they will be overwritten by the new records.			
F3=Exit F8=Submit Job			

11-25	SA	MW	KS CL IM DM II STUD140 KB PKH312S1

Fields:

Copy From Library

Enter your module library to copy control data from.

Copy To Library

Enter your AFI library to contain the copied control data.



Press **F8=Submit Job** to proceed with the data extraction.

Maintain Security Objects



11/GLW

This option enables you to define an object (normally a field name) to which access is to be controlled. You can enable level code security in the GL company profile. See the section Level Code Security - Options. This results in extra fields in the ledger descriptions maintenance screen. If the user selects a particular level in the ledger descriptions screen as being secure, this level will automatically be created as a security object in the following form:

CODExyyyz - where xx relates to the company, yyy to the ledger and z to the account level. When your system is first installed the following list of codes will be set to inactive.



Note: Certain security objects already exist. Codes beginning with the word CODE... will have been set up when your system was installed and have limited amendment options.



Note: When maintaining the predefined objects, you can amend only the active/inactive flag. Do not amend the object type, object length or object decimals fields.

- If CRLM is used, you can control the value entered in the credit limit field of the Customer Maintenance screen in Accounts Receivable.
- BANK authorises selected users only to maintain the bank account from which a supplier is paid. This is from both the supplier maintenance and the payments review and amendment screen.
- Use GPST to stop selected users from posting values to the GL journal posting options. When Object Active=1 the **F8=Update** option will not be present at the following posting options:
General Journals, Prior Period Journals, General Journals (Utilities), Intercompany Journals, Statistics Only, Reversing General Journals, Cross Period Journals. Set this code up with the description F8 Journals Posting.
- If MXAJ is used, the maximum write-off in Cash Allocation may be controlled for an individual user, rather than using a global limit specified in the Accounts Receivable company profile. Affects Cash Allocation, Cash Allocation by Item, and Bank Statements Posting Accounts Receivable Entry.
- If MXPY is used, a value can be set for the maximum payment value that selected users can generate. Takes effect at the Supplier Payment Release option.
- SUSP40 is used to limit the release of suspended orders within Sales Order Processing for selected users. Access to release of suspended orders will be restricted in Suspended Order Release and Order Amend access. Set this code up with description SUSP40, object type 0, object length 2 and object active 1.



Select the GL utilities option Maintain Security Objects.

Fields:

Security Object

Enter the object to be maintained.



Press **Enter** to display the next screen.

Description

Enter a description for the object.

Object Type

Enter the type of object - 0 for an alpha field, 1 for a numeric field, and 2 for a date.

Object Length

Enter the field length for the object.

Object Decimals

Enter the number of decimal places, if applicable.

Object Active

Enter 1 if the object is to be active.



Press **Enter** to validate and exit.

Maintain User Security Groups



12/GLW

This option links a selected user ID to a previously defined security object, for a particular module and company. The security object is then linked to a security group.

You can then switch off the security checking for that user, so that the user has full access to the object, or you can link the user to a security group, and the user will have access to objects and values as defined on that group.



Select the utilities option Maintain User Security Groups.

Fields:

User

Enter the ID of the user to be maintained.

Application ID

Enter the application to which this definition is to apply.

Company

Enter the company to which this definition is to apply.

Security Object

Enter the security object to which the user is to be linked.

This object must already exist on the system.



Enter the user and other details, and an existing security object. When you press **Enter** the next screen displays.

Security Active

Enter 1 to activate the security checks.

Security Group

Enter the security group to which the user is to be attached.



Press **F15** to base the new definition on an existing definition, otherwise enter values in the fields shown, and press **Enter**. A window will be shown asking you to confirm your decision, then the group will be created.

Maintain Authorised Values



13/GLW

This option enables you to define which values of the security object can be accessed by users belonging to a certain security group.

Suppose, for example, that USER01 and USER02 are defined to the security group GROUPA, and that you wish to prevent their accessing the object OBJECTX if its value is over 1000.

This option enables you to select GROUPA and OBJECTX to work with, and then to enter 1000 as the value to be tested for. When the test is done when you run the software, all users defined to GROUPA will be excluded from OBJECTX if the value in OBJECTX is over 1000.



Select the utilities option Maintain Authorised Values to display the following fields:

Fields:

Security Group

Enter the security group to be maintained.

Security Object

Enter the security object whose links to the entered group are to be defined.



Enter the group and object you are working with, and press **Enter** to display a window asking you for the test condition.

Condition

Enter the condition to be used to test the limit value.



Enter the condition required from the list presented. You will then be required to enter the value against which the condition will be used.

Limit Value

Enter the value to which the condition you have entered is to apply.



Press **Enter** and a window will ask you to confirm your entries, then the definition will be updated.

Search For Identical Hierarchies



21/GLW

This option checks the hierarchies defined to the system, and produces a report of any which are identical. These may then, if wished, be consolidated using the Consolidate Hierarchies option.

This option is relevant if you are using the General Ledger graphical enquiries package or JBA's Visualise.



Select the utilities option Search For Identical Hierarchies.



Press **F8** to submit a job to perform the search.

Consolidate Hierarchies



22/GLW

Once you have identified any identical hierarchies, you may wish to consolidate them into one, and this option enables you to do this.

This option is relevant if you are using the General Ledger graphical enquiries package or JBA's Visualise.



Select the utilities option Consolidate Hierarchies to display the following fields:

Fields:

Hierarchy

Enter the hierarchy which is to be consolidated into another.

Consolidate Into

Enter the hierarchy into which the first hierarchy is to be consolidated.



Press **Enter** to submit the job.

Purge And Archive Data



31/GLW

This procedure enables you to purge historical data from the General Ledger. This purged data is archived from the system to an archive library.



Warning: Before running this procedure - which irrevocably removes live data from the system - you are strongly advised to make a security copy of the files library.

If you suspect that you may need to refer to this data in the future, you can choose to transfer the data to offline storage. It can then be brought back on demand in order to review it.

This is an on-line procedure. A confirmation message displays when all requested records have been purged and archived.

The purged data will be transferred to files in an archive library. The module will automatically generate this library and will inform you of its name. You will then be able to save this library to offline media and remove the library from the system. The module keeps a record of data archived and the libraries in which archived data is kept. This record is used for identifying archived data which you may wish to restore in order to review it.

Security

When the procedure has been completed, you should transfer the library containing the archived data to magnetic tape or cartridge.



Note: These tapes need to be held in secure, well documented storage, so that they can be restored if required.



Select the GL utilities option Purge And Archive Data.



Press **F8** to display the next screen.

Fields:

Company

Enter the company code of the company for which data is to be purged.

Purge Period Balances To Period

Enter the period up to which you wish to purge the period balances. In the format YYPP. You cannot purge period balances for the current financial year.

Purge Transactions To Period

Enter the period up to which you wish to purge the transactions. In the format YYPP. You cannot purge transactions for the current financial year.

Purge VAT Transactions To Period

Enter the period up to which you wish to purge the VAT transactions. In the format YYPP. You cannot purge VAT transactions for the current financial year.

Print VAT Reports

0 - You do not wish to have a report printed.

1 - You wish to have an audit report of the purged VAT transactions printed.

Print Transaction Report

0 - You do not wish to have a report printed.

1 - You wish to have an audit report of the purged transactions printed.

Abandon Purge

0 - You wish to continue with the purge.

1 - You wish to abandon the purge.



Press **Enter** to start the purge procedure.

Reorganise Selected Files



32/GLW



Select the archiving and deleting utilities option
Reorganise Selected Files.



Warning: *As the reorganise routines need exclusive use of the General Ledger module they are usually performed outside normal working hours.*

When data is deleted/purged from an module using the utilities options the data is deleted in the file but the disk space is not freed for re-use. The Reorganise Files option performs a reorganise physical file member routine, and valuable storage space is then freed.

```
GL997              Y9 - Education Company - Y9      User FFV9      28/02/97
                                                    9:04:09

Re-organise Physical Files

This option re-organizes all the physical files in General Ledger.

For further information press HELP.

HELP=Further information
F3=Exit      F8=Proceed with re-organize

01-02      SF      MW      KS      IM      II  EDN400A  PET16SS2
```

The Re-organise Physical Files screen gives you the option to begin the update procedure or to exit.



Press **F8** to confirm or **F3=Exit** to leave the option.

Reorganise Options

Three option are available for reorganising cleared data space:

- Reorganise User View Balances.
- Reorganise User View Budgets.
- Reorganise Transaction X-References.

Reorganise User View Balances



33/GLW



Select the GL utilities option (for archiving and deleting) Reorganise User View Balances.



Warning: *As the reorganise routines need exclusive use of the General Ledger module they are usually performed outside normal working hours.*

```
GL999          Y9 - Education Company - Y9      User FFV9      28/02/97
                                                    9:28:17

Re-organise Physical Files

This option re-organises FLP044 and FLP046 physical files in General Ledger.

F3=Exit  F8=Proceed with re-organize

01-02  SF  MK  KS  IM  II  EDN400A  PET165S2
```

When user view balance data is deleted/purged from an module using the utilities options the data is deleted in the file but the disk space is not freed for re-use. This option performs a reorganise physical file member routine, and valuable storage space is then freed.



Note: User view data can be deleted in the GL User-Defined Keys Maintenance (chart of accounts) option.

The Re-organise Physical Files screen gives you the option to begin the update procedure or to exit.



Press **F8** to confirm or **F3=Exit** to leave the option.

Reorganise User View Budgets



34/GLW



Select the utilities (archiving and deleting) option
Reorganise User View Budgets.



Warning: As the reorganise routines need exclusive use of the General Ledger module they are usually performed outside normal working hours.

When user view budget data is deleted/purged from an module using the utilities options the data is deleted in the file but the disk space is not freed for re-use. This option performs a 'reorganise physical file member' and valuable storage space is then freed.

The screenshot shows a terminal window with the following text:

```
GL999          Y9 - Education Company - Y9      User FFV9      28/02/97
                                                    9:28:34

Re-organise Physical Files

This option re-organises FLP045 physical file in General Ledger.

F3=Exit  F8=Proceed with re-organize

01-02  SF  MW  KS  IM  II  EDN400A  PET165S2
```



Note: User view data can be deleted in the GL user-defined keys (Chart Of Account Maintenance) option Reorganise User View Budgets.

The Re-organise Physical Files screen gives you the option to begin the update procedure or to exit.



Press **F8** to confirm or **F3=Exit** to leave the option.

Reorganise Transaction X-Reference



35/GLW



Select the GL utilities (archiving and deleting) option Reorganise Transactions By Reference.



Warning: As the reorganise routines need exclusive use of the General Ledger module they are usually performed outside normal working hours.

When user view transaction by balance data is deleted/purged from an module using the utilities options the data is deleted in the file but the disk space is not freed for re-use. This option performs a reorganise physical file member routine and valuable storage space is then freed.

```
GL999                      Y9 - Education Company - Y9      User FFV9      28/02/97
                                                                9:28:47

Re-organise Physical Files

This option re-organises FLP062 physical file in General Ledger.

F3=Exit  F8=Proceed with re-organize

01-02  SF  MW  KS  IM  II  EDN400A  PET165S2
```



Note: User view data can be deleted in the GL User-Defined Keys Maintenance (chart of accounts) option Reorganise Transaction X-Reference.

The Re-organise Physical Files screen gives you the option to begin the update procedure or to exit.



Press **F8** to confirm or **F3=Exit** to leave the option.

Delete Unused Accounts



36/GLW

This procedure enables you to remove accounts from your chart of accounts. You may remove either those accounts for which all transactions and period balances have been archived, or those which have been created in error.



Warning: Great care is need before using this procedure. As well as creating a security copy of the files library, you may wish to save the data which you intend to delete. You can do this by performing the Save A Company procedure followed by making a security backup. You can perform both security copies via the Housekeeping routines.

If you have any concerns about running this routine, consult your software supplier.

A report is printed with the account code, description and report level codes are printed with the account type and posting-inhibited flag. If the account has been used in the past, the date it was opened is shown. The report also identifies whether or not budgets have been deleted.



Select the GL utilities option Delete Unused Accounts and two screens are displayed describing the conditions under which accounts may and may not be deleted. Use the page up and page down keys to display both screens.



Press **F8** from the second screen, and a new screen will ask you to enter which holds the chart of accounts to be processed.

Press **Enter** to display the next field.

Ledger

Enter the ledger code to be processed. It must be a valid code which is set up on the company's chart of accounts.

Leave blank for all ledgers.



Press **Enter** to display the next screen.

Level Code Range

Enter the range of level codes from which you wish accounts to be deleted. Leave blank for no lower limit.

These do not have to be existing level codes.

Report Level Range

Enter the range of report levels from which you wish accounts to be deleted. Leave blank for no lower limit.

These do not have to be existing report levels.

Memo Or Fiscal Or Both

Restrict the accounts to be deleted to the type specified:

- 1 - Only memo accounts may be deleted.
- 2 - Only fiscal accounts may be deleted.
- 3 - Both fiscal and memo accounts may be deleted.

Include Posting-Inhibited Accounts

- 0 - Do not delete posting-inhibited accounts.
- 1 - If you wish to delete posting-inhibited accounts.

Action Against Account With Budgets

You must exercise great care when deleting posting-inhibited accounts. They may be specified in another If an account exists which only has budgets defined against it, do you want to:

- 1 - Delete the account and its budgets.
- 2 - Retain the account. This is the default.
- 3 - Request confirmation to selectively delete accounts with budgets. This can only be done if the process is Enter 1 to make deletions interactively. You must use this option if you request confirmation of the deletion of accounts with budgets.

Process Interactively Or In Batch

If you process the deletions interactively, your work station may be tied up for a considerable period of time. No other work may be done from this session.

Enter 2 to submit the deletions for background processing.



Press **Enter** to accept the entries you have made, and then **F8** to confirm, or **Enter** again to amend.

If you are processing in batch, a message displays informing you that the job has been submitted. Press **Enter** to return to the menu.

If you are processing interactively, an In Progress window displays.

If you are confirming the deletion of accounts with budgets, a window displays showing the budgets which exist. Press **F11=Delete** to delete the account, or **F12=Previous** to retain and continue processing.



Once completed, a window displays informing you that a report has been produced. Press **Enter** to return to the menu.