

-
-
-
-
-

Chapter 8

Utilities



Utilities Introduction

Accounts Payable provides a number of utilities for database reorganisation and verification. These utilities are not required during normal operation.



Warning: All the procedures which are provided here require great care and some require a detailed technical understanding of the application. It is recommended that these tasks be carried out with the advice of your accounts manager, computer manager, and / or software supplier.

- Archiving enables you to take a security copy of period balance records and transactions before removing them from the system. The archived copies may be restored for enquiry and report purposes only - no postings may be made to a restored system. The procedures are
 - Save company data to an archive file.
 - Remove ('purge') the data from the current system.
 - Restore archived data as and when required.
 - Enquire and report on restored archived data.
- Deleting a company when you no longer need to keep accounts for the company concerned
- Copy a company to a separate library
- Verify the database to confirm that data submitted to the application has been correctly processed - e.g. that period balances represent the sum of transactions
- Rebuild account period balances from the transactions, if discrepancies have been found in the verification procedure
- De-allocate postings made in a session which failed
- Reprint cheques

Important

The Financials applications maintain balances using 'hidden' programs known as subsystems.

Certain Utilities options also maintain these balances, and if you enter one of these options while a subsystem is active a message prevents you from using the option.

All subsystems must therefore be turned off before such utilities can be used. See Start / End Balances Update section for more details.

Entering Details of Libraries

Many of the functions contained in this section require you to enter the names of certain libraries. The names of the following libraries are often required:

Program Library

This is the name of the library containing the utility programs, it normally follows the naming convention OSL**PN where ** is the application ID and N is the release of the application

File Library

This library contains the database files for the application.

Work Library

This is the name of a general purpose library to which intermediate files may be copied during certain procedures - for example, when deleting a company. Most users would create a new, dedicated library for this task. After successful completion of the task/s to be performed, the library would be deleted.

If you are uncertain which libraries apply to your particular system, or you are not authorised to create new libraries, you are strongly advised to consult your computer systems department or your software supplier.



Note: The Delete Redundant Data procedure requires you to enter a 'volatile' files library and a 'non-volatile' files library. The volatile files library contains the data files for deleting and archiving, while the non-volatile files library contains the display and printer files.

Template Companies

If you need to maintain several companies all in the same way, the easiest way to do this is to set up all the companies as a group, with another company defined in the General Ledger as a template company. When you maintain the template company, the related group companies will be updated in the way specified.

Create Company



1/APU

This procedure enables you to create a new company by copying the contents of an existing company. The new company can be created in any library, not just in the same library as the existing company. Only the static data in a company can be copied; the copied data will not include items or balances.



Note that this facility will only copy companies. If you wish to create a separate company from scratch, this should be done using the Company Profile maintenance option.



The initial screen asks you to enter the company codes of the existing and the new companies. When you have entered the companies, press **Enter**.

If you are simply copying one company to another, the Company Code field will then appear beneath the other two fields, and you can either leave this blank to pick up the country code of the company being copied, or you can enter a country code as required. Once entered, press **Enter** to see the Create Company selection screen.

If you are copying a template company to a group of companies, the country code will automatically be that of the template country, so the extra field is not displayed. Instead, the following fields will be displayed immediately:

Fields:

GL Co

Enter the General Ledger company to which the new company is to be attached.

Cm Co

Enter the Cash Management company to which the new company is to be attached.



When you have made your selection, press **Enter** to display the final screen in the process.

PL001	Y0 - Education Company - Y0	User FFV0	7/08/95 9:44:34
Create Company			
From company . : Z1 To company . : R1			
Supplier codes. : █ (Enter '1' to select) Supplier text : - Reason codes. : - Location codes. : - Speed entry distribution codes. . . : - Payment threshold : -			
F3=Exit F8=Confirm F12=Previous 11-45 SF MW KS IM II EDN400A PET113S1			

Fields:**Supplier Codes**

Enter 1 here to copy all the suppliers from the existing company to the new company.

Supplier Text

Enter 1 here to copy all the supplier text from the existing company to the new company.

Reason Codes

Enter 1 here to copy all the reason codes from the existing company to the new company.

Location Codes

Enter 1 here to copy all the location codes from the existing company to the new company.

Speed Entry Distribution Codes

Enter 1 here to copy all the distribution codes (schedules) from the existing company to the new company.

Payment Threshold

Enter 1 here to copy payment threshold details from the existing company to the new company. The payment threshold details of the last payment method used is copied.



Warning: If the company being copied is in a different country to the new company, you may have to amend the currency. That is, when the copy is done update the Currency field in the company profile.



Note: Payment Methods may be amended at the Change Payment Method Window (F14) in the Confirm Final Report option from the Payments

menu.



When you have made your selection, press **F8** to create the new company.

Save Company

2/APU

This procedure enables you to save a copy of a company into a separate library. This option does not relate to normal daily back ups where the files libraries for all applications are saved.



This initial screen allows you to specify where the program should look for the save programs and files when it performs the save procedure. However, the default values of *LIBL should suit any normal save procedure, and changing these should rarely be necessary.

The work library, however, must be specified. This should be the name of a general purpose library which the save procedure can use to store certain files while the save is going on. This will commonly be a new library created for the task, which will be deleted when the task is completed.

PL900CLP	Purchase Ledger Company Utilities	User FFV0	7/08/95
			9:45:39
Save Companies into a Different Library			
Library Selection			
Object . :	*LIBL	(Library from which to run the save programs)	
Files . . :	*LIBL	(Library containing the files to save from)	
Work . . :	OSLSAVE	(Library to use for work files during the save)	
F3=Exit			
11-20	SF	MW	KS IM II EDN400A PET113S1

Once you have pressed **Enter**, the Save Companies Into a Different Library screen will ask you to enter the save libraries.

PL950CLP	Purchase Ledger Company Utilities	User FFV0	7/08/95
Save Companies into a Different Library			9:49:32
Enter the name of the library containing the A/P files..... <u>APU</u>			
Enter the name of the library the company is to be saved in _____			
Enter the Name of The Message Queue for Messages.. <u>PET113S1</u>			
Enter the Name of The Message Queue Library..... <u>*LIBL</u>			
F3=Exit			
07-67	SP	MW	KS
IM	II	EDN400A	PET113S1

Fields:

A/P Files Library

Enter here the name of the library containing the Accounts Payable files.

Library To Be Saved To

Enter here the library to which the selected company is to be saved.

Message Queue

If the save job were to fail for any reason, a message would be sent to inform you of this fact. This message will be sent to the message queue specified here. The field defaults to the message queue of the person starting the job, but this may be changed.

Message Queue Library

If the save job were to fail for any reason, a message would be sent to inform you of this fact. This message will be sent to the message queue in the library specified here. The field defaults to your library list, but this may be changed.



When these fields are completed, press **Enter** to see the final screen in the procedure.



Enter 1 against each company you wish to save, up to a total of ten companies. Then press **F8** to update.

Restore Company



3/APU

This procedure enables the data from one or more companies to be restored from off-line storage to the live system. The restore will overwrite the company data existing on the live system, and it is recommended that a security back-up be taken before running this option.



Warning: This procedure will delete data from your system. You are advised to take a security copy prior to running this procedure.



This initial screen allows you to specify where the program should look for the restore programs and files when it performs the restore procedure. However, the default values of *LIBL should suit any normal restore procedure, and changing these should rarely be necessary.

The work library, however, must be specified. This should be the name of a general purpose library which the restore procedure can use to store certain files while the restore is going on. This will commonly be a new library created for the task, which will be deleted when the task is completed.

Once you have pressed **Enter**, the Restore Saved Companies screen will ask you to enter the restore libraries.

PL960CLP	Purchase Ledger Company Utilities	User FFV0	7/08/95
			14:42:07
Restore Saved Companies			
Enter the name of the library containing the saved companies.....			
Enter the name of the library to receive the restored companies... APU			
Enter the name of the work library to be used during restore.....			
Enter the name of the message queue to receive messages..... PET113S1			
and library of this message queue..... *LIBL			
Do you want ALL Companies in the receiving library cleared ? _ 1=Yes			
F3=Exit			
07-70	SF	MW	KS IM II EDN400A PET113S1

Fields:

A/P Files Library

Enter here the name of the library containing the Accounts Payable files.

Library To Be Saved To

Enter here the library to which the selected company is to be restored.

Message Queue

If the restore job were to fail for any reason, a message would be sent to inform you of this fact. This message will be sent to the message queue specified here. The field defaults to the message queue of the person starting the job, but this may be changed.

Message Queue Library

If the save job were to fail for any reason, a message would be sent to inform you of this fact. This message will be sent to the message queue in the library specified here. The field defaults to your library list, but this may be changed.

Clear All Companies

Enter 1 here if you want the restore job to delete all companies in the library specified as the receiving library. If you enter 0 or leave the field blank, the restore will delete only those companies being restored.

Delete Company

1... 4/APU
2...

This procedure allows you to delete companies set up in Accounts Payable.



Warning: Great care is needed while performing this procedure. Beforehand, as well as creating a security copy of the files library, you may wish to archive the data which you intend to delete. This could be achieved by using the Save Company procedure followed by a security backup.



This initial screen allows you to specify where the program should look for the delete programs and files when it performs the delete procedure. However, the default values of *LIBL should suit any normal delete procedure, and changing these should rarely be necessary.

The work library, however, must be specified. This should be the name of a general purpose library which the delete procedure can use to store certain files while the delete is going on. This will commonly be a new library created for the task, which will be deleted when the task is completed.



Once you have specified which libraries to use, press **Enter** and the Delete Companies screen will be displayed, listing all the companies available for deletion.

```
PL920          ACCOUNTS PAYABLE COMPANY UTILITIES  User FFV0      7/08/95
                                                    14:42:38

Delete Companies

  4  Company  Name
  --  ---
  --  A0      Education Company A0
  --  A1      Education Company A1
  --  A2      Education Company A2
  --  A3      Education Company A3
  --  A4      Education Company A4
  --  A5      Education Company A5
  --  A6      Education Company A6
  --  A7      Education Company A7
  --  A8      Education Company A8
  --  A9      Education Company A9
  --  C0      Education Company C0
  --  D0      Education Company D0
  --  D1      Education Company D1
  --  D2      Education Company D2
  --  D3      Education Company D3
  --  D4      Education Company D4
                                     +

4=Delete
F3=Exit
06-04      SF      MW      KS      IM      II  EDN400A  PET113S1
```

Fields:

Deletion Select

For each company that is to be deleted, enter a 4 in the select column.



A list of all the companies in Accounts Payable is displayed. Enter a 4 against each of the companies which you wish to delete. Note that you can only delete up to a maximum of ten companies each time you run this procedure.

When you have selected the company or companies you wish to delete, press **Enter**, and you will see your selection listed.

Press **F11** to confirm your choice, and the deletion will be completed.



Note: The deletion process involves copying the existing files to the work library and dropping off data for the companies no longer required. This process may take a long time and consume a lot of disk space for large databases.

The system will display status messages at the bottom of the screen as the files are being processed. When the deletion is complete it will show you a message stating this.

Maintain Company

1...
2... **5/APU**

This option enables you to copy a single company or a group of companies under a template company.



The initial screen asks you to enter the company codes of the company to be copied from, and the company to be maintained. When you have entered the companies, press **Enter**.

PL881Purchase Ledger Company UtilitiesUser FFV07/08/9514:44:02

Maintain Company

From company . : Z1To company . : E1

Supplier codes. : _

Supplier text : _

Reason codes. : _

Location codes. : _

Speed entry distribution codes. . . : _

Payment threshold : _

F3=ExitF8=ConfirmF12=Previous

11-45SFMMKSIMIIEDN400APET113S1

Fields:

Supplier Codes

1 - Copy all the suppliers from the base company to the maintained company.

Supplier Text

1 - Copy all the supplier text.

Reason Codes

1 - Copy all the reason codes.

Location Codes

1 - Copy all the location codes.

Speed Entry Distribution Codes

1 - Copy all the distribution codes (schedules) from the base company to the maintained company.

Payment Threshold

1 - Copy all the payment threshold details from the base company to the maintained company.



Make your selection and press **F8** to update.

Balances



11/APU

This procedure checks that the balances for the specified supplier are correct. In particular it checks the total outstanding balance for the supplier, as well as the period balances for the periods specified. The checks include both log and ledger balances.



Take the AP utility verification or rebuild option Balances.

Fields:

Verify / Rebuild Supplier Balances

Enter 1 to run the verification program, or 2 to both verify and 'rebuild' or correct imbalances. A normal procedure might be to run the verification program first, then check the outcome and decide on this basis whether to run the rebuild program.

Company Code

Enter here the company code of the supplier to be verified. This defaults to the current company.

Supplier Code

Enter the code of the supplier whose balances are to be verified.

Start Period

Enter the period number at which you want the verification process to start.



When you have made your selection, press **Enter**. If the data you have entered is accepted, the **F8** key will appear, enabling you to confirm your selection.

Rebuild Name Scan Indexes



12/APU

The search facility provided on supplier names by the Accounts Payable application is called the 'name scan'. It works by cross-referencing every separate word in a supplier description when that supplier is entered on the system.

If a supplier is not entered via the Accounts Payable maintenance menu (as may happen if suppliers are downloaded from a different system), then this procedure will update the name scan with all the new data.



Take the Rebuild Name Scan Indexes option from the menu and you will see the selection screen. The company field will default to the current company, but this may be changed.



Press **Enter**, then **F8** to confirm the rebuild.

Reconciliation

1... 13/APU

This batch process is run to check the validation of one or all of the following:

- Balance file totals against the transaction file totals.
- Supplier transaction summaries against the period balances.
- Allocations and discounts taken.
- Accounts payable movements against General Ledger movements.

The option to select validations for a range of customers and session numbers from a selected period. Any errors encountered will be included in an error report when the reconciliation is completed.



Select Reconciliation from the Utilities menu to display the Reconciliation Selection screen.

The reconciliation screen allows you to select the type of validation to be performed.

```

PL891                Z1 - Version 3 Test Financials    User GJBASCR    29/04/97
                                                9:26:28

Reconciliation

Select one or more of the following:

Item to transaction . . . . . 1
Transaction to balance . . . . . 1

Optionally specify supplier range for above:
From . . . . . To . . . . .
And/or from period . . . . . 9604

Allocations . . . . . 1
AP to GL session . . . . . 1

Optionally specify session range for above :
From . . . . . 0 To . . . . . 0

F3=Exit

00-45    SF    MU    KS    IM    II    EDN400A    PET16SS2
  
```

Fields:

Item To Transaction

- 0 - Do not include a transaction check in the validation.
- 1 - If you wish to check the balance file totals against the transaction file totals.

Transaction To Balance

- 0 - Do not include a check of transactions to summary / period balances in the validation.
- 1 - If you wish the validation to check transactions posted against summary and cumulative period balances.

Optionally Specify Supplier Range For Above

From

- Enter the first supplier in the range of suppliers to be selected.
- Leave blank to include all suppliers for the company.

To

- Enter the last supplier in the range of suppliers to be selected.
- Leave Blank and the first supplier selected is entered and the validation is run for one supplier only. If the first supplier was also left blank then all suppliers in the company are selected.

And/Or From Period

Enter a 'start from' period.

Allocations

- 0 - Do not include a check on the integrity of allocations
- 1 - If you wish allocations and also discounts taken to be checked for balance errors.

AP To GL Session

- 0 - Do not check and report errors on matching AP movements to GL movements.
- 1 - If you wish the balances of Accounts Payable postings and GL control account postings to be checked.

Optionally Specify Session Range For Above

From

- Enter the first session number in the range of sessions to be selected.
- Alternatively, leave blank to include all sessions in the period(s).

To

- Enter the last session number in the range of sessions to be selected.
- Leave Blank and the first session number selected is entered and the validation is run for one session only. If the first session is also left blank then all sessions in the period(s) are selected.



Press Enter to validate your screen entries.



When you have pressed **Enter** the **F8=Submit Report** option displays to allow you to begin the batch process.

An error report is produced listing any errors found.

Unprocessed Transactions



14/APU

This batch process should be run as required, either from the utility menu option, or, it may be scheduled to run overnight through Machine Manager.

A listing will be produced of accounts payable transactions, which were posted before the system date, and, have not yet been updated in General Ledger. The listing will include full transaction details in session order.



Warning: It is recommended that this batch submission is run as an overnight job.



Select Unprocessed Transactions from the Verification / Rebuild area of the Accounts Payable Utilities menu to display the batch submission window.



Press **F8=Confirm Submit** to start the batch process.

Rebuild Balance Update Data Queue



15/APU

When a log or a ledger session is confirmed, it is written to a data queue which holds all unprocessed sessions. These sessions are then processed as a batch job. If for any reason the data queue were to become corrupted, the option to rebuild it will cause all unprocessed transactions to be checked, and all sessions with unprocessed transactions to be added to the data queue, where processing will then continue as normal. See the section on start / end balances.



Note: The process will not cause a transaction to be processed twice. If a session holds both a processed and an unprocessed transaction, only the latter will be processed.

The procedure requires no parameters to be specified, so no screen will be displayed.

Verify, Rebuild Log Balances And Delete Redundant Data

Three menu option enable you to select items for verification, rebuild and deletion.

- Verify Log Balances
- Rebuild Log Balances
- Delete Redundant Data

Verify Log Balances



16/APU

This procedure checks that the log balances are correct. Select a company, a range of suppliers and items for balances to be verified.

A report is produced with supplier total base, revalued base, Item balance values and with report total and revalued report total.



Make your selection and press **Enter**. The job is submitted for processing. Press the OK button to return to menu.

Rebuild Log Balances



17/APU

This option will 'rebuild' or correct imbalances. A normal procedure might be to run the verification program first, then check the outcome and decide on this basis whether to run the rebuild program. Reports of record changes are produced.



Make your selection for the rebuild and press **Enter**. Press **F8=Confirm** Rebuild to begin the rebuild job. Press the OK button to return to menu..

Delete Redundant Data



31/APU

This procedure enables you to delete redundant data in order to free storage space on the system. You can also choose to archive (save) it to an off-line medium from which it may be restored, as required, for enquiries and reports (see the section on Historical Data for details).

Before taking this option you must ensure that the Accounts Payable subsystem, PLBACK3, is inactive. Refer to the Start / End Balances Update section for further details on how to do this.



Warning: Before running this procedure, you are strongly advised to make a security copy of the files library.

The initial screen allows you to specify where the program should look for the delete / archive programs and files when it performs the delete or archive procedure. However, the default values of *LIBL should suit any normal delete / archive procedure, and changing these should rarely be necessary.

The work library, however, must be specified. This should be the name of a general purpose library which the delete / archive procedure can use to store certain files while the procedure is going on. This will commonly be a new library created for the task, which will be deleted when the task is completed.



Press **Enter** and the Delete Redundant Data selection screen will ask you which types of data you wish to delete:

PL930	ACCOUNTS PAYABLE UTILITIES	User FFV0	7/08/95
			14:46:57
Delete Redundant Data - Files selection			
Company Number : L			
Which types of data do you wish to delete? Enter 1 to select.			
Ledger Items : -			
Names & Addresses : -			
Company Profile : -			
Names & Addresses Audit . . : -			
Reason Codes Audit : -			
Location Codes Audit . . . : -			
If any audit files have been selected, enter a cut-off date . : _____			
and audit records created on or before this date will be deleted.			
F3=Exit			
05-31	SF	MW	KS IM II EDN400A PET113S1

Fields:

Company Number

Enter the company whose data is to be archived.

Ledger Items

If you want ledger items to be deleted from the selected company, enter a 1 in this field.

Select - Names & Addresses

If supplier names and addresses that are no longer required (flagged as inactive) are to be purged from the selected company, enter a 1 in this field.

Company Profile

To delete the company profile audit file enter 1 in this field. The cut-off date must be specified if audit file data is to be deleted.

Names & Addresses

To delete the supplier names and addresses audit file enter a 1 in this field. The cut-off date must be specified if audit file data is to be deleted.

Payment Details

To delete the payment details file enter a 1 in this field.

Period Calendar

To delete the period calendar audit file enter a 1 in this field. The cut-off date must be specified if audit file data is to be deleted.

Reason Codes

To delete the reason codes audit file enter a 1 in this field. The cut-off date must be specified if audit file data is to be deleted.

Location Codes

To delete the location codes audit file enter a 1 in this field. The cut-off date must be specified if audit file data is to be deleted.

Cut-Off Date

If any audit file data is to be deleted, it is necessary to specify a cut-off date. All audit file data PRIOR to the date entered here will be archived.



Once you have made your selection of data to be deleted, press **Enter** and the screen will be redisplayed showing your options and, depending on your authorisation, asking whether you want to archive the data.



Warning: Archiving is strongly recommended.

If you decide to archive the data, then pressing **F8** will start the job. If you decide not to archive, a further warning will be given, then **F19** will begin the job.

The removal of ledger items is linked to the 'Purge No of Months' and the 'Purge No of Trans' fields in the company profile. The Purge No of Months field specifies how many periods of data should be retained. The 'Purge No of Transactions' field specifies how many transactions should be retained for each supplier. These parameters should be checked prior to running the archive.

The delete redundant data option copies the redundant data into a separate library which can either be left on the computer or backed up to tape and deleted. Historical data enquiries are possible using the Historical Data menu.

Reorganise Files



32/APU

When data is deleted from an application using the maintenance options, the data is marked for deletion in the file, but is not actually deleted from the system. The Reorganise Files option removes such marked records from the files, freeing valuable storage space.



The initial screen allows you to specify where the program should look for the reorganisation programs and files when it performs the reorganisation procedure. However, the default values of *LIBL should suit any normal reorganisation procedure, and changing these should rarely be necessary.



Press **Enter**, and the next screen asks you to confirm your decision to reorganise your files. Press **F8** to confirm, or **F3** to leave the option.

De-allocate Failed Posting Session



33/APU

If a session is reported as having failed to complete, it is important to deal with the failure either immediately or when you run the period close procedures. Session failure may result from an interruption to the power supply, etc., and the de-allocation process will restore the failed session to a state in which it can be completed in the normal way (i.e.: via the Processing menu).

This section shows the de-allocation procedure, and also explains how to re-enter the session to complete it.



Select the De-allocate Failed Posting Session option from the Utilities menu. The following fields will be displayed:

Fields:

Company Number

Enter the company within which the session failed. The company entered must be a company defined to the system.

Session Number

Enter the session number of the failed session.

Completing a failed session



Once you have de-allocated your failed session you may re-enter it via the Log Entry or the Direct Posting options, as appropriate, on the Accounts Payable Processing menu. Taking the option will display the normal posting entry screen.



If you now press **F12**, A screen displays.

This screen allows you to enter the session number of the de-allocated session and to complete the session as desired. Note that this option will not recover all failed session types, for example payment runs. In these instances it is advisable to contact your software supplier.

Re-run Cheques

1...
2...

34/APU

This procedure enables you to rerun the cheque printing process for all cheques without allocated cheque numbers on a selected bank account. The procedure might be used if cheques in the original run were damaged during printing, etc.



Take the Re-run Cheques option from the Utilities menu, and enter the company you want to process. Press **Enter** to display the second screen, which asks you to enter the relevant bank account number.



Press **Enter** and a list of unallocated cheques to be reprinted will be displayed on the Reprint Cheques screen.

PL990		Purchase Ledger Company Utilities		User FFV0	7/08/95
					14:49:56
Re-print Cheques					
Bank Account 512100		GB Pound Bank Account,			
Payment					
Reference	Payee Name	Payment Amount	Cur. Code	Re-print (1=Yes)	
20000017	Premier Food and Drug Supplies	9103.61	GBP	1	
20000018	Coles Commercial Chemicals Ltd	8194.83	GBP	1	
20000021	Mid South Electricity Board	9003.40	FRF	1	
20000022	Summit Drug Supplies Ltd	9417.70	FRF	1	
20000023	Mid South Electricity Board	3837.54	GBP	1	
20000025	Summit Drug Supplies Ltd	2971.87	GBP	1	
20000026	Coles Commercial Chemicals Ltd	5578.90	USD	1	
20000032	Premier Food and Drug Supplies	23.50	GBP	1	
20000096	Premier Food and Drug Supplies	3439.48	GBP	1	
20000097	Coles Commercial Chemicals Ltd	8129.17	GBP	1	
20000098	Mid South Electricity Board	1337.28	GBP	1	
20000100	Summit Drug Supplies Ltd	22912.50	GBP	1	
F8=Accept cheques for printing F12=Previous					
07-77	SF	MW	KS	IM	II EDN400A PET113S1



Select the cheques to reprint by entering 1 in the select field, and then press **F8**. All your selected cheques will be marked for reprinting, and a report will be produced listing the cheques you have selected.

To produce the reprint, take the usual cheque printing option for your system - this will mean either taking the Payments and Remittances option from the relevant option in Cash Management (see the Cash Management product information).

Printed cheques go to the print queue with a status of 'saved'. This means that if the original print is damaged the saved print can be released and printed again. This option should only be used if the saved print has been removed from the output queue.

Start / End Balances Update



35/APU

Accounts Payable transactions are written to a file known as a data queue. (PL_BALUPDS) normally within the Accounts Payable program library. These transactions are then processed by a background program which runs within a separate sub system normally called PLBACK3

If the subsystem is inactive, balances are not updated, but queue up until the subsystem is activated.

This procedure enables you to activate and deactivate the Accounts Payable subsystem. This will often be done automatically as part of the day start and day end routines within Machine manager.



Take the Start / End Balances Update option from the Utilities menu, and the following fields will be displayed:

Fields:

Messages Sent To User

Enter here the user I.D. of the user to whom any sub-system messages are to be sent. It is a good idea to send the messages to your system operator rather than the default QPGMR.

Job Description User

Enter here the user I.D. of the user to whom any sub-system reports are to be sent. . It is a good idea to send the messages to your system operator rather than the default QPGMR.



The update screen shows that the subsystem is currently inactive. To activate it, press **F10**, then **F8** to confirm.



If the screen you see shows that the subsystem is active, and you wish to deactivate it, press **F11**, then **F8** to confirm.



*Note: You can also see the subsystem details by pressing **F18**.*