

-
-
-
-
-

Chapter 6

Utilities



Introduction To World Trade Utilities

World Trade Utilities help with set-up, housekeeping and database integrity. Many of these procedures require exclusive use of the company or sometimes the entire application to run. It is strongly recommended to restrict the authority to run these procedures to a small number of people (two to three) who have responsibility for the entire system.

An error message is returned if access to a procedure is denied. An explanation for the denial will also be given. A common reason for denial is caused by jobs which are finished but not deallocated.

The most likely causes of this situation would be the cancellation of jobs whilst active or on the job queue, or a system crash having occurred. This can be corrected using the option Verify Allocated Files within Application Manager Utilities.

Company Profile

1... **1/WTU** **2...**

Use this option to create a world trade company profile, that defines the default information for the operation of World Trade.

You need to create a World Trade company for each Inventory Management company that requires either EC Reporting or Export Documentation.

The company code must be the same as the Inventory Management company code.

Company Profile Maintenance Selection Screen



To display this screen, select the Company Profile option.

Use this screen to select which company profile you want to maintain.

WT004	User SP1	22/09/94
		11:59:46
Company Profile Maintenance		
Select	Company	
1	Z1	Demonstration Company
Company		
1=Select		
F3=Exit		

Fields:

Select

Enter 1 alongside the company you want to maintain.

Company

Enter the inventory company code for which you want to create a World Trade company.



Select the company you want to maintain to display the World Trade Company Maintenance Screen.

World Trade Company Maintenance Screen



To display this screen, select a company on the Company Profile Maintenance Selection Screen.

Use this screen to enter the details for the selected World Trade company.

WT005		W2 World trade test		User GBUBAIMS		16/10/97	
						10:45:38	
World Trade Company Maintenance							
Use EC VAT calculations.....				1 (0/1)			
Collect acquisition data.....				1 (0/1)			
Default acquisition terms...?				CIF			
Default port of arrival.....?				CIF			
Default mode of transport...?				3			
Use UK nature of transaction...?				0 (0/1)			
Default country code.....?				15			
Collect disposal data.....				1 (0/1)			
Default disposal terms...?				CIF			
Default port of despatch...?				1 (0/1)			
Non-UK reporting				1 (0/1)			
Display only EC countries...?				1 (0/1)			
Tax point day				15			
Current UN invoice no prefix ..				A			
From UN invoice no prefix				A			
Last used UN invoice number				1			
Suspense account				340005			
Despatch shipment creation.....				1			
				1=No shipments, 2=Export outside EC, 3=All exports, 4=All despatches			
Shipment invoice pricing.....				0			
				0=Supply order price, 1=Demand order price			
SPEX version installed.....?				00			
				World Trade SPEX			
F3=Exit		F4=Prompt		F12=Previous			
5-34		SA		MW		K5 CL IM DM II	
STUD140		KB		PKH31251			

Fields:

Use EC VAT Calculations

Enter one of the following:

0 - To use the standard Sales Order Processing calculations to determine the VAT.

1 - To use the World Trade VAT calculations. These calculations determine the VAT code by comparing To and From countries for each invoice line. They use the VAT Code Determination routines to calculate VAT within the EC.

Collect Acquisition Data

Enter one of the following:

0 - If you do not want to collect acquisition data for this company.

1 - To collect data for the inward Intrastat report through the standard interfacing routines.

Collect Disposal Data

Enter one of the following:

0 - If you do not want to collect disposal data for this company.

1 - To collect data for the outward Intrastat and ESL reports through the standard interfacing routines.



Note: If you set these three flags to 1, you effectively activate World Trade.

Default Acquisition Terms

Enter the terms of delivery to use for acquisitions on the Intrastat. You can override these at the supplier or order level.

Default Disposal Terms

Enter the terms of delivery to use for disposals on the Intrastat. You can override these at the customer or order level.

Default Port Of Arrival

Enter the port of arrival to use for acquisitions on the Intrastat. You can override these at the supplier or order level.

Default Port Of Despatch

Enter the port of despatch to use for disposals on the Intrastat. You can override these at the customer or order level.

Default Mode Of Transport

Enter the default mode of transport to use in the Goods Inwards process.

Non-UK Reporting

Enter one of the following:

0 - Not to not allow users to enter the maintenance information required for ESL and Intrastat production.

1 - To display the extra fields so users can run Intrastat and ESL reporting for other EC countries.

Use UK Nature Of Transaction

Enter one of the following:

0 - Not to print a nature of transaction code on Intrastat reports.

1 - To print 2-digit nature of transaction codes on the Intrastat report.



Tip: This generates a UK format for reporting. Use this for any company reporting in the UK format.

Display Only EC Countries

Enter one of the following:

0 - To display by default all countries when you enter item and country VAT codes.

1 - To display by default only EC countries when you enter item and country VAT codes.

Default Country Code

Enter the default country for all stockrooms, customers, delivery addresses, suppliers and despatch addresses. You can override this with the World Trade extension record for each.

Tax Point Date

Enter the day of the month following acquisition to use as the tax point if you do not receive an invoice for a particular movement. The tax point date is the date from which VAT is accrued.

Current UN Invoice Number Prefix

Display only. This is the letter prefixing the invoice numbers.

General Ledger Company

Display only. This is the GL company to which World Trade interfaces, to fulfil the tax postings.

From UN Invoice Number Prefix/To UN Invoice Number Prefix

Enter the range of letters to prefix UN aligned invoice numbers.

For example: If you set From to A, To to G. The first invoice number is A000001, the second A000002, and so on up to A999999. The next invoice number is B000001. The last invoice number is G999999.

Last Used UN Invoice Number

Enter the last used UN aligned invoice number.

Next Document Reference

Enter the next document reference to use when posting VAT from World Trade into the General Ledger.

Suspense Account

Enter the General Ledger account to use to balance the journal, if VAT must be posted for EC supplies in the accruals process.

If you have allocated extension codes to this account in the General Ledger Chart of Account Setup, you must select a code from the displayed extension code window. Extension codes are for analysis and enquiry purposes.

Despatch Shipment Creation

Use this flag to specify whether to create a shipment for a particular despatch. If a shipment is created, Sales Order Processing does not print an invoice but World Trade produces a UN aligned invoice in the Export Documentation set.

Enter one of the following:

- 1 - No shipments. Not to create a shipment for a despatch.
- 2 - Export outside EC. To create a shipment if the acquiring and disposing countries are different, and at least one of them is not in the EC.
- 3 - All Exports. To create a shipment if the acquiring and disposing countries are different.
- 4 - All Despatches. To create a shipment for every despatch.



Note: If you set this flag to 2,3 or 4 you may stop some or all invoicing through Sales Order Processing. There may be no updates to Sales Ledger, Advanced Financial Integrator and

General Ledger and no invoices produced.

SPEX Version Installed

Enter one of the following:

00 - If you do not have SPEX installed. This is the default.

01 - If you are running a version of SPEX that supports documentation prior to despatch (for example, SPEX V3.00). A screen displays so you can enter parameters specific to the later SPEX version.

02 - If SPEX for Windows is installed.



Press **Enter** to check you have completed all necessary fields. Then press **Enter** again.

If the GL Suspense Account has extension codes, the Select Suspense Account Extension Code Window is displayed.

If you set the SPEX Version Installed field to 01, the SPEX Details Windows is displayed.

Otherwise, this saves all the details and displays the Company Profile Maintenance Selection Screen.

Select Suspense Account Extension Code Window



This window displays automatically when you select a GL Expense account with extension codes and press **Enter** twice on the World Trade Company Maintenance Screen.

Use this screen to select the extension code for the account.

WT005	UK Demonstration Company	User GBJBANB4	7/04/98 09:45:29
World Trade Company Maintenance			
Use EC VAT calculations..... 1 (0/1)			
Collect acquisition data..... 1 (0/1)	Collect disposal data..... 1 (0/1)		
Default acquisition terms...?.. <u>CIF</u>	Default disposal terms...?.. <u>FOB</u>		
Default port of arrival.....?..	Default port of despatch...?..		
Default mode of transport...?..	Select Suspense Account Extension Code Ledger..... VAT Fiscal Account..... 445790 Corporate.....? <u>04096</u> F4=Prompt F12=Previous		
Use UK nature of transaction...			
Default country code.....?..			
Current UN invoice no prefix ..			
From UN invoice no prefix			
Last used UN invoice number ...			
Suspense account			
Despatch shipment creation.....			
Shipment invoice pricing..... 0	0=Supply order price, 1=Demand order price		
SPEX version installed.....?.. <u>02</u>	SPEX for Windows		
F3=Exit	F4=Prompt	F12=Previous	

Fields:

Corporate

Select the required code.



Press **Enter** to save all the company profile details and return to the Company Profile Maintenance Selection Screen.

SPEX Details Window



This window displays automatically if you set the SPEX Version Installed field to 01.

Use this screen to enter the details required by the later versions of SPEX.

WT005	Neil Radford and Co. Ltd	User GBJBA1MS	28/06/96 14:50:01
World Trade Company Maintenance			
Use EC VAT calculations..... 1 (0/1)			
SPEX Details			
C	SPEX/400 EU		
D	Scheduling Shipment Prefix.. D		
D	Transaction Date Policy...?. 01 Normal date processing		
U	Pre-Despatch Shipments..... 1 1=No shipment to be created		
D	2=Create shipments on export outside EC		
C	3=Create shipments (export/intra EC)		
F	4=Create shipments for all despatches		
L	Activate Control and Audit.. 0 (0/1)		
S	F4=Prompt F8=Update F12=Previous		
D	SPEX version installed.....?.. 01 SPEX/400 EU		
F3=Exit F4=Prompt F12=Previous			
09-35 SA MW KS IM II KENB20A PET087S1			

Fields:

Scheduling Shipment Prefix

This field only displays if you have Vendor Scheduling installed.

Enter the letter to prefix the consignment note number for Prior to Despatch Shipments based on consignments. This distinguishes these invoices from the normal Post Despatch shipment references.



Warning: You cannot change this field once you have saved this information.

Transaction Date Policy

Enter the policy to define the default dates within SPEX and System 21 when the Control and Audit flag is set to 1. Enter one of the following:

01 - Current, you cannot override the document dates in SPEX, and the system is unchanged.

02 - Previous, wherever a document date displays, it defaults to the date of the previous step. You can, therefore, prepare documentation in advance. For example, you can produce shipping documentation on Friday evening for despatch on Monday. Confirm Despatch would default to Monday's date.



Note: Only change the policy from 01 to 02 when you have processed all shipments within the SPEX interface file on completion. You can

change from 02 to 01 at any time.

Pre-Despatch Shipment Flag

Enter when to create prior to despatch shipments on SPEX, using one of the following:

- 1 - No shipments to be created. To create no shipment.
- 2 - Create shipment on export outside EC. To only create a shipment if the acquiring and disposing countries are different, and at least one of them is not in the EC.
- 3 - Create shipments (export/intra EC). To only create a shipment if the acquiring and disposing countries are different.
- 4 - Create shipments for all despatches. To create a shipment for every despatch.



Note: This flag is totally independent of the Despatch Shipment Creation flag on the World Trade Company Maintenance Screen.



Note: You can also modify the function on the SPEX company profile, you can specify any combination of Whole, Part, Pick and Consignment shipments.

Activate Control And Audit

Enter one of the following:

- 0 - Not to record status information for processed shipments.
- 1 - To record status information for shipments processed through SPEX and System 21. This function can:
 - Provide warning messages in confirm despatch.
 - Store overridden dates in SPEX, and usage as defaults in System 21.
 - Run an enhanced shipment query within SPEX.
 - Record audit information.



Note: You can switch the flag on or off at any time. However note, if you switch the flag on, then off, then on again, the shipments processed when the flag was switched off are at a different status to those recorded in the shipment control information. This could result in inappropriate warning messages.

This problem does not exist when all shipments processed during the time that the flag is switched off are processed through confirm despatch.



Select **F8=Update** to save the information.

Invoice Transfer



10/WTU, 11/WTU

This is a sleeper program which generates records from invoices.

Starting The Invoice Transfer



Note: Only select this option after starting the World Trade subsystem, see Create World Trade Subsystem.



To start the batch job, select Invoice Transfer (Submit). Then select **F8=Submit**.

You can run this function as an automated start day procedure in batch mode.

Ending The Invoice Transfer



To end the batch job, select Invoice Transfer (Terminate). Then select **F8=Submit**.

You can run this function as an automated end day procedure in batch mode.

Pre Despatch Transfer

1...
2...

14/WTU, 15/WTU

This is a sleeper program which generates shipment records from orders or pick notes.

The shipments created from the order bank before despatch can be based on whole orders, part orders, or pick notes.

Once shipments have been created then any further activity must also be mirrored to the shipment. For example, when a shipment is created based on a pick note, if the pick note is subsequently cancelled this should be reflected in the shipment file.

Starting the Pre Despatch Transfer



Select Pre-Despatch Transfer (Submit), then select **F8=Submit** to submit the job.

Ending the Pre Despatch Transfer



Select Pre-Despatch Transfer (Terminate). Then select **F8=End** to stop the job.

SPEX For Windows Transfer



16/WTU, 17/WTU

This batch job transforms the SPEX data into the new format for the SPEX for Windows interface.

Starting the SPEX For Windows Transfer



Select SPEX For Windows Transfer (Submit), then select **F8=Submit** to submit the job.

Ending the SPEX For Windows Transfer



Select SPEX For Windows Transfer (End). Then select **F8=End** to stop the job.

Deallocate A Failed WT Session

1... 20/WTU **2...**

If the system fails when running VAT accruals posting, use this option to reverse or deallocate the accrual and tax postings. This returns the system to its state before the posting option was selected.

After the postings have been deallocated, you must process the postings again.

You must know the World Trade session number and the World Trade company of the failed session. You can find these through an enquiry in General Ledger - Session/transaction. Prompt on the Session field in the criteria specification screen to display a list of the GL sessions. On the right hand side of this list is a reference to the source application and company which created the GL session. A source system session number is assigned from GL as a cross-reference to the GL session. A source system session number against application WT is therefore a World Trade session number. This is the number needed to specify the session to be deallocated.

Deallocate Failed Session Screen



To display this screen, select Deallocate A Failed WT Session.

Use this screen to select the company and session being used at the point of failure.

WT940	Z1 - Demonstration Company	User SP1	23/09/94 11:55:40
Deallocate Failed Sessions			
World trade company <u>Z1</u>			
WT Session number <u>127</u>			
F3=Exit F8=Submit			

Fields:

World Trade Company

Enter the World Trade company in use during the failed session.

Wt Session Number

Enter the World Trade session number of the failed session.



Press **Enter** to check the company and session number and status of the named session. This makes sure that a successful accruals and tax posting session is not reversed. Then select **F8=Submit** to submit the report.

Archive Sales Order Overrides



21/WTU

This archives all sales order override details, for orders that have already been archived in Sales Order Processing, from the live data file.

Technical Note

This archive routine updates the World Trade Sales Order Override History data file - WTP85H - within World Trade.



Select Archive Sales Order Overrides. Then select **F8=Submit** to submit the batch job.

Archive Purchase Order Overrides



22/WTU

This archives all purchase order override details, for orders that have already been archived in Purchase Management, from the live data file.

Technical Note

This archive routine updates the World Trade Purchase Order Override History data file - WTP80H - within World Trade.



Select Archive Purchase Order Overrides. Then select **F8=Submit** to submit the batch job.

Archive World Trade Movements



23/WTU

Use this option to archive EC movements from the live data file. Only movements for which all processing has been completed in both World Trade and the source application are archived.

Technical Note

This archive routine updates the World Trade Movement History data file - WTP90H - within World Trade.

Archive World Trade Movements Screen



To display this screen, select Archive World Trade Movements.

This archives EC movements on or before a specified taxpoint date and all charge movements on or before another specified taxpoint date. Any purchase or sales order override details associated with the movement will also be archived.



Note: These dates do not need to be the same.

WT930	W2 - W2 World trade test	User GBJBA1MS	3/11/97 10:05:08
Archive World Trade Movements			
Archive movements with taxpoint on or before. .		<u>01/03/96</u>	
Archive all charge movements with taxpoint on or before		<u>00/00/00</u>	
F3=Exit			
5-51	SA	MW	K5 CL IM DM II STUD140 KB PKH31251

Fields:

Archive Movements With Taxpoint On Or Before

Enter the required taxpoint date for movements.

Archive All Charge Movements With Taxpoint On Or Before

Enter the required taxpoint date for charge movements.



Note: You do not need to enter both dates.



Press **Enter** to validate the taxpoint date(s).
Then select **F8=Submit** to submit the report.

Archive Shipments



24/WTU

Use this option to archive export shipments from the live data file to the associated historical data file.



Note: Only shipments for which all processing has been completed will be archived.

Technical Note

This archive routine updates the World Trade Shipment History data file - WTP74H - within World Trade.

Request Shipment Deletion Screen



To display this screen, select Archive Shipment.

Use this screen to restrict the archive to shipments completed before the date entered on this screen.

WT650	Z1 - Demonstration Company	User SP1	23/09/94 11:57:57
Request Shipment Deletion			
Archive shipments completed before.. <u>31/12/93</u>			
F3=Exit F11=Confirm Deletion			

Fields:

Archive Shipments Completed Before

Enter the date before which you want to archive shipments.



Select **F11=Confirm Deletion** to validate the date entered, and submit the job to.

Archive Shipment Control File

Use this option to archive the shipment control file from the live data file to the associated historical data file.



Note: Only shipments for which all processing has been completed will be archived.

Shipment Control File Archive Screen



To display this screen, select Archive Shipment.

Use this screen to restrict the archive to shipments files completed before the date entered on this screen.

WT896	Z1 - GB Demonstration Company	User GBJBA1MS	8/04/98
Shipment Control File Archive			16:50:59
Archive shipments completed on or before..... <u>0/00/00</u>			
F3=Exit			
MA	a	MW	07/051

Fields:

Archive Shipments Completed On Or Before

Enter the date before which you want to archive shipment files.



Select **F11=Confirm Deletion** to validate the date entered, and submit the job to.

Flag Invoices as Domestic



30/WTU

This option makes sure that no shipments are created for despatches that have already been processed. This option focuses on the invoice headers.



Note: Only run this procedure as part of the installation.

Change Status Flag Invoice Header Window



To display this screen, select Flag Invoices As Domestic.

Use this screen to restrict the job to start flagging invoices from a specified date. The screen shows a counter of the number of records that have been updated.

WTU		NR - Neil Radford and Co. Ltd		User GBJBA1MS		17/07/96	
						16:16:24	
World Trade Utility Menu							
Maintenance				Archive/Deallocation			
1. Company profile				20. Deallocate a failed WT session			
Invoice Tra				21. Archive sales order overrides			
10. Invoice				purchase order overrides			
11. Invoice				world trade movements			
Pre-Despatc				shipments			
				shipment control file			
14. Pre-Despatch transfer (submit)				30. Flag invoices as domestic			
15. Pre-Despatch transfer (terminate)				31. Flag invoices as movements create			
90. Signoff				32. Create world trade subsystem-			
				33. Flag charges as movements created			
Option 30							
Search							
F3=Exit F4=Prompt F6=Messages F12=Previous F16=Change company F18=Prints							
11-42 82 MW KS IM II KENB20A PET007S1							

Fields:

Date

Enter the despatch date before which despatches are processed by this job.



Press **Enter** to validate the date and start an interactive update of the invoices.

Flag Invoices as Movements Created



31/WTU

This option makes sure that no EC movements are created for despatches that have already been processed. This option focuses on the individual invoice lines.



Note: Only run this procedure as part of the installation.

Change Status Flag Invoice Lines Window

To display this screen, select Flag Invoices As Movements Created.

Use this screen to restrict the job to start flagging invoices from a specified date. The screen shows a counter of the number of records that have been updated.

WTU		NR - Neil Radford and Co. Ltd		User GBJBA1MS		17/07/96	
						16:17:27	
World Trade Utility Menu							
Maintenance				Archive/Deallocation			
1. Company profile				20. Deallocate a failed WT session			
Invoice Tra				21. Archive sales order overrides			
10. Invoice				purchase order overrides			
11. Invoice				world trade movements			
Pre-Despatc				shipments			
				shipment control file			
				F12=Previous			
14. Pre-Despatch transfer (submit)				30. Flag invoices as domestic			
15. Pre-Despatch transfer (terminate)				31. Flag invoices as movements create			
90. Signoff				32. Create world trade subsystem-			
				33. Flag charges as movements created			
Option 31							
Search							
F3=Exit F4=Prompt F6=Messages F12=Previous F16=Change company F18=Prints							
11-42 82 MW KS IM II KENB20A PET007S1							

Fields:

Date

Enter the despatch date before which all despatches are processed by this job.



Press **Enter** to validate the date entered and start an interactive update of the invoices.

Create World Trade Subsystem



32/WTU

This subsystem should already be created when the software is shipped. If, however, this is not the case, an error message displays during installation. If this happens, you can create the subsystem using this option.

The subsystem created is named WTBACK3.

The subsystem must be started at installation regardless of its method of creation. To do this enter the command:

STRSBS WTBACK3.



To create the subsystem, select Create World Trade Subsystem, then select **F8=Confirm Submit**.

Flag Charges As Movements Created



33/WTU

This option makes sure that no charge movements are created for despatches that have already been processed.



Note: Only run this procedure as part of the installation.

Change Status Flag Charges Window



To display this screen, select Flag Charges As Movement Created.

Use this to flag as processed an invoice on or before an input date.

The screen shows a counter of the number of records that have been updated. This option focuses on the individual invoice lines relating to charges.

WTU	NR - Neil Radford and Co. Ltd	User GBJBA1MS	17/07/96 16:18:16
World Trade Utility Menu			
Maintenance	Archive/Deallocation		
1. Company profile	20. Deallocate a failed WT session		
Invoice Tra	21. Archive sales order overrides	purchase order overrides	
10. Invoice		world trade movements	
11. Invoice		shipments	
Pre-Despato		shipment control file	
Change status flag - charges			
Date..... 0/00/00			
No. records updated ...			
F12=Previous			
14. Pre-Despatch transfer (submit)	30. Flag invoices as domestic		
15. Pre-Despatch transfer (terminate)	31. Flag invoices as movements create		
90. Signoff	32. Create world trade subsystem-		
	33. Flag charges as movements created		
Option 33			
Search			
F3=Exit F4=Prompt F6=Messages F12=Previous F16=Change company F18=Prints			
11-42 86 MW KS IM II KENB20A PET087S1			

Fields:

Date

Enter the despatch date to process.



Press **Enter** to validate the date and start an interactive update of the invoices.