

-
-
-
-
-

Chapter 2

Processing



Advanced Customer Receiving Processing

Schedule Types

Throughout this document the word schedule is often used to mean either a Release, a Daily Call In (DCI), or a Receipt Advice Note (RAN).

- A release is a medium to long term requirement that can be used for delivery and/or planning purposes as defined on the contract. The customer may be committed to the earlier part of the release, and supply forecast data in the later part for production planning purposes.
- A DCI is a short term delivery requirement to which the customer is committed.
- RANs are the method employed for example by Nissan Motor Manufacturing (UK) Ltd, of notifying short term delivery requirement. A RAN is a firm order, with a unique reference that must be quoted on the delivery documentation. RANs do not replace previous RANs but are additive. RANs are essentially different from DCIs and releases, and so most RAN processing is totally different to that for Releases and DCIs. No reconciliation or comparison is possible for a RAN.

The Role Of Schedule Manipulation In Advanced Customer Scheduling

Throughout the customer scheduling acceptance cycle it is possible that manual intervention is required. This can be for error correction, for entering of a new requirement, amending an existing requirement, or manual authorisation.


Process New Schedules

1... **2...** 1/ACP

This section deals with releases / DCIs that have been received via EDI all of which require some form of manual intervention before they can continue towards becoming 'Current'.

There are 3 possible reasons why manual intervention might be required. These are:-

- Schedules have a validation error. (They contained sufficient data to be mapped from the Application Interface files, but one or more key data elements is missing or not recognised).
- The Schedules have been held due to one or more comparison errors with a severity code greater than or equal to 4. These must be manually approved.
- The EDI update flag for the contract was set to a 2 or a 3 which means that the Schedule can only move towards becoming 'current' following manual approval.



Process New Schedules Screen 1

This screen allows you to enter selection criteria to allow the generation of a list of schedules by customer. This list will give an overview of the schedules and type for end customers requiring processing.



Select Process New Schedules from the menu to display the first Process New Schedules screen.

AC410 Z1 - Demonstration Company User QPGMR 29/01/96 10:56:31

Process New Schedules

	From	To
Customer.....?..		
Sales administrator code...?..		
Item number.....?..		

F3=Exit F4=Prompt

07-52 SP MK KS IM II KENB20A PET087S1

Fields:

Customer

Enter a customer code or ? to display a Customer Scan Window. An incomplete customer name or number can be entered to search for a customer. This window will only present customers that are registered with the Advanced Customer Scheduling/Advanced Customer Shipping products.

Sales Administration Code

Optionally enter the sales administration code range you want. If an entry is not made, the 'From' field will default to 'First', and the 'To' field will default to 'Last'.

Item

Enter an item code or ? to display an Item Scan Window. An incomplete item name or number can be entered to search for an item. This window will only present items that are registered with the Advanced Customer Scheduling/Advanced Customer Shipping products.



Press **Enter** to display the second Process New Schedules screen.

Process New Schedules Screen 1 - Customer Scan Window



Enter ? from the Process New Schedules to display a Customer Scan Window

AC410	Z1 - GB Demonstration Company	User GBJBANB1	27/05/98 09:23:59
-------	-------------------------------	---------------	----------------------

Process New Schedules

From _____ To _____

Customer.....?.. ?
Sales administrator code..?
Item number.....?

Customer Scan

Customer Number..... _____
Customer Name..... _____
Customer Address Line 1..... _____
Customer Address Line 2..... _____
F12=Previous

F3=Exit F4=Prompt

MA b 09/063

Fields:

Customer Search Fields

A partial customer name or number can be entered to search for a customer. This window will only present customers that are registered with the Advanced Customer Scheduling/Advanced Customer Shipping products.

Further entries will narrow down the list of customers on the panel. If more than one customer is found, those matching customers will be listed on a Customer Selection Panel. However, if only one customer is found, the matched customer number will be passed back to the calling program automatically.



Select a Customer to revert back to the Process New Schedules Window

Process New Schedules Screen 1 - Item Scan Window



Select ? from the Process New Schedules Item field to display an Item Scan Window

AC410 Z1 - GB Demonstration Company User GBJBANB1 27/05/98 09:47:09

Process New Schedules

From To

Customer.....?.. _____

Sales administrator code..?.. _____

Item number.....

Item Scan

Item Number..... _____

Item Description..... _____

Customer Item Description..... _____

F12=Previous

F3=Exit F4=Prompt

MA b 10/056

Fields:

Item Search Fields

An incomplete item name or number can be entered to search for an item. This window will only present items that are registered with the Advanced Customer Scheduling/Advanced Customer Shipping products.

Further entries will narrow down the list of items on the panel. If more than one item is found, those matching items will be listed on the Item Selection Panel. However, if only one item is found, the matched item number will be passed back to the calling program automatically.



Select a Customer to revert back to the Process New Schedules Screen 1

Process New Schedules Screen 2

This screen shows a summary of errors by customer.

The text Release, DCI and RAN are retrieved from the inventory description file to allow user configuration.

The count fields will allow 9999 schedules to be handled. If this figure is exceeded then '****' will be displayed instead.



Press **Enter** from the first Process New Schedules screen to display the second Process New Schedules screen.

AC412

Distribution V3 -> V3 Financials

User GBJBAPH2

16/02/96

9:40:21

Process New Schedules

(FV=Failed validation, FC=Failed comparison)

(FA=Failed acceptance, PR=Pending review)

Customer	Name	Release				DCI/RAN			
		FV	FC	FA	PR	FV	FC	FA	PR
■ NH001	000 Northern Motor Spares				1				
- PRH	000 Philenco Motor Rewinds				1				
- SUITULIK	000 Suits U Like			1					
- SUITULIK	001 JBA Redditch								1
- ZSJ1	000 Steve Johns			1			1		

1=Review all 2=Review Release 3=Review DCI/RAN 6=Process

F3=Exit F5=Refresh F12=Previous F17=Process all

09-02

SP

MW

KS

IM

II

KENB20A

PET007S1

Fields:

Select

Enter one of the following in the selection field:

- 1 - 'Review All' - Selects all schedules for the specified customer and displays the New Schedule Details Screen.
- 2 - 'Review Releases' - Selects all releases for the specified customer and displays the New Schedule Details Screen.
- 3 - 'Review DCI / RANs' - Selects all DCI / RAN type schedules for the specified customer and displays the New Schedule Details Screen.
- 6 - 'Process' - Accepts all the new schedules for this customer that are at status PR. This is regardless of whether or not they are pending review prior to the comparison or acceptance process.

Functions:

F17

Has the same effect as putting a 6 against all customers on the display. This key is only allowed if at least one of the customers on the display has at least one schedule at status 'Pending Review'.



Select the action code and press **Enter** to progress the Process New Schedules screen.

Process New Schedules Screen 3

This screen allows you to select a particular schedule to amend and subsequently process.



Press **Enter** from the second Process New Schedules screen to display the third Process New Schedules screen.

AC414	Distribution V3 -> V3 Financials	User GBJBAPH2	19/02/96 11:06:39
Process New Schedules			
Customer... PRH 000 Philenco Motor Rewinds Plc			
Item	Contract	Type	Status
■ APA-1	FR00010	Release	Pending Review
2=Amend 6=Process			
F3=Exit F5=Refresh F12=Previous F15=Restart F16=Summary/Detail			
F17=Process all			
00-02	SE	MW	KS IM II KENB20A PET087S1

Fields:

Select

Enter one of the following:

2 - 'Amend' - Allows you to maintain the selected schedule. The system will display the Schedule Header Maintenance Screen if the status is FV, otherwise the Schedule Details Maintenance Screen if the status is FC, FA, or PR.

6 - 'Accepts' - Accepts the new schedule to be processed by the validation, comparison, or acceptance sleeper job as appropriate. This option is only valid for schedules that are pending review.



The customer name and address are displayed at the top of the screen. The following fields are displayed for selected schedules:

Item Code.

Contract Number.

Schedule Type.

Status.



Select option 6 to accept the schedule.

Functions:

F15

Restart - returns to the original selection screen.

F16

Summary / Detail. Initially this will display the Item Description and Sales Administrator Code details. If **F16** is pressed again these fields will be removed from the display.



Note: Record locking checks will be performed at this point. If a locked contract is encountered while processing multiple options an error message will be issued. The schedule that caused the error will be highlighted on the display.

Process New Schedules Schedule Acceptance Window (Option 6)

-  Select option 6 from the third Process New Schedules screen to display the Schedule Acceptance window.

```

AC414          Distribution V3 -> V3 Financials    User GBJBAPH2    19/02/96
                                                    10:59:20

Process New Schedules

Customer... PRH      000 Philenco Motor Rewinds Plc

  Item      Contract  Type      Status
Schedule Acceptance
  You have elected to accept this Release
  The current status is Pending Review
  On acceptance submit to... 2 (1=Validation, 2=Comparison, 3=Acceptance)
F10=Accept  F12=Previous

2=Amend  6=Process
F3=Exit  F5=Refresh  F12=Previous  F15=Restart  F16=Summary/Detail
F17=Process all
          14-31      SF      MW      KS      IM      II  KENB20A  PET007S1
  
```

Fields:

On Acceptance Submit To

Enter one of the following:

- 1 - Validation.
- 2 - Comparison.
- 3 - Acceptance.



Note: If a user selects option number 2, common schedule maintenance is initiated as appropriate. The processing of the various screens is the same from here onwards as the stand-alone schedule maintenance options.



Press **F10=Accept** to accept this schedule.


Process EDI Transactions

1... **2/ACP**

Schedules transmitted via EDI which have been rejected by the EDI sleeper job can be viewed with all associated exception messages. Typically a schedule will be rejected for one of the following reasons:-

- Because a match cannot be made automatically with an existing contract and manual intervention is required. You can manually enter a contract number on the screen to complete a match and then pass the release to the EDI sleeper job to create the new release details. This is referred to as 'Unable to match to an active contract'.
- Because the EDI update flag for the contract is set to a 1, which means that data is only processed as far as the Application Interface files and must then be manually approved before passing to the 'new' Customer Scheduling files. It is anticipated that the use of update code 1 will be primarily for testing a new EDI trading partner. This is referred to as 'Pending Review'.
- Because the information received is identical to a previous schedule. This is referred to as 'Duplicate'. You will usually delete the duplicate schedule from the EDI files.
- Because of a variety of other errors. These will only occur relatively rarely, and as such will be grouped together under the catch-all heading 'Other'.

This facility allows you to take action to correct any of the above errors.



Review Invalid Schedules From EDI Screen 1

This screen presents you with a list of schedules that have been received by EDI, but cannot be processed further because of errors detected by the EDI validation process.



Select Process EDI Error Transactions from the menu to display the first Review Invalid Schedules from EDI screen.

```
AC420          Distribution V3 -> V3 Financials    User GBJBAPH2    16/02/96
                                                    9:46:38
Review Invalid Schedules from EDI

Customer                      Contract Pending Duplicate Other
Match Review Schedule Error
■ NH001    000 Northern Motor Spares Limited    183      0      0      0

1=Select
F3=Exit  F5=Refresh

07-02    S4    MW    KS    IM    II    KENB20A    PET007S1

Bottom
```

Fields:

Select

Enter 1 to select a line.



Press **Enter** to continue.

Review Invalid Schedules From EDI Screen 2



Press **Enter** from the first Review Invalid Schedules from EDI Selection Screen to display the second Review Invalid Schedules from EDI screen.

This screen displays a list of all schedules which have been retained in the EDI system, due to errors, for the customer that was selected on the previous screen. Schedules can be viewed, amended, deleted or authorised.

The Amend Processing option calls the Schedule Manipulation function. Dependent upon the error, either the Schedule Header or the Schedule details requirements screen will be displayed initially, though all details of the schedule are available for review.

When you delete a schedule, confirmation is required and a confirmation window will ask you for confirmation that this schedule will be deleted. This window will quote the same information that can be seen in the selection list. Confirmation of the delete is by the **F11** key.

If you confirm that the schedule will be deleted, audit file records will be written and the schedule details removed from the EDI files.

Entering option 6 against a schedule processes the schedule. When it is not pending review an error is reported. This will not however prevent all valid options from being processed. This is, in effect, manual confirmation that a schedule which is pending review can now be accepted into the Advanced Customer Scheduling files from EDI. In order to achieve this, the schedule status file will be updated to signify that you have manually overridden the pending review status. A record will then be written to the EDI validation data queue. This will contain the company, customer, delivery sequence, contract and schedule type. The EDI process will then ensure that the data is successfully transferred to the Advanced Customer Scheduling database as a 'new' schedule for further processing.

```

AC422                Distribution V3 -> V3 Financials      User GBJBAPH2      16/02/96
                                                              9:47:37

Review Invalid Schedules from EDI

Customer..... NH001      000 Northern Motor Spares Limited

  Schedule  Our Item      New Issue  Date
  Type      Number      Date      Processed  Reason
■ Release   24/08/95      15/02/96  No Contract
- Release   24/08/95      15/02/96  No Contract
- Release   24/08/95      15/02/96  No Contract
- Release   24/08/95      15/02/96  No Contract
- Release   24/08/95      15/02/96  No Contract
- Release   24/08/95      15/02/96  No Contract
- Release   24/08/95      15/02/96  No Contract
- Release   24/08/95      15/02/96  No Contract
- Release   24/08/95      15/02/96  No Contract
- Release   24/08/95      15/02/96  No Contract
- Release   24/08/95      15/02/96  No Contract
- Release   24/08/95      15/02/96  No Contract
- Release   24/08/95      15/02/96  No Contract
- Release   24/08/95      15/02/96  No Contract
- Release   24/08/95      15/02/96  No Contract
- Release   24/08/95      15/02/96  No Contract
- Release   24/08/95      15/02/96  No Contract
- Release   24/08/95      15/02/96  No Contract
- Release   24/08/95      15/02/96  No Contract
- Release   24/08/95      15/02/96  No Contract
- Release   24/08/95      15/02/96  No Contract
- Release   24/08/95      15/02/96  No Contract
- Release   24/08/95      15/02/96  No Contract
- Release   24/08/95      15/02/96  No Contract
- Release   24/08/95      15/02/96  No Contract
- Release   24/08/95      15/02/96  No Contract
- Release   24/08/95      15/02/96  No Contract
- Release   24/08/95      15/02/96  No Contract
- Release   24/08/95      15/02/96  No Contract
- Release   24/08/95      15/02/96  No Contract
- Release   24/08/95      15/02/96  No Contract
- Release   24/08/95      15/02/96  No Contract
- Release   24/08/95      15/02/96  No Contract
- Release   24/08/95      15/02/96  No Contract
- Release   24/08/95      15/02/96  No Contract
- Release   24/08/95      15/02/96  No Contract
- Release   24/08/95      15/02/96  No Contract
- Release   24/08/95      15/02/96  No Contract
- Release   24/08/95      15/02/96  No Contract
- Release   24/08/95      15/02/96  No Contract
- Release   24/08/95      15/02/96  No Contract
- Release   24/08/95      15/02/96  No Contract
- Release   24/08/95      15/02/96  No Contract
- Release   24/08/95      15/02/96  No Contract
- Release   24/08/95      15/02/96  No Contract
- Release   24/08/95      15/02/96  No Contract
- Release   24/08/95      15/02/96  No Contract
- Release   24/08/95      15/02/96  No Contract
- Release   24/08/95      15/02/96  No Contract
- Release   24/08/95      15/02/96  No Contract
- Release   24/08/95      15/02/96  No Contract
- Release   24/08/95      15/02/96  No Contract
- Release   24/08/95      15/02/96  No Contract
- Release   24/08/95      15/02/96  No Contract
- Release   24/08/95      15/02/96  No Contract
- Release   24/08/95      15/02/96  No Contract
- Release   24/08/95      15/02/96  No Contract
- Release   24/08/95      15/02/96  No Contract
- Release   24/08/95      15/02/96  No Contract
- Release   24/08/95      15/02/96  No Contract
- Release   24/08/95      15/02/96  No Contract
- Release   24/08/95      15/02/96  No Contract
- Release   24/08/95      15/02/96  No Contract
- Release   24/08/95      15/02/96  No Contract
- Release   24/08/95      15/02/96  No Contract
- Release   24/08/95      15/02/96  No Contract
- Release   24/08/95      15/02/96  No Contract
- Release   24/08/95      15/02/96  No Contract
- Release   24/08/95      15/02/96  No Contract
- Release   24/08/95      15/02/96  No Contract
- Release   24/08/95      15/02/96  No Contract
- Release   24/08/95      15/02/96  No Contract
- Release   24/08/95      15/02/96  No Contract
- Release   24/08/95      15/02/96  No Contract
- Release   24/08/95      15/02/96  No Contract
- Release   24/08/95      15/02/96  No Contract
- Release   24/08/95      15/02/96  No Contract
- Release   24/08/95      15/02/96  No Contract
- Release   24/08/95      15/02/96  No Contract
- Release   24/08/95      15/02/96  No Contract
- Release   24/08/95      15/02/96  No Contract
- Release   24/08/95      15/02/96  No Contract
- Release   24/08/95      15/02/96  No Contract
- Release   24/08/95      15/02/96  No Contract
- Release   24/08/95      15/02/96  No Contract
- Release   24/08/95      15/02/96  No Contract
- Release   24/08/95      15/02/96  No Contract
- Release   24/08/95      15/02/96  No Contract
- Release   24/08/95      15/02/96  No Contract
- Release   24/08/95      15/02/96  No Contract
- Release   24/08/95      15/02/96  No Contract
- Release   24/08/95      15/02/96  No Contract
- Release   24/08/95      15/02/96  No Contract
- Release   24/08/95      15/02/96  No Contract
- Release   24/08/95      15/02/96  No Contract
- Release   24/08/95      15/02/96  No Contract
- Release   24/08/95      15/02/96  No Contract
- Release   24/08/95      15/02/96  No Contract
- Release   24/08/95      15/02/96  No Contract
- Release   24/08/95      15/02/96  No Contract
- Release   24/08/95      15/02/96  No Contract
- Release   24/08/95      15/02/96  No Contract
- Release   24/08/95      15/02/96  No Contract
- Release   24/08/95      15/02/96  No Contract
- Release   24/08/95      15/02/96  No Contract
- Release   24/08/95      15/02/96  No Contract
- Release   24/08/95      15/02/96  No Contract
- Release   24/08/95      15/02/96  No Contract
- Release   24/08/95      15/02/96  No Contract
- Release   24/08/95      15/02/96  No Contract
- Release   24/08/95      15/02/96  No Contract
- Release   24/08/95      15/02/96  No Contract
- Release   24/08/95      15/02/96  No Contract
- Release   24/08/95      15/02/96  No Contract
- Release   24/08/95      15/02/96  No Contract
- Release   24/08/95      15/02/96  No Contract
- Release   24/08/95      15/02/96  No Contract
- Release   24/08/95      15/02/96  No Contract
- Release   24/08/95      15/02/96  No Contract
- Release   24/08/95      15/02/96  No Contract
- Release   24/08/95      15/02/96  No Contract
- Release   24/08/95      15/02/96  No Contract
- Release   24/08/95      15/02/96  No Contract
- Release   24/08/95      15/02/96  No Contract
- Release   24/08/95      15/02/96  No Contract
- Release   24/08/95      15/02/96  No Contract
- Release   24/08/95      15/02/96  No Contract
- Release   24/08/95      15/02/96  No Contract
- Release   24/08/95      15/02/96  No Contract
- Release   24/08/95      15/02/96  No Contract
- Release   24/08/95      15/02/96  No Contract
- Release   24/08/95      15/02/96  No Contract
- Release   24/08/95      15/02/96  No Contract
- Release   24/08/95      15/02/96  No Contract
- Release   24/08/95      15/02/96  No Contract
- Release   24/08/95      15/02/96  No Contract
- Release   24/08/95      15/02/96  No Contract
- Release   24/08/95      15/02/96  No Contract
- Release   24/08/95      15/02/96  No Contract
- Release   24/08/95      15/02/96  No Contract
- Release   24/08/95      15/02/96  No Contract
- Release   24/08/95      15/02/96  No Contract
- Release   24/08/95      15/02/96  No Contract
- Release   24/08/95      15/02/96  No Contract
- Release   24/08/95      15/02/96  No Contract
- Release   24/08/95      15/02/96  No Contract
- Release   24/08/95      15/02/96  No Contract
- Release   24/08/95      15/02/96  No Contract
- Release   24/08/95      15/02/96  No Contract
- Release   24/08/95      15/02/96  No Contract
- Release   24/08/95      15/02/96  No Contract
- Release   24/08/95      15/02/96  No Contract
- Release   24/08/95      15/02/96  No Contract
- Release   24/08/95      15/02/96  No Contract
- Release   24/08/95      15/02/96  No Contract
- Release   24/08/95      15/02/96  No Contract
- Release   24/08/95      15/02/96  No Contract
- Release   24/08/95      15/02/96  No Contract
- Release   24/08/95      15/02/96  No Contract
- Release   24/08/95      15/02/96  No Contract
- Release   24/08/95      15/02/96  No Contract
- Release   24/08/95      15/02/96  No Contract
- Release   24/08/95      15/02/96  No Contract
- Release   24/08/95      15/02/96  No Contract
- Release   24/08/95      15/02/96  No Contract
- Release   24/08/95      15/02/96  No Contract
- Release   24/08/95      15/02/96  No Contract
- Release   24/08/95      15/02/96  No Contract
- Release   24/08/95      15/02/96  No Contract
- Release   24/08/95      15/02/96  No Contract
- Release   24/08/95      15/02/96  No Contract
- Release   24/08/95      15/02/96  No Contract
- Release   24/08/95      15/02/96  No Contract
- Release   24/08/95      15/02/96  No Contract
- Release   24/08/95      15/02/96  No Contract
- Release   24/08/95      15/02/96  No Contract
- Release   24/08/95      15/02/96  No Contract
- Release   24/08/95      15/02/96  No Contract
- Release   24/08/95      15/02/96  No Contract
- Release   24/08/95      15/02/96  No Contract
- Release   24/08/95      15/02/96  No Contract
- Release   24/08/95      15/02/96  No Contract
- Release   24/08/95      15/02/96  No Contract
- Release   24/08/95      15/02/96  No Contract
- Release   24/08/95      15/02/96  No Contract
- Release   24/08/95      15/02/96  No Contract
- Release   24/08/95      15/02/96  No Contract
- Release   24/08/95      15/02/96  No Contract
- Release   24/08/95      15/02/96  No Contract
- Release   24/08/95      15/02/96  No Contract
- Release   24/08/95      15/02/96  No Contract
- Release   24/08/95      15/02/96  No Contract
- Release   24/08/95      15/02/96  No Contract
- Release   24/08/95      15/02/96  No Contract
- Release   24/08/95      15/02/96  No Contract
- Release   24/08/95      15/02/96  No Contract
- Release   24/08/95      15/02/96  No Contract
- Release   24/08/95      15/02/96  No Contract
- Release   24/08/95      15/02/96  No Contract
- Release   24/08/95      15/02/96  No Contract
- Release   24/08/95      15/02/96  No Contract
- Release   24/08/95      15/02/96  No Contract
- Release   24/08/95      15/02/96  No Contract
- Release   24/08/95      15/02/96  No Contract
- Release   24/08/95      15/02/96  No Contract
- Release   24/08/95      15/02/96  No Contract
- Release   24/08/95      15/02/96  No Contract
- Release   24/08/95      15/02/96  No Contract
- Release   24/08/95      15/02/96  No Contract
- Release   24/08/95      15/02/96  No Contract
- Release   24/08/95      15/02/96  No Contract
- Release   24/08/95      15/02/96  No Contract
- Release   24/08/95      15/02/96  No Contract
- Release   24/08/95      15/02/96  No Contract
- Release   24/08/95      15/02/96  No Contract
- Release   24/08/95      15/02/96  No Contract
- Release   24/08/95      15/02/96  No Contract
- Release   24/08/95      15/02/96  No Contract
- Release   24/08/95      15/02/96  No Contract
- Release   24/08/95      15/02/96  No Contract
- Release   24/08/95      15/02/96  No Contract
- Release   24/08/95      15/02/96  No Contract
- Release   24/08/95      15/02/96  No Contract
- Release   24/08/95      15/02/96  No Contract
- Release   24/08/95      15/02/96  No Contract
- Release   24/08/95      15/02/96  No Contract
- Release   24/08/95      15/02/96  No Contract
- Release   24/08/95      15/02/96  No Contract
- Release   24/08/95      15/02/96  No Contract
- Release   24/08/95      15/02/96  No Contract
- Release   24/08/95      15/02/96  No Contract
- Release   24/08/95      15/02/96  No Contract
- Release   24/08/95      15/02/96  No Contract
- Release   24/08/95      15/02/96  No Contract
- Release   24/08/95      15/02/96  No Contract
- Release   24/08/95      15/02/96  No Contract
- Release   24/08/95      15/02/96  No Contract
- Release   24/08/95      15/02/96  No Contract
- Release   24/08/95      15/02/96  No Contract
- Release   24/08/95      15/02/96  No Contract
- Release   24/08/95      15/02/96  No Contract
- Release   24/08/95      15/02/96  No Contract
- Release   24/08/95      15/02/96  No Contract
- Release   24/08/95      15/02/96  No Contract
- Release   24/08/95      15/02/96  No Contract
- Release   24/08/95      15/02/96  No Contract
- Release   24/08/95      15/02/96  No Contract
- Release   24/08/95      15/02/96  No Contract
- Release   24/08/95      15/02/96  No Contract
- Release   24/08/95      15/02/96  No Contract
- Release   24/08/95      15/02/96  No Contract
- Release   24/08/95      15/02/96  No Contract
- Release   24/08/95      15/02/96  No Contract
- Release   24/08/95      15/02/96  No Contract

```

Fields:

Select

Enter one of the following options:

2 - Amend. This displays the Review Invalid Schedules from EDI Maintain Schedule Header Screen.

4 - Delete. This deletes the selected schedule.

6 - Process. If the reason is 'Pending Review', you can put a 6 next to the record to authorise it to move to the M files and to be validated.



*Note: Options can be processed in groups. All schedules can be tagged with different options, and providing the options are valid, multiple processes will be run. These processes will be run in the order that they are encountered in the list. If you take the **F12=Previous** key to abort processing a particular option then none of the subsequent options will be processed. You will be returned to the subfile with the selected options that were not processed still visible.*

Functions:

F17

Has the same effect as putting a 6 against every record. If no records are pending review then F17 will be disallowed.



A check will be made to determine if the schedule can be processed. An error message will be issued if the contract is locked by another process.

Review Invalid Schedules From EDI Maintain Header Screen (Option 2)



Select option 2 from the review schedules from EDI Main Selection Screen to display the Review Invalid Schedules from EDI Maintain Header screen.

The title of this screen can change according to the context in which the screen is operating. The main elements to the title are always: Review Invalid Schedules From EDI. The second element to the title can read:

- Maintain Release Header.
- Maintain DCI Header.
- Maintain RAN Header.

The literal Release, DCI, and RAN will be retrieved from the descriptions file and can be amended.

A brief description of the data on this screen is given below. The selection from the list of invalid schedules is made, and the customer issue reference is used to access the EDI schedule header file.

AC424	Distribution V3 -> V3 Financials	User GBJBAPH2	16/02/96 9:52:19
Review Invalid Schedules from EDI - Maintain Header			
Customer.....	NH001	000	Date processed.. 15/02/96
New issue date.....	24/08/95		
New issue reference.....	000328		
Customer order number....			
Customer item number....			
Item code.....?	042HW		
Item barcode.....			
Contract number.....			
Engineering level.....			
Design revision.....			
EDI Link Field 1			
Unable to Match to a Contract			
F3=Exit F4=Prompt F8=Update F11=Delete F12=Previous			
F15=Restart F21=Contract match			
06-28	SF	MW	KS IM II KENB20A PET087S1

Fields:

Customer

From Customer Composite. This is mandatory and must be present on at least one contract in the contract file.

New Issue Date

Article document date or message document date.

New Issue Reference

Customer Issue Reference. This cannot be left blank.

Customer Order Number

Order number. This must exist on at least one contract within the contract file, for the customer entered.

Customer Item No

Item number. This must exist on at least one contract within the contract file, for the customer entered.

Item Code

Enter an item code or ? to display an Item Scan Window. A incomplete item name or number can be entered to search for an item. This window will only present items that are registered with the Advanced Customer Scheduling/Advanced Customer Shipping products.

Item Bar Code

Item barcode (if sent), or else DUN14 Barcode 2. Must exist for an item on the item master file.

Contract Number

The specific contract number from the customer scheduling contract file.

Engineering Level / Design Revision

These details are held on the new schedule header file.

If either field is blank, then it is assumed to be the same as the current value from the contract.

These fields will be checked against the current values as held on the contract. If either field is different to the contract equivalent, there has been an engineering change. If there has been no change, the rest of this validation is not performed.

The new engineering level and design revision number will be looked up on the engineering level change file. If an engineering change at this design revision level does not exist, this is an error since the customer has requested an unknown engineering level. The message will state: 'An engineering change is specified, but the new level is not defined'. No further validation is performed.

If there has been an engineering change, and the new level is defined on the file, the hold on engineering level change flag on the contract will be checked. This flag determines whether to treat an engineering change as a warning (indicator 0) or as an error (indicator 1).

If the hold engineering change field on the contract is set to 0 and there has been a change, a warning error will be issued stating that: 'Warning - An engineering change has occurred'

If the hold engineering change field on the contract is set to 1 and there has been a change, then an error will be issued, stating: 'Warning - An engineering change has occurred - schedule will be held by validation process'.

In this case you will need to maintain the contract to allow the schedule through

Link Field 1

Free text format. If entered, is passed to contract match process.

Error Message (S)

The system will display error messages to explain why the schedule is invalid.

Functions:

F8

Updates the header record and releases it to be processed by the EDI sleeper job. After updating you are returned to the selection list, and the selection list is rebuilt. When **F8=Update** is selected, the schedule header record is updated with the data entered on this screen. If either the customer's order number or customer's item number have been amended then the new values will be updated to all the EDI files, in order to maintain the links between header and detail information in these files.

The EDI process will then ensure that the data is successfully transferred to the Advanced Customer Scheduling database.

F21

Contract Match. This function depends which field the cursor is in and displays the contract match screen sequenced by either customer order number, or customer item number. If there are no contracts for this order or item, an error message is issued.

F22

Shows the previous document information window. This key is only available for amendments, and is disabled until a valid contract has been selected.

F24

Will only be necessary when **F22** is allowed.



Note: The customer's order number and customer's item number, if both entered, must be present on the same contract, for at least one contract on the file.

If the contract number is entered, changed, or returned from the contract match process, the customer and delivery sequence, customer's order number, and customer's item number, will be compared against the current values for the contract.

The item bar code will be checked against the item master file for the contract's item number.

If any of the values differ then one warning message will be issued for each difference.

For example:

'Current customer's order number differs from the customer's order number defined on the contract'



Press **Enter** to validate the screen. If you have made any changes since the last validation, then validation will also be run when you select **F8**. If

the validation fails then the update will be prevented.

Previous Document Information Window (F22)



Select **F22=Previous Document Information**
on the Review Invalid Schedules from EDI -
Maintain Header Screen to display the Previous
Document Information Window.

This window contains the information that identifies the correct version of a schedule that an amendment applies to. The previous document information must match with the document information on the current schedule.

If you selected **F5**, the data is retrieved from the current schedule of this type for the current contract. When enter is pressed, the data is validated against current schedule of this type for the current contract.

Contract Match / Search Window (F21)



Select **F21=Contract Match** from the Review Invalid Schedules from EDI - Maintain Header Screen to display the Contract Match / Search window.

This window displays a list of contracts, and is a dual purpose screen. It can be called from contract match, or contract search.

The window displays a list of contracts for a given customer, and optionally allows the display of more detailed information regarding the item associated with each contract.

The title will read 'Contract Match' if called from contract match (otherwise contract search).

This window fills the incoming selection criteria when none were specified. The customer must be entered, and must exist. If the item or bar code is entered, then it must exist on the inventory master file.

Fields:

Select

Enter 1 to select a customer. This displays Review Invalid Schedules from EDI - Main Selection Screen.

Functions:

F15

This is a toggle switch between More detail / Less detail.

Schedule Maintenance

1... **2...** 3/ACP

New schedules can be manually added, or existing 'current' versions maintained using the Schedule Maintenance option menu. All maintenance is carried out to the 'new' version of schedule.

If there is already a schedule in the 'new' files, it is presented to you for maintenance. If not, the current version is copied into the 'new' files from the current files.

The new schedule, or amended version, can only become current by passing through the normal data acceptance process as if it had been received from the customer.




Processing General Notes

If you change a requirement, the changes will be reflected on the screen, but will not be committed to the database.

If any change is made to the detailed requirement all authorisation period values will be recalculated.

Common Schedule Maintenance



Schedule Maintenance Screen



Select Schedule Maintenance from the menu to display the Schedule Maintenance screen.

AC430	Z1 - GB Demonstration Company	User GBJBANB1	28/05/98
			15:37:31
Schedule Maintenance			
Customer	?		(*=Wildcard)
Item	?		(*=Wildcard)
Customer part.....			(*=Wildcard)
Item model year.....			
OR			
Contract number.....			
Schedule type..... 1 (1=Release, 2=DCI, 3=RAN)			
F3=Exit F4=Prompt F10=Additional Search			
MA	a	05/024	

Fields:

Customer

Enter a customer code or ? to display a Customer Scan Window. An incomplete customer name or number can be entered to search for a contract. This window will only present customers that are registered with the Advanced Customer Scheduling/Advanced Customer Shipping products.

Item

Enter an item code or ? to display an Item Scan Window. An incomplete item name or number can be entered to search for a contract. This window will only present items that are registered with the Advanced Customer Scheduling/Advanced Customer Shipping products.

Customer Part

Enter the customer part number as part of your contract search criteria.

Item Model Year

Enter the item model / year as part of your contract search criteria.

OR

Contract Number

If a valid contract number is entered, then the program will jump to the next screen without displaying the Contract Scan Selection Screen..

If the contract number is not known, enter a blank in this field to display a Contract Scan Selection window. Entries made in the Customer, Item, Customer

Part and Item Model Year fields can be used to narrow down the list of contracts displayed.

Schedule Type

Enter one of the following schedule types:

- 1 - Release. Displays the Review Release Header screen.
- 2 - DCI. Displays the DCI Header screen.
- 3 - RAN. Displays the RAN Header screen

Once a contract has been selected it will be locked, and the schedule status file is accessed to determine whether or not there is a current schedule of the specified type already in the 'new' file.

Editing a New Schedule

If there is already a 'new' schedule, this will be presented to you for edit. The internal release and revision number will not be incremented.

Editing a Current Schedule

If there is not a new schedule, the current schedule is copied to the 'new' files, and the copy is presented for edit. The schedule internal revision number will be increased by one. The common schedule maintenance routine is then called.

Adding a New Schedule

If there is no 'current' or 'new' schedule, you will be adding a completely new schedule from scratch. All the default values for the schedule will be derived from the contract for this type of schedule. A skeleton schedule header is built from the contract defaults and presented for completion.

Functions:

F10=Additional Search

Will display the Additional Contract Characteristics Panel.

Contract Search Selector Screen



Enter a blank in the Contract Number Field in the Schedule Maintenance Screen to display the Contract Search Selector Screen.

AC717		Z1 - GB Demonstration Company		USER GBJBANB1	15/06/98 11:31:50
Contract Scan					
Sel	Customer/Del Item	Customer Part Number		Model Yr	
	Contract No.	Start Date	End Date	Customer Order Number	
-	ABC01	000	BRAKES		
-	ABC01	000	BUMPER		
-	ABC01	000	CARBODY	-	
-	ACTEST	001	ACITEM1		
-	ACTEST	001	AC001		
-	ACTEST	001	AC001		
-	ACTEST	001	AC001		
-	ACTEST	001	AC001		
-	ACTEST	001	AC001		
-	ACTEST	001	AC001		
-	ACTEST	001	AC001		
-	ACTEST	001	AC001		
-	ACTEST	001	AC001		
-	ACTEST1	001	ACITEM1		
					More...
1=Select 2=Enquiry					
F10=Additional Search F12=Previous F14=Fold/Drop					
MA a		08/032			

Fields:

Selecting a Contract

Enter 1=Select beside the contract selected.

Functions:

F10=Additional Search

Will display the Additional Contract Characteristics Panel.

Additional Contract Characteristics Panel (F10)



Select **F10 = Additional Search** on the
Schedule Maintenance Screen.

AC717	Z1 - GB Demonstration Company	USER GBJBANB1	28/05/98 09:53:14
Additional Contract Characteristics			
Customer.....?.	_____	(*=Wildcard)	
Item.....?.	_____	(*=Wildcard)	
Customer Part.....	_____	(*=Wildcard)	
Item Model Year.....	_____		
Internal Sales Admin.?.	_____	(*=Wildcard)	
Customer Order Number..	_____	(*=Wildcard)	
Contact Name.....	_____	(*=Wildcard)	
Article Status.....?.	_____		
Final Delivery Point.?.	_____	(*=Wildcard)	
EDI Link Field 1.....	_____	(*=Wildcard)	
F4=Prompt F5=Refresh F12=Previous			
ME	a	10/026	

Fields:

Selection Criteria Fields

Search criteria selected in the initial Schedule Enquiry Selection Screen will be displayed on this screen. Search criteria fields can be changed on this panel without having to go back to the previous screen.

Functions:

F5=Refresh

Will restore any field that you have changed.

Review Release / DCI / RAN Header
Screen

This screen is displayed when you want to maintain a schedule that has failed validation from the Process New Schedule option, or maintain any schedule from schedule maintenance.

The title of the screen can change according to the menu option that you have chosen:

- Process New Schedules.

or

- Schedule Maintenance.

The title of the screen can also vary depending on the type of schedule that you have selected:

- Review Release Header
- Review DCI Header
- Review RAN Header



Press **Enter** from the Schedule Maintenance screen or enter option 2 / 3 on the second Process New Schedules screen to display the Review Release Header screen.

```

AC452                      Z1 - GB Demonstration Company      User GBJBA1MS    16/10/97
                                           8:52:32

Review Release Header                               Status: Add / Copy status
Customer..... ROVERLON G10 Rover Longbridge, Gate 10
Item..... ROV001           White Widgets for Rover 100
Customer item.... CUSTOMER ITEM NUMBER   Customer order.. CUSTOMER ORDER NO-->
Stockroom..... 01 Central Stockroom          Contract.. RG10001
                                           Internal reference    2 /      1

Customer stated values:
New release..... 0 (0/1)
Release/issue number.... BELS 02                FIRM      Horizon 31/12/95
Release/issue date..... 24/11/95              MATERIAL Horizon 31/01/96
Annears/past due..... _____            FORECAST  Horizon 31/12/99
Cumulative receipts..... 2000.000
Engineering level..... _____
Design revision..... _____

Last receipts: Despatch Receipt date Receipt qty Cumulative qty
               00000001 28/11/95 3600.000 3600.000
               _____
               _____
               _____
               _____
               _____ +

F3=Exit F10=Accept F12=Previous F13=Contact F14=Despatches
F15=Restant F17=Details F23=EDI Ref. F24=More Keys

10-28 SA MW KS CL IN DN II EDN400A KB PET17SSI

```

Fields:

Contract Data

The customer code, item, and stockroom are displayed at the top of the screen. These are retrieved from the contract file and the associated descriptions are retrieved from the appropriate master files. The customer's order number and customer's item number are also retrieved from the contract.

The stockroom is only displayed if the contract has a single stockroom specified (the alternative is to supply a despatch profile in contract maintenance, which then provides the option of specifying multiple stockrooms against a contract).

If despatch profiles are in use the literal will change to 'Despatch profile' and the contract despatch profile will be displayed instead.

The Internal Release and Revision number are retrieved from the new schedule header record.

All of these fields are display only.

New Release

If this schedule is being added, the new release flag will be set to 1, and similarly if the customer issue reference is different to that for the current schedule, this flag will also be set to 1. If the customer issue reference is the same as that for the current schedule, the flag will be set to zero.

Customer Release Issue Number / Release Issue Date

These fields are retrieved from the new schedule header record and can be changed.

Customer Issue Reference is a mandatory field. It's value cannot be less than that for the current release.

Customer Issue Date is also mandatory and must be a valid calendar date and greater than the same field for the current schedule of this type for the contract.

Release Issue Time is optional.

Arrears / Past Due

Are only displayed if the arrears processing method indicator on the contract defaults is 1 - normal arrears. The arrears are stored in the schedule header file. Arrears will be displayed in red.

Cumulative Receipts

The cumulative receipts are stored in the schedule header file.

The cumulative receipts field is only displayed if the reconciliation method for the schedule on the contract defaults is '01' (cum receipts only) or '03' (cums and last despatch details).

If the reconciliation method is '01' and the despatch details file has one or more despatches against the contract, this field must be greater than zero. If you attempt to accept the schedule with a cumulative receipts value of zero, a warning message is displayed and F8 must be pressed to continue.

If reconciliation method is '03', the sleeper process will have compared the customer's stated cumulative receipts to your calculated cumulative receipts as of the shipments that the customer claims to have received. If there is a difference between the customer cumulative and your calculated cumulative, the schedule will be flagged as having failed validation and you will have to accept the discrepancy or change the cumulative value before continuing. In addition, if your despatch details file has one or more despatches against the contract, this field must be greater than zero.

Engineering Level / Design Revision

These details are held on the new schedule header file.

If either field is blank, then it is assumed to be the same as the current value from the contract.

These fields will be checked against the current values as held on the contract. If either field is different to the contract equivalent, there has been an engineering change. If there has been no change, the rest of this validation is not performed.

The new engineering level and design revision number will be looked up on the engineering level change file. If an engineering change at this design revision level does not exist, this is an error since the customer has requested an unknown engineering level. The message will state: 'An engineering change is specified, but the new level is not defined'. No further validation is performed.

If there has been an engineering change, and the new level is defined on the file, the hold on engineering level change flag on the contract will be checked. This flag determines whether to treat an engineering change as a warning (indicator 0) or as an error (indicator 1).

If the hold engineering change field on the contract is set to 0 and there has been a change, a warning error will be issued stating that: 'Warning - An engineering change has occurred'

If the hold engineering change field on the contract is set to 1 and there has been a change, then an error will be issued, stating: 'Warning - An engineering change has occurred - schedule will be held by validation process'.

In this case you will need to maintain the contract to allow the schedule through.

Authorisation Period Cumulatives

Authorisation Period Cumulatives, Authorisation Period Date Horizons and Last Receipt Details will only be presented dependent upon the individual Contract settings from the Reconciliation Method and the Authorisation Method.

These cumulatives are stored in the new schedule header file. If the schedule being processed is a DCI or a RAN, only the first authorisation period cum will be shown.

These are only displayed if the authorisation method for the schedule is '03' (cumulative quantity). If displayed, only the authorisation periods for which descriptions have been defined on the contract schedule defaults will be seen. In addition, they will be coloured as per the standard authorisation period colours (red, green, white, pink and blue).

If the authorisation period cumulatives are shown then the following validation will be applied:

- These cumulatives must match the periods defined on the contract. If the cumulatives are invalid, or out of sequence, then the error message: 'Invalid Authorisation Period cumulative for Period' will be displayed.
- The default severity for this message is 9. The minimum severity is 4. Apply severity overrides only if they do not lead to a severity of less than 4. Consequently this error is never treated as a warning.

Authorisation Period Date Horizons

These cumulatives are stored in the new schedule header file . If the schedule being processed is a DCI or a RAN, only the first authorisation period date will be shown.

These are only displayed if the authorisation method for the schedule is '02' (date horizons). If displayed, only the periods for which descriptions have been defined on the contract schedule defaults will be seen. In addition, they will be coloured as per the standard authorisation period colours (red, white, green, pink and blue).

If the authorisation period date horizons are shown then these dates must match the periods defined on the contract. If the dates are invalid, or out of sequence, then the error message: 'Invalid Authorisation Period End Date for Period' will be displayed. The default severity for this message is 9. The minimum severity is 4. Apply severity overrides only if they do not lead to a severity of less than 4. Consequently this error is never treated as a warning.

Last Receipt Details

A maximum of six last receipt details can be displayed.

The details are only displayed if the reconciliation method on the schedule contract defaults is a '02' (last despatch note) or '03' (cum quantity and last despatch note).

If required, the values for Despatch, Receipt Date, Receipt Qty and Cumulative Qty are retrieved from the new schedule header file.



Note: There are a maximum of six last receipt details.

Last Receipt details validation will only be performed if the reconciliation method on the contract for this schedule type is 2 or 3.

If this validation is required, each non blank despatch note number will be validated against the schedule despatch details file. If any of the despatch notes quoted do not exist, the error message: 'Invalid Last Receipt Information' will be displayed. The default severity for this message is 9. The minimum severity is 4. Apply severity overrides only if they do not lead to a severity of less than 4. Consequently this error is never treated as a warning.

If any of the despatch notes entered have information (e.g. Quantity) that differs from that on the despatch details file then the message: 'Last Receipt Information differs from that recorded for this despatch' will be displayed. The default severity for this message is 1, and there is no minimum severity. Consequently, unless a severity override of greater than 4 is in place, this will be treated as a warning message.

Functions:

F10

Accepts the schedule for next stage in process. Returns to previous screen after processing is complete. Note that **F10=Accept** will be available when you enter this function, but when a change is made it will become disabled until you save the changes.

F11

Deletes the Schedule displayed. This function will use a task code to determine whether or not you will see **F11=Delete**. If this function is invoked it will delete the new header and release detail. A confirmation window will be displayed before the deletion takes place. Delete will only be available if you are maintaining a schedule that was already in the 'new' files.

F13

Allows you to add and amend contact details. For more information, refer to Customer Contact Details window.

F14

Displays despatch details for matching. For more information, refer to Despatches Window.

F15

Restart. This re-displays the Schedule Maintenance screen without saving any new or amended data.

F17

Shows detailed requirements. For more information, refer to Schedule Maintenance Review Release Details Screen.

F18

Additional schedule details are displayed. For more information, refer to Maintain Additional Details Window.

F19

Defaults. This displays contract details. For more information, refer to Contract Enquiry Screen.

F21

Allows you to enter internal text. For more information, refer to Advanced Schedule Internal Text Window. When internal text exists the key will be highlighted

F22

Allows you to enter external text. For more information, refer to Advanced Schedule External Text Window. When external text exists the key is highlighted.

F23

Displays the Maintain EDI Reference Details screen which allows you to add and amend additional EDI information.

Change to Customer Issue Reference or New Release

If either the customer issue reference is now different to that on the current schedule, or the new release flag is set to 1, this schedule is considered to be a new release.

In this case a window will be presented: 'New schedule release - Press **F8=Update** to confirm'

If you do not press **F8=Update**, no further processing occurs. If **F8=Update** is pressed this schedule is now considered to be a new release, and as such the internal release number will be incremented and the internal revision set to 0.

Technically, this has important implications, since all records that have the internal release and revision as key data will need to be updated.

Functionally, there are important implications too. If this schedule is made into a new release, any subsequent pass through the comparison process will now use comparison methods 1 and 2 as opposed to 3 and 4 that would have been used previously.

Change to Authorisation Period Data

If you change authorisation period cumulatives, or date horizons, it is necessary to recalculate the authorisation status of each detail line within the schedule. This process also needs to be carried out when the detail requirements are amended.

Add Requirement Processing

If a new detail requirement is added, and it is valid, the requirement will appear in the correct position in the list.



Press **Enter** to validate the details, or select the next process via the appropriate Function key.

Add / Copy Status	✓	✓	✓
-------------------	---	---	---

Schedules at any status can be submitted for revalidation.

If a schedule has failed validation, it can only be submitted for revalidation.

If a schedule has failed comparison, it can be submitted for re-comparison, or accepted with comparison errors.

If a schedule is pending review, it can be accepted, and can only be submitted for the next stage in the acceptance process.

If a possibility is not applicable, it will not be shown on the acceptance window.

When acceptance is confirmed, the schedule status file will be updated. A record will then be written to the appropriate data queue. This will contain the company, customer, delivery sequence, contract and schedule type.

Functions:

F10

Confirms acceptance of the schedule.

Schedule Deletion Window (F11)



Select **F11=Delete** from the Schedule Header Maintenance Screen to display the Schedule Deletion window.

This function is allocated an application manager task code so that it is only available to authorised users. The option is not available if the schedule is being added.

If it is valid to delete the schedule, you will be prompted for confirmation before continuing to do so.

```
AC452          Distribution V3 -> V3 Financials    User GBJBAPH2    16/02/96
                                                    11:25:55
Review Release Header                               Status: Pending Review
Customer..... NH001      000 Northern Motor Spares Limited
Item..... NHAC1          000 A-POST FNSHR LH (LHD)
Customer item..... NAM7013DBP      Customer order.. LK-99009/8
Stock          Schedule Deletion      tract.. AR00001
                                           1 /      0

Custo  You have elected to delete this Release
New r
Relea  Contract number..... AR00001      Horizon 30/08/95
Relea  Our item number..... NHAC1        AL Horizon 30/09/95
Arrea  New issue date..... 24/08/95      ST Horizon 30/10/95
Cumul  New issue reference... 000328      NG Horizon 30/11/95
Engin
Desig  Press F11 to confirm deletion, or press ENTER to
       continue without deletion.
       F11=Delete ENTER=Continue

-----
F3=Exit F10=Accept F11=Delete F12=Previous F13=Contact F14=Despatches
F15=Restart F16=Change cumulatives F17=Details F24=More keys
10-28    SA      MW      KS      IM      II KENB20A PET007S1
```

If the deletion request is confirmed, it will be copied to the schedule audit file prior to deletion. There is no requirement to write text audit records.

Customer Contact Details Enquiry Window (F13)

This is an enquiry only window that displays the customer contact information associated with the contract.



Select **F13=Contact** from the schedule header maintenance screen to display the Customer Contact Details window.

AC452	Z1 - Demonstration Company	User QPGMR	29/01/96
			11:22:14
Review Release Header		Status: New	
Customer.....	F100	001 Ford Cologne	
Item.....	76000211	96FB B29904 AB W/STRIP Q/LIGHT	
Customer item....	96FB B29904 AB	Customer order..	96FB B29904 AB
Stockroom.....	Customer Contact Details		
Customer stated	Contact.....	JOE BLOGGS	
New release....	Telephone.....	1123211	Fax.. 12311331
Release/issue n	Supplier code..		
Release/issue d	Ford Cologne		
Arrears/past du	Germany		
Cumulative desp			
Engineering lev			
Design revision			
Last receipts:			
F12=Previous			
+			
F3=Exit F10=Accept F12=Previous F13=Contact F14=Despatches			
F15=Restart F16=Change cumulatives F17=Details F24=More keys			
10-20 SF MK KS IM II KENB20A PET007S1			

Despatches Window (F14)

The system will present a window showing the most recent shipments against the contract. Shipments are displayed in descending chronological order, most recent first.

- ➡ Select **F14=Despatches** from the Review Release Header Screen to display the Despatches window.

The screenshot shows a terminal window with the following content:

```
AC452                Z1 - Demonstration Company      User QPGMR      29/01/96
                                                           11:22:37

Review Release Header                                Status: New
Customer..... F100      001 Ford Cologne
Item..... 76800211      96FB B29904 AB W/STRIP Q/LIGHT
Customer item.... 96FB B29904 AB      Customer order.. 96FB B29904 AB
Stockroom..... T2 Telford Finished Goods      Contract.. F000211
                                                           /      1

Despatches
Cus      More: - +
New      Despatch  Despatch date  Despatch qty  Customer GRN
Rel
Rel
Arr
Cum
Eng
Des
Las

F12=Previous

F3=Exit  F10=Accept  F12=Previous  F13=Contact  F14=Despatches
F15=Restart  F16=Change cumulatives  F17=Details  F24=More keys
10-20      SP      MK      KS      IM      II  KENB20A  PET007S1
```

- ➡ Enter the Customer details against the system generated despatch details to update the customer receipts details.
- ➡ Press **Enter** to update the database, then **F12=Previous** to return to the previous screen.

Schedule Maintenance Review Release Details Screen (F17)

This is the first screen displayed when you elect to maintain a schedule that has failed comparison. Comparison errors are largely caused by a discrepancy in the information contained within the detail lines of a particular schedule, and as such this is the screen that is most likely to allow the correction of comparison errors.

Select **F13** to toggle between displaying specific customer and internal details.



Select **F17=Details** from the Review Release Header screen to display the Review Release Details screen.

AC455	Z1 - Demonstration Company	User QPGMR	29/01/96 11:12:39	
Schedule Maintenance - Review Release Details				
Customer... F100	001 Ford Cologne	Contract. F000211		
Item..... 76000211	96FB B29904 AB W/STRIP Q/LIGHT	Stockroom. T2		
Ref number..... 1	Rev number..... 1	Status..... New		
In transit. 1395.000	On pick.....			
Last desp.. 00000100 25/01/96	45.000	Cum. desp..	21395.000	
1=Amend 2=Text 4=Delete				
* Date	Time	Status	Quantity Cum Quantity Reference P/R	
ARREARS		FAB	50 20050	
11/12/95		FAB	86 20144	1
12/12/95		FAB	87 20231	1
13/12/95		FAB	419 20650	1
14/12/95		FAB	419 21069	1
15/12/95		FAB	550 21619	1
18/12/95		FAB	419 22030	1
19/12/95		FAB	419 22457	1
Wk/Mth _ Date/Time _ / _ Qty _ Cum.Qty				
Reference _ Pack Round 1 (0/1)				
F3=Exit F10=Accept F11=Delete Reqmts F12=Previous				
F13=Customer	F14=Exceptions	F15=Restart	F24=More Keys	
12-02	SP MK	KS IM	II KENB20A PET007S1	

Fields:

Customer

Customer number and name are displayed from contract details file and is for your information only.

Contract

The contract number is displayed from the contract details file and is for your information only.

Item

The item number and description are displayed from the contract details file and is for your information only.

Stockroom

The stockroom number is displayed from the contract details file and is for your information only.

Fields displayed in customer mode:

Shows the Customer Order detail from the Contract Details.

Iss.

Issue. Shows the customer's schedule number.

Issue Date

Shows the customer supplied issue date.

Item no

Shows the customer's item number from the Contract Details.

Cum Receipts

Shows the customer's stated cumulative receipts to date.

Last recpt.

Shows the last shipment number, date received and quantity that the customer considered before stipulating new requirements. The date of receipt and quantity received are retrieved with the shipment number.

Fields displayed in internal mode

Ref number

This is the internal schedule revision number assigned by the system. It is incremented by 1 each time a new schedule is amended by you or a schedule with the same customer's schedule number is received. When a new schedule is received, the revision number is set at zero.

Status

Shows the status of the schedule as being 'FV', 'FC', 'FA' or 'PR' as previously defined.

In transit

Shows the sum of all shipments for this contract in the file for which the schedule (as appropriate) reconciled indicator is 0 (i.e. Not yet flagged as received by the customer).

On pick

Shows the total quantity against the contract which is currently being picked but has not yet been confirmed as despatched.

Last Desp.

Shows the last shipment number, date of shipment and shipment quantity made against the contract.

Cum Desp.

Shows the cumulative total quantity despatched. This data is held in the contract header file.

Immediate

Shows the quantity which is to be despatched today or which should have been despatched earlier than today. It shows the total quantity for the schedule from the file with a due date equal to or less than the system date. If this quantity is

zero or negative, nothing is displayed. If the figure is greater than zero, it is shown in red.

Detail Information Fields

*

Select. Enter one of the following:

- 1 - Amend. Selects the line and allows you to make amendments.
- 2 - Text. Allows you to add text to the select line.
- 3 - Delete. Allows you to delete the selected line.

Date

This date is derived from the first date required field and the format indicator. The format in which the date is displayed is dependent upon the first date display format indicator.

- 0 - The format is the normal display format (e.g. DD/MM/YY).
- 1 - The display format is the literal W concatenated with WW/YY.
- 2 - The format is the literal M concatenated with MM/YY.
- 3 - The format is the literal P concatenated with PP/YY.

Time

The time is derived dependent up the contract and / or the requirements send by the customer.

Status

The status field is a descriptive field, the description of which is retrieved from the contract defaults file according to the authorisation status field on the schedule details. Authorisation codes:



Note: The requirements for each of the 5 authorisation status's are coloured as follows:

Period 1 - Red

Period 2 - White

Period 3 - Green

Period 4 - Pink

Period 5 - Blue

(For example the 'FABRICAT' rows will all be coloured red, the 'MATERIAL' rows will be white and the 'FORECAST' rows will be green).

Quantity

The quantity is displayed from the contract details file.

Cum Quantity

The rules for decimal display are the same as for the quantity field. The cumulative is stored on the schedules details file as the customers cumulative quantity.

Reference

This is the call-off reference for the particular requirement. If the schedule being edited is a RAN, the title for this column will change to RAN Reference.

P/R

Pack Rounding. The quantity is retrieved from the details file. Decimals are only shown if the display quantities as integers flag on the company is set to 0.

Entry Line Fields

The last two lines of the screen allow you to amend an existing requirement, or add a new requirement line.

Wk/Mth

This is an indicator field that allows you to enter a W if dates are to be in WW/YY format, an M if dates are to be MM/YY format or a P if dates are to be periods in PP/YY format. Blank (default) means 'normal' date format, e.g. DD/MM/YY.

Valid values are blank, W, P and M. Monthly and Period cannot be mixed in the same schedule.



Note: If a schedule contains a mixture of dates, weeks and / or months / periods, this is only valid if the entries are in chronological sequence. For example, it is acceptable to have days for the first 20 days, then weeks for 6 weeks then months for 3 months. It is not acceptable to have weeks for 3 weeks, then days for 20 days then weeks for 3 weeks and months for 2 months.

Date/Time

Shows the date / time as requested by the customer. If the customer does not send a time but the time field on the contract release defaults is not blank, that time is defaulted in for every requirement. If the Wk / Mth indicator is a W, M or P, then dates will be 4 characters, not 6. On the main body of the display, such dates will be shown as W:05:95 (week 5 of 1995), M:05:95 (month 5 of 1995) or P:05:95 (period 5 of 1995).

If the call off type on the contract is not set for timed deliveries then the time field is not mandatory.

Dates must be validated with reference to the Wk / Mth indicator.

Quantity

Shows the quantity for each requirement. If the quantities as integers flag on the company profile is set to a 1, quantities are shown as integer numbers only. If the flag is set to a 0, quantities are displayed with 3 decimal places. All qty fields must take up 16 spaces on a screen to allow for a 15,3 display plus a decimal point.

Cum Qty

This field is display only, and will be calculated.

Reference

The reference field is supplied by the customer. It may be mandatory and possibly unique depending upon the flags for each release authorisation period in the contract release defaults, or as defined in the contract DCI defaults, or if RAN

processing is required for the schedule. The field is 35 characters alphanumeric, the first 20 of which are displayed for each requirement line.

If the schedule being maintained is a RAN, special validation is required for the reference field. If the RAN is a 'Create', the reference checking will be according to the mandatory and unique reference flags on the contract. If this is a RAN amendment, the RAN number MUST exist in the current reconciled release file. If the number was transmitted incorrectly it can be changed here, or the requirement line will need to be deleted, otherwise the schedule will keep failing validation.

Status

Status is only displayed and can only be entered if the authorisation method on the contract defaults for this schedule type is set to '01'. Otherwise the status is a display field only for each requirement. All DCI requirements have the description assigned to the contract release default authorisation period 1. For releases, status is determined using the contract release default setting for authorisation method as follows:-

Authorisation method '02', Date Horizons. These are sent by the customer with each new release, and / or they are entered on the release header. The authorisation status for each line is determined by comparing the requirement date to the date horizons and returning the appropriate description (as defined in the contract release defaults).

Authorisation method '03', Cumulative Quantity. These are sent / provided by the customer with each new release, and / or they are entered on the release header. The authorisation status for each line is determined by comparing the cumulative requirement quantity to the cum authorisation quantities and returning the appropriate description (as defined in the contract release defaults).

Authorisation method '04', Fixed Horizons in Calendar Days. These are stored for each release on the contract release defaults file. The authorisation status for each line is determined by comparing the requirement date to the release issue date plus the fixed horizon days for authorisation period 1. The horizon days for period 2 are added to the end date of period 1 to establish the end date of period 2 and so on for up to 5 periods. The appropriate description (as defined in the contract release defaults) is returned and displayed each time.

Status is only displayed and can only be entered if the authorisation method on the contract defaults for this schedule type is set to '01'. If this is the case, the valid values are taken from the schedule contract defaults. If three periods are defined then 1, 2 and 3 are valid. If the schedule being processed is a RAN or a DCI, the only valid value is 1.

P/R (Pack Rounding)

Pack Rounding. Where the contract is subject to pack rounding rules, a Pack Round indicator is displayed. The default value is defaulted from the contract. If this schedule is a RAN, or the reference is mandatory or unique, then the pack round entry field will be protected.

Function

F9

Comparison Enquiry. Displays the Comparison Enquiry screen.

F10

Accept. Allows you to accept the schedule for the next stage in the processing. For more information, refer to Schedule Acceptance Window.

F13

Customer / Internal. This toggles between displaying customer / internal information.

F14

Exceptions. Displays the Review Release Exceptions screen which includes all the exceptions logged against the schedule. When there are exceptions for the schedule, this key is highlighted.

F15

Restart. Re-displays the Schedule Maintenance screen without saving any data that has been added or amended.

F16

Change cums. For more information, refer to Change Despatch Cumulatives Screen.

F17

Maintain Header. Allows you to maintain schedules. For more information, refer to the Review Release Header screen.

F18

Reconciled Release. This allows you to view data requirements reconciled according to the processing parameters set on the contract. For more information, refer to Reconciled Requirements Enquiry Screen.

F19

Availability. Displays the Stock Availability Enquiry screen which allows you to view item and stockroom information against the contract. For more information, refer to the Stock Availability Enquiry Screen in Sales Order Processing.

F21

Internal Text. Allows you add and amend text against a schedule. Internal text is not carried forward to the reconciled requirement generated by the acceptance process. For more information, refer to Advanced Schedule Header Internal Text Window.

F22

External Text. Allows you add and amend text against a schedule. External text is carried forward to the reconciled requirement generated by the acceptance process. For more information, refer to Advanced Schedule Header External Text Window.

Review Release Exceptions Screen (F14)



Select **F14=Exceptions** from the Review Release Details screen to display the Review Release Exceptions screen.

This screen displays all the exceptions logged against this schedule. These can be EDI errors, validation errors, comparison errors, acceptance errors, or possibly a mixture of errors.

The title of the screen (which is shown as Process New Schedules - Review Release Details) can change according to the context in which the screen is operating. The two main elements to the title are:

- Process New Schedules.
- Schedule Maintenance.

The second element to the title can read:

- Review Release Exceptions.
- Review DCI Exceptions.
- Review RAN Exceptions.

The title elements can be combined in any combination.

AC460	Z1 - Demonstration Company	User QPGR	29/01/96
			11:18:31
Schedule Maintenance - Review Release Exceptions			New
Customer... F100	001 Ford Cologne	Contract.. F000211	
Item..... 76000211	96FB B29904 AB W/STRIP Q/LIGHT	Stockroom. T2	
Cust. ref.. 96FB B29904 AB	Iss. 585-10		
Item no.... 96FB B29904 AB	Issue date.....	11/12/95	
Last recpt.	Cum receipts....	20000.000	
F12=Previous F13=Internal			
01-02	Sf	Mk	KS IM II KENB20A PET087S1

Fields:

Contract Data

The customer, item, and stockroom displayed at the top of the screen and are derived from the contract details.

Select

Enter the following:

1 - Displays a detailed description of an individual comparison error.

Exception List

The list displays all exception messages for the schedule in descending order of type, followed by descending order of severity. This will result in the errors for the latest step in the processing cycle being displayed first, with the most important errors first, within type.

If possible the list will show the description of the type (e.g. Comparison, Validation etc.).

If no exceptions exist, this screen will still be displayed, but with the message '(No exceptions exist for this schedule)' displayed in place of the list.

Exception Details

The comparison method, rule number and rule element are picked up from the file.

The text about 'Period from DD/MM/YY to DD/MM/YY' is a standard message with the applicable dates substituted. Dates are only valid for exceptions where rule element number is 1. The dates are calculated as part of the comparison sleeper and stored in the file.

All other fields on the screen are calculated by the comparison sleeper.

Functions:

F13 = Internal

The shaded area on the screen layout represents an area that can be toggled between customer and internal data.

Schedule Maintenance Change Despatch Cumulative Screen (F16)



Select **F16=Change Despatch Cumulative** from the Review Release Details screen to display the Change Despatch Cumulative screen.

This screen allows you to change the cumulative despatch figures on the contract. The cumulatives are used extensively in the comparison process. Changing these cumulatives will be necessary from time to time to enable a schedule to progress through the comparison process.

The title of the screen (which is shown as Process New Schedules - Change Despatch Cumulatives) can change according to the context in which the screen is operating. The two main elements to the title are:

- Process New Schedules.
- Schedule Maintenance.

The second element to the title can read:

- Change Despatch Cumulative.

The title elements can be combined in any combination.

```

AC070              Z1 - Demonstration Company      User QPGMR      29/01/96
                                           11:20:38

Schedule Maintenance - Change Despatch Cumulative
Customer .... F100   001   Ford Cologne           Contract F000211
Item ..... 76000211      96FB B29904 AB W/STRIP Q/LIGHT

Current contract cumulative :      21395.000

Change to cum despatch..... _____
Change reference..... _____
Date last changed..... 13/12/95

-----
F8=Update  F12=Previous

10-44      SF      MK      KS      IM      II  KENB20A  PET007S1
  
```

Fields:

Contract Data

At the top of the screen, you can see the customer and item details which are derived from the contract file.

Current Contract Cum

Current contract cumulative.

Change To Cum Desp

Changes the current cum. despatches (Year to Date) YTD from the contract. This field is user maintainable. Changes can be + or -. Note that values are change quantities and NOT absolute new values!

Change Reference

The reference entered by a user the last time the cumulative was changed.

Date Last Changed

The date the cum. despatches YTD was last changed manually.

Functions:

F8=Update

Saves the changes. When the contract cumulative is changed, by pressing **F8=Update**, the changes are to be committed to the contract immediately. The update will be delayed until after you have committed changes made to the schedule.

If you select to update the contract cumulative despatches, the Cumulative YTD Despatch is increased or decreased by the amount entered. The date last changed is set to the current date. A new record is also written to the Cumulatives Audit File.

Advanced Schedule Internal Text Window (F21)

The standard JBA text processing window is used and operates in the same manner as standard application with respect to inserting lines, function key usage etc.



Select **F21=Internal Text** from the Review Release Header screen to display the Advanced Schedule Header Text window.



Note: Although both internal and external text can be maintained against a schedule, only external text will be carried forward to the reconciled requirement generated by the acceptance process.

AC452	Z1 - Demonstration Company	User QPGMR	29/01/96 11:23:29
-------	----------------------------	------------	----------------------

Review Release Header		Status: New
Customer.....	F100 001 Ford Cologne	
Item.....	76800211 96FB B29904 AB W/STRIP Q/LIGHT	
Customer item.....	96FB B29904 AB Customer order.. 96FB B29904 AB	
Stockroom.....	T2 Telford Finished Goods Contract.. F000211	
	Internal reference 1 / 1	

Customer stated values:	
New release.....	0 (0/1)
Release/issue number.....	585-10
Release/issue date/time..	11/12/9
Arrears/past due.....	5
Cumulative despatches....	2139
Engineering level.....	
Design revision.....	

Last receipts:	Despatch	Recei

F18=Additional details	F19=Defau
F24=More Keys	

14-42	SE	MK	KS	IM	II	KENB20A	PET087S1
-------	----	----	----	----	----	---------	----------

Advanced Schedule Header Text

Lin	Internal Text
1	
2	
3	
4	
5	
6	

Position to ____ Insert ____ after ____
Delete ____ from ____

F5=Refresh F8=Update F12=Previous

Fields:

Internal Text

Enter any text which relates to this schedule.

Position To

Enter a line number you want to appear at the top of the screen.

Insert

Enter the number of rows you want to insert in the first field, and the line number after which you want to insert the rows.

Delete

Enter the number of rows you want to delete in the first field, and the line number of the first line to be deleted in the second field.



Select **F8=Update** to update the files and return

to the previous screen.

Advanced Schedule Header External Text Window (F22)

This window allows you to maintain any external text associated with the selected line.



Select **F22=External Text** from the Schedule Maintenance Review Release Details screen to display the Advanced Schedule Header Text window.



Note: Although both internal and external text can be maintained against a schedule, only external text will be carried forward to the reconciled requirement generated by the acceptance process.

AC455	Z1 - Demonstration Company	User QPGMR	29/01/96 11:14:26
Schedule Maintenance - Review Release Details			
Customer...	F100 001 Ford Cologne	Contract.	F000211
Item.....	76000211 96FB B29904 AB W/STRIP Q/LIGHT	Stockroom.	T2
Cust. ref..	96FB B29904 AB	Iss.	585-10
Item no....	96FB B29904 AB	Issue date.....	11/12/95
Last receipt.		Cum receipts....	20000.000
1=Amend 2=Text 4=Delete			
*	Date Time Status	Quantity Cum Quantity Reference	P/R
	ARREARS FAB		
-	11/12/95 FAB		
-	12/12/95 FAB		
-	13/12/95 FAB		
-	14/12/95 FAB		
-	15/12/95 FAB		
-	16/12/95 FAB		
-	19/12/95 FAB		
Wk/Mth _ Date/Time ____ / ____			
Reference _____			
Advanced Schedule Header Text Lin External Text 1 2 3 4 5 6 Position to ____ Insert ____ after ____ Delete ____ from ____			
F17=Maintain Header F18=Reconcil FS=Refresh F8=Update F12=Previous F21=Internal Text F22=External Text F24=More Keys 14-42 SF MK KS IM II KENB20A PET007S1			

Fields:

Delete From

The line and any associated text will be deleted.

Acceptance Processing

The acceptance processing will be the same as Review Invalid Schedules.

Quantity

The quantity is the total quantity requested by the customer, not the outstanding quantity.

Cum Quantity

The cumulative quantity displayed will be the cumulative relative to the calculated cumulative of customer receipts at the cut-off point of the new Release. The

cumulative quantity will sometimes be sent by the customer, otherwise it will be calculated.

The cumulative quantity is used for determining the authorisation status of the record when the authorisation method is 3 - Cumulative. The cumulative quantity is also used by the comparison process when comparing cumulative quantities at the end of authorisation periods.

P/R

Where the contract is subject to pack rounding rules, a Pack Round indicator is displayed. The default value is 1=yes, but this can be changed to 0 - no for an emergency rush shipment. Also where the customer has sent an article status code '07', this signifies a balance out request where the pack round indicator will be set to no.

Status

The status indicator will only be displayed on the bottom line if the authorisation method flag on the new Release header is 1 - As Sent. If the authorisation method is 2 - Date Period or 3 - Cumulative Quantity, the status of the record will be calculated automatically using either the date or cumulative compared with the authorisation period information held on the new Release header record.

Each time a new requirement is maintained (changed, deleted or added), the function will re-calculate the status of each line.

If a user is accessing this screen after having made some changes to the release header, the status of each line will be recalculated in case a change has been made to cumulative quantity authorisations, arrears quantity etc.

The arrears line is display only.

The revision no. is set to 0 initially to show that this is the version of the Release originally requested by the customer.

If any changes are made by you before the Release is accepted, the revision number is incremented by 1 to show that the release was revised before being accepted by you.

If the customer sends a new schedule for this customer issue reference, the internal revision number will be increased by 1.

The internal release only changes when a change of issue reference occurs, and the internal revision number only changes once per run through the acceptance process (regardless of how many changes are made and saved through schedule manipulation through the acceptance process).

Schedule Header Additional Details Window (F18)

This window allows you to maintain the additional fields on the schedule header file. All data entered on this window is optional.



Select **F18=Additional Details** from the Review Release Header Screen to display the Maintain Additional Details window.

AC452 Z1 - Demonstration Company User QPGMR 29/01/96 11:21:33

Review Release Header Status: New

Header - Maintain Additional Details

Article status.....?.. 03 Article Status Code 03

Carrier.....?..

Freight forwarder.....?..

Final delivery address code..?..

Additional destination.....?..

Consignee code.....?..

Manual entry source.....?..

F4=Prompt F12=Previous

F18=Additional details F19=Defaults F21=Internal Text F22=External text

F24=More Keys

06-37 S2 MK KS IM II KENB20A PET007S1

Fields:

Article Status Code

The code entered will be '03'. If the severity of the message is greater than or equal to 4 an error message will be issued, or else the same message will be output as a warning.

Carrier

Enter the carrier code. The codes are held on the Description file CARR.

Freight Forwarder

Enter the Freight Forwarder code. The codes are held on the Description file type FFWD.

Final Delivery Address Code

Enter the Final delivery address code. The codes are held on the Description file type FDEL.

Additional Destination

Enter the Additional Destination code. The codes are held on the Description file type ADES.

Consignee Code

Enter the consignee code. The codes are held on the description file type CGEE.

Manual Entry Source

Will be validated against the descriptions file for major type MESC.



If you press **Enter** the changes made are returned to the database.

Maintain EDI Reference Details Screen (F23)

This screen displays additional EDI information. The fields that display data depend on the type of EDI message used by your company and the agreed information required by the customer. You can override the information when necessary.



Select **F23=EDI Ref** from the Review Release Header screen to display the Maintain EDI Reference Details screen.

AC452	Z1 - GB Demonstration Company	User GBJBA1MS	16/10/97
			9:06:18
Review Release Header - Maintain EDI Reference Details			
Special Reference.....	█		
Usage Location code.....	_____		
Last Receipt Date	0/00/00		
Cumulative Receipts Discrepancy..	0		
Supplementary Part Number.....	_____		
Customers account Code.....	_____		
EDL Intermediate Consignee.....	_____		
Last Engineering Change Shipped..	_____		
Last Drawing No. Shipped.....	_____		
Customer's Part Number	_____		
Control Item Code	-		
Balance Out Indicator	-		
Release Control	-		
Plant Related Remarks	_____		
Part Related Remarks	_____		
Overshipment Quantity	0 FPSD/FINIS Code ..		
F12=Previous			
5-36 SA MW KS CL IM DM II EDN400A KB PET178S1			

The following fields are available:

Fields:

Special Reference

This is a memo code assigned by the customer.

Usage Location Code

This is a code used to indicate the lowest level of a deliver to location which is often a trackside location in a factory.

Last Receipt Date

This is the date when last shipment of goods arrived on the site.

Cumulative Receipts Discrepancy

Displays the difference between cumulative requirements and cumulative receipts.

Supplementary Part Number

This is an additional part number for the scheduled item. It is referred to as an FPSD part number.

Customers G/L Account Code

General ledger account assigned by the customer.

EDL Intermediate Consignee

Identifier for an intermediate shipper or subsupplier.

Last Engineering Change Shipped

Value of the EC number previously transmitted on an ASN.

Last Drawing Number Shipped

Last drawing number transmitted on an ASN.

Customers Part Name

Part name assigned by a customer for the scheduled item.

Control Item Code

This information is used on an outbound ASN only.

Balance Out Indicator

This information is used on an outbound ASN only.

Release Control

This field is for your information only.

Plant Related Remarks

A memo field which displays additional information relating to the plant where the item is to be delivered.

Part Related Remarks

A memo field which displays additional information relating to the part name assigned by a customer. This field is for your information only.

Overshipment Quantity

The number of overshipped items is displayed. This field is for your information only.

FPSD/FINIS Code

Displays the FPSD/FINIS code and is only used on an outbound ASN.



Select **Enter** to confirm the details on the screen.

Receive Schedules



11/ACP



Select Receive Schedules to display the Receive EDI Scheduled Orders screen.

The purpose of this function is to receive new issues of, and amendments to existing scheduled orders in the database which have been sent via EDI. These schedules are validated in the same manner as if they were entered via standard Schedule Maintenance. A control list is available to provide an audit of Schedules updated or of only those receipts in error.



Note: These EDI schedules must have already been received into the Application Interface database via the 'Receive Documents' function in EDI.

You can submit the batch function which creates new issues or schedule amendments to the Schedule Order database.

A1570	Distribution V3 -> V3 Financials	User GJBAPH2	27/10/95 15:41:31
Receive EDI Scheduled Orders			
Print EDI orders control list. 1 (1=All orders,2=Exceptions only)			
F3=Exit F8=Submit			
06-41	SP	MK	KS IM II KENB20A PET158S1

Fields:

Print EDI Orders Control List

You can enter the following:

- 1 - All Orders. Prints details of all schedules processed.
- 2 - Exceptions Only. Prints only those in error.



Press **F8=Submit** to submit batch function.