

-
-
-
-
-

ADVANCED SHIPPING

Version 3.5.2

Product Guide



FRONTISPIECE

Copyright © 1998, JBA Software Products Limited, Product Services Division,
Eagle House, The Slough, Studley, Warwickshire, B80 7EN England.

All rights reserved.

No part of the material protected by this copyright may be reproduced or utilised
in any form or by any means, stored in a retrieval system, or transmitted, in any
form, or by any means, electronic, mechanical, photocopying, or otherwise,
without the express prior written consent of JBA Software Products Ltd.

Although every care has been taken in the production of this manual it cannot be
guaranteed that the information contained herein is without error or omission.

This manual relates to:

Advanced Shipping Version 3.5.2

Contents

CHAPTER 1 MAINTENANCE	1-1
Advanced Shipping Maintenance Procedures	1-2
Customer/Delivery Point Defaults	1-3
Customer Defaults Screen	1-4
Customer Contract Defaults Screen	1-5
Customer Defaults ASN and Pack Details Screen	1-8
ASN Map And Sequences Hierarchies Window (F14)	1-12
ASN And Pack Details Defaults Additional Address Codes Screen (F21)	1-14
Additional ASN Defaults Window (F22)	1-16
Contracts Maintenance	1-17
Contract Maintenance Screen	1-18
Contract Search Selector Screen	1-20
Additional Contract Characteristics Panel (F10)	1-21
Contract Defaults Screen	1-22
Pack Types	1-25
Pack Type Maintenance Screen 1	1-26
Pack Type Maintenance Screen 2	1-27
Multi Lingual Descriptions Maintenance Window (F23)	1-30
Pallet Types	1-31
Pallet Type Maintenance Screen 1	1-32
Pallet Type Maintenance Screen 2	1-33
856 Container Defaults Window (F13)	1-36
Customer/Item/Pack/Pallet Maintenance	1-38
Customer/Item/Pack/Pallet Maintenance Screen 1	1-39
Maintain Customer/Item/Pack/Pallet Maintenance Screen 2	1-40
Additional Cust/Item/Pack Data Window (F8/F10)	1-44
Assigning Calendars to Stockrooms	1-46
Assign Calendars to Stockrooms Screen 1	1-47
Assign Calendars to Stockrooms Screen 2	1-48
ASN Names and Addresses Maintenance	1-49
ASN Name and Address Screen 1	1-50
Name and Address Maintenance Details Screen	1-51
Multi Lingual Descriptions Maintenance Window (F23)	1-53
Despatch Profile Maintenance	1-54
Despatch Profile Maintenance Screen	1-55
Despatch Profile Maintenance Screen (F6)	1-56
Items	1-58
856 Item Measurements Screen 1	1-59
856 Item Measurements Screen 2	1-60
Company Item Defaults Pack Summary Window (F9)	1-62
Hazardous Materials Class Codes	1-64
856 Hazardous Materials Class Code Maintenance Screen	1-65
CHAPTER 2 PROCESSING	2-1
Advanced Shipping Processing	2-2
Build and Maintain Consignments	2-3
Consignment Maintenance Screen	2-4
Reserve Requirements and Build Consignments Screen	2-6
Consignment Header Screen (F6)	2-9
Breakdown of Requirements Window (F16)	2-12
Consignment Item Summary Screen (F15)	2-13
Lot Allocation Window	2-14

Consignment Confirmation Parameters Screen (F10).....	2-15
Simulate Consignment Load Screen (Option 2)	2-17
Consignment Decreases Screen.....	2-19
Consignment Confirm Despatch	2-20
Confirmation of Despatch Screen	2-21
Consignment Confirmation Of Despatch Screen	2-22
Confirm Lot Details Screen	2-25
Confirm Consignment Charges Screen	2-26
Consignment Totals Screen	2-27
Consignment Packs and Pallets Screen (F15)	2-29
Confirm Consignment Confirmation Window.....	2-31
Fastpath Shipping.....	2-32
Advanced Shipping Fastpath Screen	2-33
Consignment Header Screen (F6, F10)	2-35
Create Shipment Details Screen	2-37
Fastpath Packing Details Screen (Option 1).....	2-39
Consignment Charges Screen (F13)	2-41
Text Window (Option 2)	2-42
Breakdown Of Requirements Window (Option 3)	2-43
Name And Address Maintenance Screen (F21)	2-44
Fastpath Confirmation	2-46
Fastpath Confirm Despatch Screen	2-47
Confirm Shipment Details Screen (Option 2).....	2-49
Consignments By Item Window (F14)	2-51
ASN Maintenance And Send	2-52
ASN Maintenance And Send Screen	2-53
Consignments by Item Window (F14).....	2-55
ASN Maintenance Header Screen (Option 1)	2-56
Additional Details Window (F10).....	2-59
ASN Maintenance Weights And Totals Screen (F14).....	2-61
ASN Maintenance Names and Addresses Screen 1 (F21).....	2-63
ASN Maintenance Names and Addresses Screen 2 (Option 1)	2-65
ASN Text Window (F22)	2-67
ASN Item Summary Screen (F15).....	2-68
ASN Maintenance Item Pallet Summary Screen (Option 1).....	2-70
ASN Maintenance Pallet Details Screen (Option 1)	2-72
ASN Maintenance Pack Details Screen (Option 1)	2-74
ASN Maintenance Packaging Discrepancies Screen.....	2-76
Consignment Pack Enquiry Screen (F17)	2-78
Resend ASNs	2-79
ANSIX12 856 Maintenance And Send	2-80
ANSIX12 856 ASN Maintenance And Send Screen.....	2-81
856 Maintenance Header Screen (Option 1).....	2-83
Additional 856 Details Window (F10)	2-86
856 Additional Shipment Level Details Screen.....	2-88
Transport Charges Window (F10)	2-90
856 Additional Tare Container References Screen.....	2-92
856 Additional Order Level Details Screen.....	2-93
856 Additional Pack Container References Screen	2-94
Additional 856 Item Details Window.....	2-96
856 Additional Item Level Details Screen.....	2-97
856 References Screen.....	2-99
856 Charges And Allowances Screen.....	2-101
856 Charges And Allowances Additional Details Window.....	2-103
856 Hazardous Materials Screen	2-105
856 Product/Service Identification Screen.....	2-107
856 Product Characteristics Screen.....	2-109
856 Subline Details Screen	2-111
856 Product/Service Identification Screen (Option 1)	2-113
856 VICS Product Marks/Package Specifications Screen	2-115

856 Maintenance Weights And Totals Screen (F14)	2-117
856 Maintenance Item Summary Screen (F15)	2-119
856 Maintenance Item Pallet Summary Screen (Option 1)	2-121
856 Maintenance Pallet Details Screen (Option 1)	2-123
856 Maintenance Pack Details Screen (Option 1/F6)	2-125
856 Maintenance Consignment Pack Enquiry Screen (F17)	2-127
856 Maintenance Name And Addresses Screen 1 (F21)	2-129
856 Maintenance Name And Addresses Screen 2 (Option 1)	2-131
856 Text Window (F22)	2-133
Resend ANSI12 856s	2-134
Record Consignment Stock Consumption	2-135
Record Consignment Stock Consumption Screen 1	2-136
Record Consignment Stock Consumption Screen 2	2-137
Confirm Packaging And Labels	2-139
Confirm Pack Selection Screen	2-140
Confirm Pack Screen	2-141
Warning Window	2-143
Manual Packing Maintenance Screen	2-144
Maintain Range Window	2-146
Maintain Pallet Window	2-148
Print Shipping Labels Screen	2-149
CHAPTER 3 ENQUIRIES AND REPORTS.....	3-1
Shipping Requirements Enquiry	3-2
Shipping Requirements Enquiry Screen 1	3-3
Shipping Requirements Enquiry Screen	3-5
Shipping Requirements Enquiry Details Screen (Option 1)	3-6
Advanced Shipping Requirements Enquiry Despatches Profile Window (F16)	3-7
Consignment Enquiry	3-8
Consignment Enquiry Invite Screen	3-9
Consignment Enquiry Header Details Screen	3-11
Consignment Enquiry Weights and Totals Screen (F14)	3-12
Consignment Enquiry Item Summary Details Screen (F15)	3-13
Consignment Enquiry Lot and Stockroom Details Screen (Option 1)	3-14
Consignment Enquiry Pallet Summary Screen (Option 2)	3-15
Consignment Enquiry Pallet Details Screen (Option 1)	3-16
Consignment Enquiry Pack Details Screen (Option 1)	3-17
Consignment Enquiry Name and Address Details Screen (F21)	3-18
Shipping Requirements Report	3-19
Shipping Requirements Report Selection Screen	3-20
Goods Not Invoiced	3-22
Goods Not Invoiced Report Screen	3-23
CHAPTER 4 UTILITIES	4-1
Company Profile Maintenance	4-2
Company Profile Maintenance Screen	4-3
Advanced Shipping Company Screen	4-4
Company ASN & Pack Details Defaults Screen	4-7
Calendar Codes Maintenance	4-10
Calendar/Year Maintenance Screen 1	4-11
Calendar/Year Maintenance Screen 2	4-12
Calendar/Year Maintenance Screen 3	4-14
Start Confirm Despatch Updates	4-16
Start ASN EDI Send	4-17
CHAPTER 5 APPLICATION INTERFACE	5-1
Automotive Overview	5-2
Stock Movements	5-3

Receive EDI Stock Movements Screen	5-4
Stock Balance.....	5-5
Receive EDI Stock Balances Screen	5-6
Confirmed Receipts	5-7
Receive EDI Stock Consumptions Screen.....	5-8
Self Billed Invoice	5-9
Receive EDI Self Billed Invoices	5-10
GLOSSARY	I
Glossary	II
INDEX	A
Index.....	B

-
-
-
-
-

Glossary



Glossary

Arrears Processing Method

This is specified on the contract and is used in the reconciliation process. It may take the following values:

'01' - Normal

The customer will either state a cumulative arrears figure or state individual past due requirements with their past due date.

'02' - Restated

The customer will not state arrears figures as such but will restate any arrears as new current / future dated requirements.

'03' - Assumed

The customer assumes the Supplier knows what the arrears figure is and that the supplier will send them automatically.

Advanced Shipment Notifications (ASNs)

An ASN is an EDI message transmitted when a shipment leaves a supplier's premises. The message informs the customer of the shipment details.

Authorisation Method

This is specified on the contract. It states how the supplier should identify which Authorisation Period each schedule requirement belongs to. It has the following values:

'01' - Customer Sent

Each requirement is coded accordingly, e.g. Code 1 - this is a FIRM requirement.

'02' - Date Horizons

Customer states date horizons for each authorisation period and each requirement is coded accordingly to their 'first required' date.

'03' - Cumulative Quantity

Customer states cumulative cut off points for each authorisation period. The requirements are read in date sequence and coded accordingly. Requirements which cross the break off point are put entirely in the earlier Authorisation Period.

'04' - Fixed Horizons

The authorisation period end dates are always a fixed number of days (as specified on the contract) after the schedule issue date. The requirements are coded as per method 02.

All DCI and RAN requirements are in Authorisation Period 1.

Authorisation Periods

Advanced Customer Scheduling allows for up to five authorisation periods, although more typically there are just three: FIRM or FABRICATE; MATERIAL; and FORECAST. There are four different methods for determining the authorisation period of each schedule requirement on a 'Release'.

Accepted practice is that the customer is contractually obliged to pay the item price for FIRM requirements and the raw material cost for MATERIAL requirements. There is no contractual obligation associated with FORECAST requirement; the customer sends these to the supplier purely for longer term planning purposes.

Authority

The permission given by the customer to the supplier to manufacture the required items, or to buy materials for manufacture. This is usually expressed in time or quantity.

Call-Off

The quantity required by a customer for a specific delivery.

Comparison Method

This defines which schedule to use as a base for comparison purposes. It is partnered with Rules when attached to contracts. There are four types of comparison method; the first two are for new schedules and the latter two are for new revisions of existing schedules.

1 - New Release / Previous Release, Latest Revision..

For example the customer sends a new release which would be Internal Reference 3 revision 0. Compare it to the current release i.e. Internal Reference 1 revision 10.

2 - New Release / Previous Release, Revision Zero.

In the above example, compare the new release, Internal Reference 2 revision 0 to historical release Internal Reference 1 revision 0.

3 - New Revision / Previous Revision.

E.g. the customer sends a new revision of a schedule which would be Internal Reference 2 revision 2. Compare it to current schedule Internal Reference 2 revision 1.

4 - New Revision / Revision Zero.

In the above example, new schedule Internal Reference 2 revision 2 would be compared to historical schedule Internal Reference 2 revision 0.

Multiple comparison methods / rules may be attached to a contract (at Release and / or DCI level).

On-line comparison only processes the element 1 portion of a comparison rule and uses the primary rule, though this may be overridden.

Comparison Rule Elements

Define where the amount being compared should be evaluated. There are five possible elements;

1- Quantity within period.

This element type is associated with a range of days which are relative to the schedule issue date. There may only be one negative range, -999 to -1 (i.e. all arrears). There may be numerous positive day ranges but with no overlaps. E.g. range 0 - 10 means look at the 'Amount' (Quantity / Percentage / Sales Value) in the first 10 days of the new schedule and compare it to the 'amount' in the corresponding 10 days of the comparison schedule.

2 - Cumulative at authorisation period end (new date).

This element type is associated with an authorisation period (1 to 5). Look at the 'amount' at the period end date for the **new** schedule and compare it to the 'amount' on the comparison schedule at the same date.

3 - Cumulative at authorisation period end (new / current date).

This is like element 2 but compares the 'amount' at the new end date of the relevant period on the new schedule to the value at current end date of the corresponding period on the comparison schedule.

4 - Cumulative at high water mark.

This element type is associated with an authorisation period (1 - 5). It says look at the 'amount' at the High Water mark on the new schedule and compare it to the 'amount' at the High Water Mark on the comparison schedule.

5 - Cumulative mismatch.

This is a special element which has no date range or authorisation period associated with it. Also it does not compare 'new' schedule data to a base schedule. Instead it calculates customer's implied goods in transit in two different ways (see Reconciliation Method 03) and evaluates the size of any difference to determine whether an 'exception' has been encountered.

Consignment

All items being despatched to a customer in one delivery.

Consignment Stocks

Consignment stock processing is used when a supplier transfers goods to a holding area, generally known as a consignment warehouse, instead of to a customer. The goods remain the property of the supplier and are referred to as

consignment stock. At this stage no updates are made to inventory, invoice records are not created and the shipment is converted to a transfer order.

The customer has direct access to these goods and takes them from the warehouse as they are required. The customer then notifies the supplier that they have consumed these goods and upon receipt of this notification inventory is updated and an invoice is raised.

Consignment stock processing and self billing are often performed together as the customer notification of stock consumption can be used to match a self billed invoice.

Contract

The 'contract' specifies the agreed terms between the Supplying Company (the user) and the customer, to provide a quantity of a specified item over a specified timescale, usually with agreed contract prices. It also parameterises how the system should receive and process schedule data from the customer for that contract.

A contract may operate with Releases only; Releases and DCIs; or Releases and RANs. For the latter two, all 'Release' demand is ignored by Shipping. The customer may send overlapping Releases and DCI / RANs. The system does not double count the demand.

Cumulative

The total quantity of a scheduled item despatched so far i.e. **cumulative despatched** , plus the outstanding requirements.

DCI

This **Daily Call In** is a short term (typically the next 7 - 14 days) mini 'Release' specifying FIRM requirements only.

Delivery Requirement

The quantity required by the customer for a specific delivery, see **Call-Off**.

Detailed Packaging

You can run Advanced Shipping in two packaging modes, simple and detailed.

Simple packaging gives you only one level of packaging, and is compatible with Fastpath processing.

Detailed packaging gives you two levels of packaging (for example, pack within pallet), and means you can also print shipping labels. Although you can use this function in conjunction with Fastpath options, it does involve extra screens,

because you have to specify packaging details, and if you are printing labels you must specify details there too.

The choice as to whether you run Advanced Shipping in detailed or simple packaging mode is made in Inventory, in the Descriptions option, under the major type DFLT. Select the code ASPACK, and in the Limit field enter 0 for simple packaging and 1 for detailed.

Although you make the choice of detailed or simple packaging at company level, you can override your choice for individual customers. This means that you can, for example, run your Advanced Shipping in simple mode for all but a couple of customers who need shipping labels printing.

Effective Quantity

The total quantity required by the customer over the life of the schedule.

History

Previous issues of the schedule.

Internal Reference Numbers

These are two 5 digit system generated labels which identify a particular schedule and it's associated records. A contract which operates Releases and DCIs / RANs will have two sets of reference numbers.

The customer will state whether they are sending a new or revised schedule. Typically a new schedule may come out say monthly, whereas a new revision is reissuing the same schedule with minor changes.

Issue

A new version of the schedule. A schedule is usually a dynamic entity and is subject to regular amendment by the customer. The amendments are issued as a new version of the schedule.

RAN

A **R**eceipt **A**dvice **N**otification is a special DCI. RANs are sent with a unique RAN identifier which must be quoted on all despatch documentation. They are discrete authorisations to ship which must be shipped in their entirety on a single consignment. There is no arrears concept with RANs; if missed or short despatched, the customer will restate demand in a new RAN if they still want the goods.

Reconciliation Method

This is specified on the contract. It states what kind of information the customer will provide regarding cumulative receipts and hence how the customer and supplier's view of despatches / receipts should be reconciled. It can be any of the following values:

'01' - Cumulative Quantity.

The customer status cumulative receipts to date and the system needs to determine which despatches have been received and which are still Goods in Transit (GIT).

'02' - Last Despatch.

The customer quotes back up to six last despatches received (by consignment number). The system will flag these as received on the despatches file, and the goods in transit will be calculated from those despatches not flagged as received.

'03' - Cumulative Quantity and Last Despatch.

In this case the system can calculate goods in transit two different ways, which should concur. This may uncover a cumulative mismatch which implies the data on the schedule is in error.

'04' - Assumed.

The system assumes the customer has received all shipments despatched up to the issue date less ship lead time.

'05' - RAN.

There is no reconciliation process for RANs; each one is viewed as a discrete order, without any concept of arrears or goods in transit.

'06' - None.

The system assumes the customer to have received all shipments despatched up to the issue date, regardless of Ship Lead Time.

The customer view of arrears may include their implied view of goods in transit - the system adjusts for this in the reconciliation process.

Release

This is a schedule for an extended time frame (typically six months in Europe, or three months in North America). It may split requirements into different 'Authorisation Periods'.

Retrospective Invoicing

The ability to impose historical price increases, or reductions, on to a customer.

Revision Numbers

These are two 5 digit system generated labels which identify a particular schedule and it's associated records. A contract which operates Releases and DCIs / RANs will have two sets of reference numbers.

The customer will state whether they are sending a new or revised schedule. Typically a new schedule may come out say monthly, whereas a new revision is reissuing the same schedule with minor changes.

Schedule

This is a generic term relating to a set of delivery requirements data against a specified contract over a set period of time. The term 'schedule' can apply to a Release, DCI, or a RAN.

Self Billing

Self billing allows the customer to reduce the cost of matching invoices against consignment notes by calculating the invoice they are expecting from the supplier. The customer notifies the supplier of the invoice details that it has raised against itself.

Consignment stock processing and self billing are often performed together as the customer notification of stock consumption can be used to match a self billed invoice.

Simple Packaging

You can run Advanced Shipping in two packaging modes, simple and detailed.

Simple packaging gives you only one level of packaging, and is compatible with Fastpath processing.

Detailed packaging gives you two levels of packaging (for example, pack within pallet), and means you can also print shipping labels. Although you can use this function in conjunction with Fastpath options, it does involve extra screens, because you have to specify packaging details, and if you are printing labels you must specify details there too.

The choice as to whether you run Advanced Shipping in detailed or simple packaging mode is made in Inventory, in the Descriptions option, under the major type DFLT. Select the code ASPACK, and in the Limit field enter 0 for simple packaging and 1 for detailed.

Although you make the choice of detailed or simple packaging at company level, you can override your choice for individual customers. This means that you can, for example, run your Advanced Shipping in simple mode for all but a couple of customers who need shipping labels printing.

Status

The firmness of a delivery requirement.

-
-
-
-
-

Index



Index

Error! No index entries found.