

-
-
-
-
-

Chapter 2

Customer And Equipment Database



Customer Additional Details Maintenance



1/SSE

You must first set up your customers in Accounts Receivable before you process the additional information required for Service Management.

Use this option to set up the customer's additional service details before you can record equipment installed at the site.

Additional Details Maintenance Customer Selection Screen



Select Customer Additional Details.

```
SS017          Z1 - GB DEMO. SERVICE COMPANY    USER GBJBATD0  26/11/97
               "BRUM" TRAINING & SERVICE BRANCH  11:48:44
Additional Details Maintenance : Service System

Please Enter Account Number ..?. ABC01█

...the relevant address details will be displayed for acceptance.

F3=Exit F4=Prompt

5-41  SA  MW  KS  CL  IM  DM  II  STUD140  KB  PKH317S1
```

Fields:

Account Number

Enter your customer's account.



Press **Enter** to display the Additional Details Maintenance Address screen.

Additional Details Maintenance Address Screen



To display this screen select a customer on the Additional Details Maintenance Customer Selection screen and press **Enter**.

The Additional Details Maintenance Address screen is displayed, showing the customer's 000 (or Statement) address.

```
SS017          Z1 - GB DEMO. SERVICE COMPANY      USER GBJBATD0  26/11/97
               "BAUM" TRAINING & SERVICE BRANCH    11:52:02
Additional Details Maintenance : Service System

Please Enter Account Number ..?. ABC01

Account Name      ABC Holiday Shop Ltd
Address Line 1    24, Carrington St,
Address Line 2    Hove,
Address Line 3    Sussex
Address Line 4
Address Line 5
P-Code 1st Half  BR74      Post Code 2nd Half  7YB

...press 'ENTER' to accept this account, or key in another choice.

F3=Exit  F4=Prompt

5-36  SA  MW  KS  CL  IM  DM  II  STUD140  KB  PKH317S1
```

Fields:

Please Enter Account Number

To change the customer, enter the new customer here and press **Enter**.



Press **Enter** to display the Additional Details Maintenance Address Selection screen.

Additional Details Maintenance Address Selection Screen

-  To display this screen press **Enter** on the Additional Details Maintenance Address screen.
-  At first, this screen displays only the details at the top of the screen and the Enter Location Code field, but press **Enter** to display a list of all existing addresses for the customer.

```
SS017          Z1 - GB DEMO. SERVICE COMPANY      USER GJBATD0  26/11/97
                  "BAUM" TRAINING & SERVICE BRANCH  11:52:20
Additional Details Maintenance : Service System

Account Number      ABC01

Enter Location Code █
...following is a list of existing location address codes.

Locn Code  Name                               Address Line 1
000      ABC Holiday Shop Ltd                 24, Carrington St,
001      Delivery for ABC Holiday Shop        29A Sebastopol St
002      ABC Holiday Shop                     c/o ABC Holidays

F3=Exit  F12=Previous

7-24      SR      MW      KS  CL  IM  DM  II      STUD140  KB  PKH317S1
```

Fields:

Enter Location Code

Enter either a new address code, or select an existing one from the list.

Locn Code

A list of existing address codes for the account, or a message that there are none, is displayed.

Name

The name of the account for each installation address is displayed.

Address Line 1

The first line of the address is shown.



Note: For any account, there can be a number of locations with different addresses.



Select a customer and press **Enter** to display the first Additional Details Maintenance screen.

Additional Details Maintenance Screen 1



To display this screen select a customer and address on the Additional Details Maintenance Address Selection screen and press **Enter**.

SS017	Z1 - GB DEMO. SERVICE COMPANY	USER GBJBATD0	26/11/97
	"BRUM" TRAINING & SERVICE BRANCH		11:55:00
Additional Details Maintenance : Service System			
Account No. ABC01	ABC Holiday Shop Ltd		
Locn. Code 000	ADDITION - EXISTING A/C		
Account Phone Extension			
Invoice Destination Address A/c.	ABC01		
and Sequence	001		
Contact			
Cash customer ?	0	(1=yes 0=no)	
Region	NW	North West	
Admin. Branch	BT	"BRUM" TRAINING & SERVICE BRANCH	
Invoice Consolidation Level	3	(1=Account 2=Location) (3=Job/Contract)	
Customer Ref. for Job?	0	Parts Price List	001
Customer Ref. for Contracts?	0	Parts Discount List	
Currency Customer (0/1)	1	Currency Rate Code ?	SSW3
Currency Code ?	ESP	Labour Price List ?	
		VAT Code ?	001
F3=Exit F4=Prompt F5=Trade details F12=Reselect Account/Code			
10-37 SA MW KS CL IM DM II STUD140 KB PKH317S1			

Fields:

Account Phone Extension

Enter the site address contact's phone extension number.



Note: The Service telephone number and its extension number are maintained on the next screen.

Invoice Destination Address A/c

Enter the account to which to send the invoices raised on behalf of this installation address.

And Sequence

Enter the address to which to send the invoices raised on behalf of this installation address.

Contact

This is a memo field to hold the installation address contact's name; this could be the service contact for the site.



Note: There is also an equipment contact field for each piece of equipment at the site.

Cash Customer

Enter one of the following:

0 - This customer was not set up at call logging.

1 - This customer was added at call logging. The message Cash is displayed as well. There is no functionality associated with the field even if it is set to 1.

Region

This designates the service region to which the installation site belongs. This is for analysis purposes only. It is not used on standard reports, but you can use it for your own memo purposes.

The code must be set up in the Codes/Parameter File Maintenance option under the parameter type REGN.

Admin Branch

Enter an existing branch.

This defaults to the branch to which you are currently linked. The admin branch may be different from the branch which owns the equipment at the installation address. However, when equipment is moved, it is this branch on the new site's record which determines the branch to which the equipment is moved and its new owning branch.

Invoice Consolidation Level

Enter one of the following:

- 1 - Account level.
- 2 - Location level.
- 3 - Job/contract level. This is the default.

Consolidation at levels 1 and 2 will be subject to the special rules in multi-currency and World Trade: there will be break-points at change of currency and at change of VAT/GST regimes.



Note: This field can only be changed at account level. Any change at 000 (or Statement Address) level is automatically made to all account site records.

Customer Ref For Job

Enter one of the following:

- 0 - No customer reference is required when a call is logged.
- 1 - A customer reference (for example, a purchase order number) must be entered when a call is logged.

Parts Price List



Note: The field is only displayed if the SOP Active ? flag is set to 1 in Company Profile Maintenance.

If displayed, it is a mandatory field and any parts list entered must exist in Sales Order Processing. The list is used to price service parts fitted at the installation site and logged in the call's technical report.

Customer Ref For Contracts

Enter one of the following:

0 - No customer reference is required when a contract is set up.

1 - A customer reference must be entered when a contract is set up.

Parts Discount List

The field is only displayed if the SOP Active field is set to 1 in Company Profile Maintenance.

Any discount list entered must exist in Sales Order Processing. The list is used to calculate any discounts due on service parts fitted at the installation site and logged in the call's technical report.

Currency Customer

Enter one of the following:

0 - This customer is not a currency customer within Service Management.

1 - This customer is a currency customer within Service Management.



Note: It may be different from the currency customer flag used by Sales Order Processing.

Currency Rate Code

In add mode, this value defaults from the Service Management company profile.

This currency rate is used during contract and job invoicing, to convert the customer's prime currency into the company's base currency.

The currency rate code must be set up in the General Ledger.

Currency Code

In add mode, if the Currency Customer field is set to 0, this field defaults to the base currency of the Accounts Receivable company and cannot have any other value.

If the Currency Customer field is set to 1, this field defaults to the currency on the customer master.

The currency code must be set up in the General Ledger.

Labour Price List

You can enter a Service Management labour price list here.

VAT Code

The VAT code must be set up in the General Ledger using a three character code.

In add mode, the code defaults in from the customer master file.

Functions:

F5

Trade Details (only if World Trade is attached). Refer to the World Trade product information for more details.



The Customer Additional Service Details are maintained on three screens. Press **Enter** to

display the second Additional Details
Maintenance screen.

Additional Details Maintenance Screen 2



To display this screen press **Enter** on the first Additional Details Maintenance screen.

SS017	Z1 - GB DEMO. SERVICE COMPANY	USER GBJBATD0	26/11/97
	"BRUM" TRAINING & SERVICE BRANCH		12:01:25
Additional Details Maintenance : Service System			
Account No. ABC01		ABC Holiday Shop Ltd	
Locn. Code 000		ADDITION - EXISTING A/C	
Customer Priority	2		
Customer Calendar Code			
Geographic Code	BR74 ZYB		
Service Telephone Number			
Service Telephone Extension			
Service Fax Number			
Charge Standard Distance Value	0 (1/0)		
Standard Mile/Km Value	.00		
Charge Actual Distance Driven	0 (1/0)		
Charge per Mile/Km	.00		
Charge Zones	1 (1/0)		
Zone Code to Charge	I		
Time Zone ID	?		
F3=Exit F4=Prompt F12=Previous			
8-37 SA MW KS CL IM DM II STUD140 KB PKH317S1			

Fields:

Customer Priority

Enter this customer's priority as a number from 0 to 4. Either 0 or 4 can mean high priority, depending on how the Maximum Customer Importance field is set on screen 2 of the System Parameters File Maintenance option.

The customer priority is used in the 3-D matrix (with volume segment and machine up/down) to apply any percentage reductions to call response time.

Customer Calendar Code

Enter a valid customer calendar code.

Geographic Code (2 Fields)

Postcodes or other geographic codes (geocodes) are used to define territories, or patches, which are allocated to teams and engineers. At call logging, the geographic code is used in allocating work.

Service Telephone Number

Enter the phone number for the service contact at the customer. This can be a different number to the installation address phone number.

Service Telephone Extension

Enter the service contact's telephone extension number.

Service Fax Number

Enter the fax number for the service contact at this address.

Charge Standard Distance Value

This field defaults to the value from the company profile maintenance screen 3 (of 4).

Enter one of the following:

0 - No standard distance value is to be charged.

1 - A standard distance value is to be charged. Enter a value in the next field to cover the charge for a return trip to the site. The Charge Actual Distance Driven and Charge Zones fields must be 0.

Standard Mile/Km Value

If the Charge Standard Distance Value field is 0, leave this field as .00.

If the Charge Standard Distance Value field is 1, enter here the charge to be made for a return trip to the site. The field holds 11 digits plus two decimal places.

Charge Actual Distance Driven

This field defaults to the value from the company profile maintenance screen 3 (of 4).

Enter one of the following:

0 - You do not want to charge according to the actual distance driven.

1 - You want to charge the actual distance driven. The actual distance driven, as entered at technical reporting, is multiplied by the Charge Per Mile/Km, set up in the next field. The Charge Standard Distance Value and Charge Zones fields must be 0.

Charge Per Mile/Km

If the Charge Actual Distance Driven field is 0, leave this field as .00.

If the Charge Actual Distance Driven field is 1, enter here the charge to be made per mile/km. The field accepts 11 digits plus two decimal places.

Charge Zones

This field defaults to the value from the company profile maintenance screen 3 (of 4).

Enter one of the following:

0 - You do not want to charge for travel according to zone.

1 - You want to charge for travel according to zone. You must enter in the next field the appropriate zone code which holds the flat rate, branch charge for a call to a customer site in that zone. The Charge Standard Distance Value and Charge Actual Distance Driven fields must be 0.

Zone Code To Charge

If the Charge Zones field is 0, leave this field blank.

If the Charge Zones field is 1, enter an existing zone code. This holds the flat rate, branch charge for visiting a customer site in the zone.

Zone codes are set up in the Codes/Parameter File Maintenance option, under parameter type ZONE.

Time Zone ID

If the time zone is different from that of the system, then enter the correct time zone here.

This is best used where your company branches are in different time zones. It is more problematic when used for your customer locations, and if you do not use it carefully it can lead to impractical work allocation. For example, a customer in a particular time zone may be better served by a branch which, though in a different time zone, is in fact nearby.



Press **Enter** to display the third Additional Details Maintenance screen.

Additional Details Maintenance Screen 3



To display this screen press **Enter** on the second Additional Details Maintenance screen.

SS017	Z1 - GB DEMO. SERVICE COMPANY	USER GBJBATD0	26/11/97
	"BRUM" TRAINING & SERVICE BRANCH		12:01:42
Additional Details Maintenance : Service System			
Account No. ABC01	ABC Holiday Shop Ltd		
Locn. Code 000	ADDITION - EXISTING A/C		
Customer Hours:-			
Day	Mon	From	To
	Tue	From	To
	Wed	From	To
	Thur	From	To
	Fri	From	To
	Sat	From	To
	Sun	From	To
F3=Exit F8=Update F12=Previous			
9-37 SA MW KS CL IM DM II STUD140 KB PKH317S1			

Fields:

From/To

Enter 24 hour clock times, to show when the site is open, or will accept service calls.



Select **F8=Update** to update.

Model File Maintenance



2/SSE

You use this option to set up and maintain the details of all your models and peripherals.

Concepts

A model defined as a machine is the type of unit that you can record service jobs against. A model defined as a peripheral (that is, a sub-unit or accessory), can be attached to a machine model, but calls cannot be recorded for it.

You can enter a number of Inventory codes against each model. These are used by the system when SOP updates Service Management after the sale of a machine.

You can use a serial number in conjunction with the model, to give a unique identity to a particular piece of installed equipment.

You can also define any number of peripherals for each model and serial number combination. A peripheral can either be assigned a serial number, or entered as a quantity. It can be identified with a configuration code, which is displayed at call logging, when a call is entered for its parent machine.

Implications

You have to use this option to set up Models before you can enter them against sites as installations. No contract or transaction processing can be performed until this equipment database is established.



Note: The Volume Segment ID field for a model determines how many days or copies constitute a repeat call.

Use of the model makes it possible to:

- Link a model to its correct contract rates and, possibly, its scheduled visit profile by means of the model group and model sub-group
- Enable pricing of the labour element of service jobs by using the hourly labour rates held on the price list specified for the model
- Generate a schedule of planned maintenance visits for contracts covering the model by using the scheduled visit profile. Note that a profile code specified on a contract header will supersede profile codes associated with the models covered by the contract.

Model Maintenance Selection Screen



Select Model File maintenance.

```
SS040          61 - 61 - Demonstration Company  USER SSV3  11/12/95
                  CENTRAL BRANCH                14:01:31

Model Maintenance

Model.....?... WA10

F3=Exit  F4=Prompt

05-25  SF  MK  KS  IM  II  KENB20A  PET113S1
```

Fields:

Model

Enter the model you want to set up or update. If it is an existing model, details are displayed for update. If it is a new model, you have to enter the details.



Select the model and press **Enter** to display the first Model Maintenance screen.

Model Maintenance Screen 1



To display this screen select the model on the Model Maintenance Selection screen and press **Enter**.

SS040	Demonstration Company CENTRAL BRANCH	USER BRERETM	28/10/93 13:39:14
Model Maintenance		CHANGE	
Model	WA10		
Description	WATER ANALYSER 10LITRES PER MIN		
Division	10	Environmental Monitoring	
Model Group	I00	Analysers	
Model Sub Group	I00	Atmospheric	
Machine/Peripheral (0/1) ..	0		
Labour Price List	PL1		
Visit Profile Code			
Points			
Inventory item codes:-			

+			
F3=Exit F4=Prompt F12=Previous			

Fields:

Description

Enter the description of the model.

Division

Enter the division for this model.

Model Group

Enter the model group as required.

Model Sub-Group

Enter the required model sub-group.

Machine/Peripheral

Enter one of the following:

0 - To define the model as a machine if service calls are to be logged against it and its full details are to be maintained in Installation Maintenance. Installation details will be set up automatically for a machine when sold to a customer through Sales Order Processing. You must enter a valid Inventory item code, or codes, on the model to enable this.

1 - To define the model as a peripheral if service calls are not be logged against it and it is to be maintained as a peripheral to a machine in Installation Maintenance.

Do not include an Inventory item code on a peripheral. Peripherals can be sold through SOP, but must be attached manually to the appropriate machine records. The SOP interface is not designed to create peripheral details.

Labour Price List

Enter an existing labour price list. This is used to calculate the hourly rates for chargeable work performed on the model.

This field is optional for peripherals.

Visit Profile Code

Leave blank, or enter an existing schedule visit profile (SVP).

This is used in generating the visits to each piece of equipment on a contract. The system looks for the relevant SVP according to the following hierarchy:

1. Use the SVP on the contract header.
2. If none is found, use the model file SVP.
3. If none is found, use the model group file SVP.
4. If none is found, use the company profile SVP.
5. If none is found, no visits will be generated.



Note: As long as it finds a scheduled visit profile, the system generates visits for the equipment line on the contract when you take option 8 (Generate Visits) on the Contract Equipment Maintenance Detail screen.

Points

Enter a number in the range 0 to 999, to define the service index of the model. The value is used in automatic engineer assignment, to select the engineer if all other work load factors are equal.

Inventory Item Codes

Enter existing Inventory items. These enable installation details to be set up automatically for a machine when sold to a customer through the Sales Order Processing module.

Do not include Inventory item codes on a peripheral. Peripherals can be sold through SOP, but must be attached manually to machines.



Press **Enter** to display the second Model Maintenance screen.

Model Maintenance Screen 2



To display this screen press **Enter** on the first Model Maintenance screen.

SS040	Z1 - GB DEMO. SERVICE COMPANY	USER GBJBATD0	17/09/97
	"BRUM" TRAINING & SERVICE BRANCH		16:49:20
Model Maintenance		CHANGE	
Model Number.....	WA10	WATER ANALYSER : 10-LITRES/MIN	
Van kit number to fix.....			
Av. hours per breakdown....	30	Av. hours per PM visit....	1:00
Workshop preparation.....	0	Engineer required for Installation. 1	
Manufacturers ID.....?	TAY	Taylor Engineers	
Warranty Months.....	0	Volume segment ID.....?	10
Automatic call assignment..	1	Configuration code.?	
Statistical family field 1...?		Field 2...?	Field 3...?
Number of meters.....	0	Digits meter1. 0	Digits meter2. 0
Warranty Units.....	0	Copies = 1 fill developer....	
Copies = 1 fill toner.....			
Volume band starting seq...		Target Copies Between Visits. 0	
Target Mean Repair Time....		Target cost per copy..... 00000	
Target Days Between Visits. 0			
F3=Exit F4=Prompt F8=Update F11=Delete F12=Previous F14=Warranty Parts			
7-31	SA	MW	KS CL IM DM II EDN400A KB PKH317S1

Fields:

Van Kit Number To Fix

This field is for future development.

Av. Hours Per Breakdown

Enter hours and minutes in the range 00:01 to 99:59. This value is the default job duration for a breakdown call on the model.

You must do this unless the model is a peripheral.

Av. Hours Per PM Visit

Enter hours and minutes in the range 00:01 to 99:59. This value is the default job duration for planned maintenance calls on the model.

You must do this unless the model is a peripheral.

Workshop Preparation

This field is for future development only, but entry of 0 - No or 1 - Yes is required.

Engineer Required for Installation



*Note: This field is relevant only for machines, not for peripherals.
Enter one of the following:*

0 - No action is taken.

1 - The system automatically creates an installation job after a machine is sold through Sales Order Processing. This is done as soon as the SOP Transfer to

Service option is completed. The default job category for an installation job must already be set up.

Manufacturers ID

This field is optional entry. You can enter a manufacturer's name as set up in Inventory Descriptions, major type MFID.

Warranty Months

Enter the number of months the warranty is to cover this model. This field is mandatory.

Volume Segment ID

Enter here the number of days, or copies, used to calculate a repeat call for this model in call logging.

This value must be in the range zero to 99, or you can prompt for the code selection window.

The value entered must have been set up in Volume Segment Maintenance.

This field is mandatory unless the model is a peripheral.

Automatic Call Assignment

Enter one of the following:

0 - Calls for this model will not be included in automatic call assignment.

1 - Calls for this model will be included in automatic call assignment (ACA).

ACA operation may also be limited by settings in the System Parameters option, Job Category Maintenance, and Engineer Master File Maintenance.

Configuration Code

This entry classifies your peripherals. Leave it blank for machines.

The value entered must be set up in Codes/Parameter File Maintenance, under parameter type CONF.

The first 5 configuration codes of peripherals attached to any one machine are displayed at call logging, on the job line detail screen.

Statistical Family Fields 1 To 3

Any value entered here is for memo/reporting purposes. Entries must be set up in Codes/Parameter File Maintenance, under parameter type STA1.

Number Of Meters

Enter the number of meters for the model, in the range 0 to 2.

You must enter 1 or 2 if meter readings are to be used in contracts or technical reporting.

Digits Meter 1

Enter the total number of digits on the first meter. This value is used by the system to check for meter roll over when it has reached its maximum reading.

Digits Meter 2

Enter the total number of digits on the second meter. This value is used by the system to check for meter roll over when it has reached its maximum reading.

Warranty Units

This field is a memo field which you can use to hold an agreed number of units covered by the warranty. This is a default field for equipment warranty units. The value must be a positive whole number.

Copies = 1 Fill Toner

Enter the estimated number of copies expected from each fill of toner.

Copies = 1 Fill Developer

Enter the estimated number of copies expected from each fill of developer.

Volume Band Starting Seq

Enter a number in the range 1 to 9.

Target Mean Repair Time

Enter the expected repair time for the model in hours and minutes.

Target Copies Between Visits

Enter the number of copies which the model is expected to produce between service visits.

Target Days Between Visits

Enter a value, in the range 1 to 999, to indicate the number of days during which the model is expected to work without service intervention.

Target Cost Per Copy

Enter a monetary value, in the range 0.00001 to 9999.99999, which is the target maximum copy cost. This field is optional.

Functions:

F14=Warranty Parts

Use this to maintain any parts which have a different warranty from the parent.



Select **F8=Update** to update the model.

Warranty Parts Maintenance Window (F14)

 To display this window select **F14=Warranty Parts** on the second Model Maintenance screen.

Use this window to set warranty months for up to five parts associated with this model. This is necessary only for parts whose warranty months differ from those set for the model itself.

```

SS040          Z1 - GB DEMO. SERVICE COMPANY      USER GJBATD0  18/09/97
                "BRUM" TRAINING & SERVICE BRANCH    11:29:36

Model Maintenance

Model Number..... WA10          WATER ANALYSER : 10-LITRES/MIN

Van kit number to fix.....

Warranty Parts Maintenance
  Part Number (?) Description          Mths  Ilation. 1
  CAMBELT          A cambelt V12      36     .. 10
  COSTIM           NTX Costing Basic...Matl 36     ...?. ____
  _____          _____      0
  _____          _____      0
  _____          _____      0
  _____          _____      0
  meter2. 0

F4=Prompt F8=Update F12=Previous
Target Mean Repair Time.... Target Copies Between Visits. ____0
Target Days Between Visits. ____ Target cost per copy..... ,00000

F3=Exit F4=Prompt F8=Update F11=Delete F12=Previous F14=Warranty Parts

25-6  SP MW KS CL IM DM II EDN400A KB PKH317S1
  
```

Part Number

Enter an existing Inventory item.

Mths

Warranty months. Enter the warranty for the part. This should be different from the warranty entered for the model. If it is the same, there is no need to enter the item separately here.

 Select **F8=Update** to update the item warranties and all other model changes and return to the Model Maintenance Selection screen.

Installation Details Maintenance



3/SSE

Use this option to specify what equipment is held at a customer site. You can enter both models and peripherals, and give them all serial numbers if required.

To enter a new installation, the account code and address will normally exist in Service Management already. However, you can enter a new cash customer if necessary.

Each piece of equipment at the installation is then defined by its model number and, ideally, its serial number. If the serial number is not known, it may be left blank and a model quantity of one or more can be entered. Individual serial numbers can be entered later.



Note: New serial numbers are not applied immediately; they are stored for update when you run the Day End Routine option.



Note: For World Trade/multi-currency VAT can be applied at machine level.

Implications

The information you set up here:

- Means you can locate any piece of equipment.
- Calculates the warranty expiry date for a piece of equipment by adding warranty months to installation date. This expiry date is displayed on the call logging screen.
- Enables you to assign a specific engineer to all service jobs for a piece of equipment (overriding the automatic engineer assignment), if an engineer is entered against the piece of installed equipment. Note that the Assign Calls Only To Preferred Engineer For Machine field in System Parameters Maintenance (screen 5 of 5) must also be set on.

Installation Maintenance Selection Screen



Select Installation Details Maintenance.

SS020	Z1 - GB Demonstration Company	USER GBJBATD0	18/09/97
	"BRUM" TRAINING & SERVICE BRANCH		12:37:35
Installation Maintenance			
Model.....?	J310		
Serial Number.....	WAN0001		
Account Number.....?	GC01		
Account Address.....	000		
F3=Exit F4=Prompt F9=Serial Maint. F15=Address F16=Machine			
6-24 SA MW KS CL IM DM II EDN400A KB PKH317S1			

Fields:

Model

Enter an existing model.



Note: Do not select a peripheral at this point - peripheral details are added to a machine via a later function.

If you have not yet entered equipment, you must also enter an account number.

Serial Number

Enter an existing serial number.

If you enter a serial number and no model, press **Enter**, and either the model will be displayed, or a window will appear from which you can select the correct model for a non-unique serial number.

Account Number

Enter an existing customer. This must not only exist in Accounts Receivable, but must also have had its additional details set up in Service Management.

Account Address

This must be entered in conjunction with the customer account.



As the selection options available here are numerous, here is a guide:

- Enter account number and account address and press **Enter** to go to the Installation

Equipment Maintenance Screen.

- Enter account number and account address and select **F15=Address** to go to the Installation Name/Address Detail screen.
- Enter just the model and press **Enter** to go to the Equipment By Model screen.
- Enter the model and serial number and press **Enter** to go to the Equipment Detail Maintenance screen.
- Enter the model and serial number and select **F9=Serial Maint** to go to the Serial Number Maintenance screen.

Account Number Prompt

Entering ? in the Account Number field, and selecting **F4=Prompt**, displays the search fields, which function as follows:

Account Name

Searches for a customer by name.

User-defined

Searches for a customer by second user defined search parameter.

User-defined

Searches for a customer by third user defined search parameter.



Note: The search can be used with entries on one or more lines and will display a list of all customer records which match the entered search words.



Note that some of the displayed customers may not have been defined as Service Management customers.

Functions:

F9

Serial Number Maintenance. Enter the model and serial number, then select this key to display the Serial Number Maintenance screen.

F15

Address. Enter the account and address, then press this key to display the Installation Name and Address Detail screen.

F16

Machine. Select this to display the Equipment Detail Maintenance screen.

Installation Name and Address Detail Screen (F15)



To display this screen enter the account and address details on the Installation Maintenance Selection screen and select **F15=Address**.

Or: Select **F17=Owner Address** from the Equipment Detail Maintenance screen.

SS021	Z1 - GB DEMO. SERVICE COMPANY	USER GBJBATD0	18/09/97
"BRUM" TRAINING & SERVICE BRANCH			13:36:02
Installation Name/Addr. Detail		UPDATE	
Model.....	WA10	WAN0001	
Account Number.....	GC01	Account Address.....	000
Main Account Name... Reeves Chemist's			
Account Name.....	Reeves Chemist's	Currency customer 1	
Account Address.....	31 Lenton Boulevard	Currency code...?	GBP
	Lenton	Curr rate code...?	SSU3
	Nottingham	VAT code.....?	001
	England		
Post Code.....	NG7 - 4FW	Geographic Code.....	NG7 - 4FW
Telephone Number....	0602 230067	Ext No....	
Admin Branch Code...	BI "BRUM" TRAINING & SERVICE BRANCH	Inv.Cons Lev....	3
Account Contact.....	Michael Wello	Job Ref.....	0
Customer Priority...	0 Time Zone ID ?	Region....	WM
Statement Code.....	GC01	Contract Ref...	0
Parts Price List....	GBS	Invoice Address.....	GC01 000
		Parts Discount List...	
F3=Exit F4=Prompt F8=Update F11=Delete F12=Previous			
F16=Machine F21=Text			
9-77	SA	MW	KS CL IM DM II EDN400A KB PKH317S1

Fields:

Main Account Name

This field displays the account name for the 000 (or Statement) location for this account.

Account Name

The installation, or site, name for the selected address defaults in here.

Currency Customer

This field cannot be maintained here. A change can only be made to the statement account in Accounts Receivable.

Account Address

The installation, or site, address for the selected address defaults in here.

Currency Code

The currency from the customer's additional service details, this can be amended.

Currency Rate Code

The currency rate code from the customer's additional service details, this can be amended.

VAT Code

The VAT code from the customer's additional service details, this can be amended.

Postcode

The customer's postcode for the selected address. Note that it is displayed in two fields - it is important to space the characters correctly in the Names and Addresses option in Accounts Receivable, otherwise it will not be displayed correctly here.

Postcodes/geocodes are used to define territories which are allocated to teams and engineers.

Geographic Code

The customer's geographic code for the selected address. Note that it is displayed in two fields.

Postcodes/geocodes are used to define territories which are allocated to teams and engineers.

Telephone Number

The telephone number from the customer's details.

Ext No.

Enter the installation address contact's phone extension number.

The Service Management telephone number and extension are maintained on the second screen of Customer Additional Service Details Maintenance.

Inv Cons Lev

This is the invoice consolidation level. Enter one of the following:

- 1 - Account level.
- 2 - Location level.
- 3 - Job/contract level.

Admin Branch Code

The default entry is the branch from Customer Additional Details Maintenance, but this can be amended.

The administration branch can be different to that which owns the equipment at the location.

Job Ref

Enter one of the following:

- 0 - A customer reference will not be required when entering a job.
- 1 - A customer reference will be required when entering a job.

Account Contact

This field defaults to the installation address contact's name; this could be the service contact for the site.

There is also an equipment contact field for each piece of equipment on the site.

Region

This designates the service region to which the installation site belongs. The value defaults from Customer Additional Service Details Maintenance.

The code must exist in parameter type REGN on the Codes/Parameter File Maintenance option.

Service/contract revenue may be reported by service region.

Contract Ref

Enter one of the following:

0 - A customer reference is not required when entering a contract.

1 - A customer reference is required when entering a contract.

Customer Priority

This defaults from Customer Additional Details Maintenance. Enter from 0 to 4, do not leave this field blank.

The Maximum Customer Importance field is set up in System Parameters Maintenance, on screen 2 of 5. This tells you whether 0 or 4 is considered the highest priority.

Customer priority is used in the 3-D matrix (with volume segment and machine up/down) to apply a percentage reduction to call response time, if applicable.

Statement Code

This defaults from Customer Additional Details Maintenance: it is the customer account/statement code for the site. No validation takes place.

Invoice Address

This defaults from Customer Additional Details Maintenance. Enter an existing account. and location codes must be entered. The name and address associated with this account and address will be the invoice to address on invoices.

Unnamed (Address)

This defaults from Customer Additional Details Maintenance. Enter an existing address, in conjunction with the invoice address. The name and address associated with this account and address will be the invoice to address on invoices.

Parts Price List

The value defaults from Customer Additional Details Maintenance. The parts price list must be set up in Sales Order Processing.

Parts Discount List

This defaults from Customer Additional Details Maintenance. Any parts discount list must be set up in the Sales Order Processing.

Function

F16

Machine. This takes you to the Equipment Detail Maintenance screen.

F21

Text. This displays a full screen of text lines for entering free-format text.



Select **F8=Update** to update the file.

Installation Equipment Maintenance Screen



To display this screen enter the account number and the account address on the Installation Maintenance Selection screen and press **Enter**.

```

SS612M          Z1 - GB Demonstration Company      USER GBJBATD0      18/09/97
                  "BRAUM" TRAINING & SERVICE BRANCH  12:41:57
Installation Equipment Maint.

Account Number..... GC01          Account Address..... 000
Account Name..... Reeves Chemist's

Model..?...  Serial....  Quantity:  _____

  Model.....  Serial....  Quantity  Divn
- WA10        WAN0001      1         10
- WA10        WAN0002      1         10
- WA10        WAN0003      1         10

1=Select 4=Delete 5=Peripherals
F3=Exit F4=Prompt F12=Previous F13=Fold/Truncate F15=Address
F21=Text

8-13  SA  MW  KS  CL  IM  DM  II  EDN400A  KB  PKH317S1
  
```

Fields:

Model

To add a piece of equipment, enter an existing model here.

Serial

To add a piece of equipment, enter the serial number here, in up to 15 alphanumerics. The number must have an associated model, and the model and serial number combination must be unique.

Quantity

If you are not using serial numbers, or you have not yet got a serial number for the machine you are installing, you can instead simply enter the model with a mandatory quantity, in the range 1 to 9999999.

If you enter a serial number then you do not have to enter the quantity.

Untitled

Select. Enter one of the following:

- 1 - Select the installation equipment record for maintenance.
- 4 - Delete the installation equipment record, so long as the equipment:
 - is not on a pending or active contract
 - has no invoice pending records

- has no job-line records awaiting invoicing
- has no job-lines outstanding.

5 - Display the Equipment Configuration screen, where you can enter brief details of the peripherals associated with the equipment.

Functions:

F13

Fold/Truncate. This key toggles between displaying the model descriptions, and just displaying the codes.

F15

Address. This takes you to the Installation Name And Address Detail screen.

F21

Text. This displays a full screen of text lines for entering free-format text.

Equipment Detail Maintenance Screen



To display this screen enter the model and serial number on the Installation Maintenance Selection screen.

Or: Select **F16=Machine** on the Installation Name And Address Detail screen (F15).

Or: Select **F16=Machine** on the Installation Maintenance Selection screen.

SS022		Z1 - GB Demonstration Company		USER GBJBATD0		18/09/97	
		"BRUM" TRAINING & SERVICE BRANCH				12:40:33	
Equipment Detail Maintenance				UPDATE			
Site :-				Owner :-			
A/C No./Adr. GC01 000							
A/C Name.... Reeves Chemist's							
Model.....	WA10	WATER ANALYSER : 10-LITRES/MIN					
Serial Number.....	WAN0001	Quantity		1			
Equipment Status....	L Leased	Last Serviced		0/00/00			
VAT Calc Basis 1/2/3	3	VAT Code...?		001			
Model Year.....	00	Warranty mths		36			
Installation Date...	16/09/97	Delivery date		16/09/97			
Department.....		Warranty Expiry		16/09/00			
Location.....		Division		10 Environmenta			
Equipment Contact...	MICHAEL WELLO	Contract type					
Contract Number.....		Inclusion date		0/00/00			
Contract Start Date.	0/00/00	Points					
Engineer.....		Order type					
Serviced by ourselves 0/1	-	Order No/line		/ 000			
Under product superv. 0/1	-						
F3=Exit F4=Prompt F8=Update F10=Warranty Parts F11=Delete F15=Site Addr F17=Owner Addr F20=Peripherals F21=Text F22=Add Msg F23=Rec. Msg							
5-51 SA MW KS CL IM DM II EDN400A KB PKH317S1							

Fields:

Owner

Enter the customer who owns the piece of equipment at this location. If the owner is the same as the site customer already specified, then leave this field blank.

Unnamed (Owner Address)

Enter the address of the customer who owns the piece of equipment at this location. If the owner is the same as the site customer already specified, then leave this field blank.

Quantity

This field shows the quantity of the model installed. If a serial number has been specified then this field will be 1.

Equipment Status

Enter a status for the equipment. Status codes are set up under parameter type STAT in the Codes/Parameter File Maintenance option.

Last Serviced

This field displays the last date the equipment was serviced. The system updates the field when a call to the equipment is completed.

VAT Calc Basis 1/2/3

Indicates the customer's VAT status for invoicing; the default for a new customer is 3.

- 1 - VAT exempt. This is for export customers outside the EEC.
- 2 - Use VAT code entered in the VAT code field.
- 3 - Use VAT code set up for each Inventory item.

VAT Code

The three character code is mandatory.

In add mode, the code is defaulted from the Customer Additional Details option.

Model Year

Enter the year of manufacture of the equipment.

Warranty Mths

This defaults in from the warranty months set up for the model. You must enter detail here if you have entered warranty units.

Installation Date

Enter the date that the equipment was installed (DDMMYY). The installation date, plus the warranty months, gives the date when warranty expires, which is displayed during job line details entry.

Delivery Date

Enter the date that the equipment was delivered (DDMMYY).

Department

Enter a department code or name to help locate the particular piece of equipment when the engineer makes a call.

Warranty Expiry

The system calculates this date as being the installation date plus the warranty months, unless there is a delivery date entered, in which case the expiry date is the delivery date plus the warranty months.

The expiry date is shown on the call details screen when a call is taken. If the call date is less than the expiry date, a warranty call type may default from the job category.

Location

Enter the location of the equipment, in up to 35 alphanumerics.

This location is then displayed on the job line details screen used in call logging and engineer work allocation.

Warranty Units



Note: This field is only displayed if the model has a meter defined to it.

The value will default in from the model, and is a memo value only.

Equipment Contact

Enter the name of the person responsible for the equipment.

Division Code And Description

This information comes from the model details for this piece of equipment.

Division is at the top of the product hierarchy, over model group, model sub-group, then model and serial number. The hierarchy is used in setting skill levels for engineers and field service groups.

Contract Number

This field is maintained by the system. It is blank when you are adding new equipment.

Contract Type

This field is maintained by the system. It is blank when you are adding new equipment.

Contract Start Date

This field is maintained by the system. It is blank when you are adding new equipment.

Inclusion Date

This field is maintained by the system. It is blank when you are adding new equipment.

Engineer

Enter an existing engineer.

If you enter an engineer here, and the Assign Calls Only To Preferred Engineer For The Machine field is set on in the fifth System Parameters Maintenance screen, only this engineer will be allocated to calls for this piece of equipment during automatic call assignment.

Points

No validation takes place. A number of points can be entered which can be used in the calculation of engineer work points.

Serviced By Ourselves

Enter one of the following to indicate who services the equipment.

0 - The equipment is serviced by a third party.

1 - The equipment is serviced by us.

Order Type

This field is for future development.

Under Product Superv

Enter one of the following to indicate if the equipment requires supervision on service calls.

0 - Supervision is not required on service calls.

1 - Supervision is required on service calls.

Order No/Line

If this machine was sold through Sales Order Processing, then the SOP order number and line number are displayed here.

Functions:

F10

Warranty parts. When you take this key the system will first update any changes made to the Equipment Detail Maintenance screen, and will then display the Equipment/Warranty Part window.

F15

Site address. This takes you to the Installation Name/Address Detail screen, and displays the site customer's details.

F17

Owner address. This takes you to the Installation Name/Address Detail screen, and displays the owner's details.

F20

Peripherals. This displays the Equipment Configuration screen, for entering details of peripherals.

F21

Text. This displays a full screen of text lines for entering free-format text.

F22

Add message. This displays the Send A Machine Message screen.

F23

Receive Messages. Select this to receive messages for the machine.



Select **F8=Update** to save any details you have entered.

Equipment/Warranty Part Window (F10)



To display this screen select **F10=Warranty Parts** on the Equipment Detail Maintenance screen

Use this window to enter the warranty for each part.

```

SS022                Z1 - GB Demonstration Company    USER GJBATD0    18/09/97
                   "BAUM" TRAINING & SERVICE BRANCH    12:42:46
Equipment Detail Maintenance    UPDATE
Site :-
A/C No./Adr. GC01    000    Owner :-
A/C Name.... Reeves Chemist's

Equipment/Warranty Part Maintenance
Part Number (?) Description    Mths Exp. Date
CMBELT    A cambelt V12    36    16/09/00
    0    0/00/00
    0    0/00/00
    0    0/00/00
    0    0/00/00
F4=Prompt F8=Update F12=Previous
Engineer.....
Serviced by ourselves 0/1
Under product superv. 0/1
Points
Order type
Order No./line / 000
F3=Exit F4=Prompt F8=Update F10=Warranty Parts F11=Delete F15=Site Addr
F17=Owner Addr F20=Peripherals F21=Text F22=Add Msg F23=Rec. Msg
11-7    SR    MW    KS    CL    IM    DM    II    EDN400A    KB    PKH317S1
  
```

Part Number

Enter an existing Inventory item. Items already entered in Model File Maintenance will appear here, but can be changed or removed.

Mths

Warranty months. Enter the warranty for the part.

Exp Date

The expiry date is the installation date plus warranty months, unless a delivery date was specified, in which case the expiry date is the delivery date plus warranty months.



When all the parts are entered, select **F8=Update** to update.

Send A Machine Message Screen (F22)



To display this screen select **F22=Add Message** from the Equipment Detail Maintenance screen.

SS124	Z1 - GB Demonstration Company	USER GBJBATD0	18/09/97
	"BRUM" TRAINING & SERVICE BRANCH		12:43:48
Send a Machine Message			
Message from.... SUPERVISOR			
Expiry date..... 99/99/99			
Message.. ALL pre-95 WA10 models should be serviced as a matter of urgency..			
Send to:			
Model.....?.. WA10			
and/or			
Serial.....?.. WAN0001 to WAN0019			
Or			
Division / Model group / Sub-group...?.. / /			
F3=Exit F4=Prompt F8=Send message F12=Previous			
17-55 SA MW KS CL IM DM II EDN400A KB PKH317S1			

Fields:

Message From

Enter up to 10 alphanumeric, to identify the sender by name, by job title or by user defined code.

Expiry Date

The default (99/99/99) is for a machine message which will not expire, nor be subject to expiry by the default number of days for message expiry set on the System Parameters Maintenance, screen 4 of 5.

If the machine message is to expire, key in a valid expiry date (DDMMYY).

Message

Enter up to three 65 character lines of free-format text.

Model

The model defaults from the Installation Maintenance Selection screen, but you can change it.

Serial

The serial number defaults from the Installation Maintenance Selection screen, but you can change it.



*Note: If the message is for a machine with no serial number, just enter the model and leave the serial number blank before selecting **F8=Send***

message.

To

If you wish to send the message to a range of serial numbers, enter the to number here.

Or

Division

If the machine message is for a product division, enter a valid division.

The model and serial number fields must be blank.

Model Group

If the machine message is for a product division and model group, enter a valid division and model group.

The model and serial number fields must be blank.

Sub-Group

If the machine message is for a product division, model group and model sub-group, enter a valid division, model group and model sub-group.

The model and serial number fields must be blank.



Select **F8=Send Message** to send the message.

Machine Messages Window (F23)



To display this window select **F23=Receive Message** from the Equipment Detail Maintenance screen.

```
SS022          Z1 - GB DEMO. SERVICE COMPANY      USER GBJBATD0  18/09/97
                "BRUM" TRAINING & SERVICE BRANCH    14:27:36
Equipment Detail Maintenance  UPDATE
Site :-
A/C No./Adr. GC01      000      Owner :-
A/C Name.... Reeves Chemist's      GC03      000
                                   The Make-Up Shop

Model..... WA10      WATER ANALYSER : 10-LITRES/MIN
Serial Number..... WAN0001      Quantity      1
Equipment Status.... L Leased      Last Serviced  0/00/00
VAT Calc Basis 1/2/3      3      VAT Code...?. 001
Model Year..... 00      Warranty mths  36
Installation Date... 16/09/97      Delivery date 16/09/97

Machine messages
Model..... WA10
Message from.. HV001      Message ID..      23
Date sent..... 20/11/95      Time sent.. 15:34      Expiry Date.. 99/99/99

Message. This pump can only be totally stripped down 2-hours either side
of low tide.

Enter=Continue  F11=Remove  F12=Previous
F17=Owner Addr  F20=Peripherals  F21=Text      F22=Add Msg  F23=Rec. Msg

1-1      SA      MW      KS  CL  IM  DM  II      EDN400A      KB      PKH317S1
```

Fields:

Message

The text of the message sent to the machine is displayed here.



Press **Enter** to continue.

Equipment Configuration Screen (F20)



To display this screen select **F20=Peripherals**, from the Equipment Detail Maintenance screen.

Use this screen to specify any peripheral attachments for a machine.

SS023	Z1 - GB Demonstration Company	GBJBATD0	18/09/97
"BAUM" TRAINING & SERVICE BRANCH			12:45:12
Equipment Configuration			
Model.....	WA10	Serial Number.....	WAN0001
Account Number.....	GC01	Account Address.....	000
Account Name.....	Reeves Chemist's		
Model:	Serial No.:	Ins.Date: <u>0/00/00</u>	
Qty:	Equip.Stat.: <u>L</u>		
Model	Serial	Install Date	Quantity
— BRA180	BRA00023	19/09/97	1
			Eq.Stat.
			L
1=Select 4=Delete			
F3=Exit F4=Prompt F8=Update F12=Previous			
F13=Fold/Truncate F21=Text			
9-9	SA	MW	KS CL IM DM II
		EDN400A	KB PKH317S1

Fields:

Model

Enter a valid peripheral model to add a peripheral.

Serial No

When you add a peripheral, it must have either a serial number or a quantity defined to it. You can enter a serial number here. The combination of model and serial number must be unique.

Ins Date

Enter the installation date (DDMMYY), if required.

Qty

If you have not entered a serial number, then enter a quantity in the range 1 to 9999999. If you have entered a serial number, then the quantity field is set to 1 automatically.

Equip Stat

The default equipment status is S, which may be changed.

Valid codes are set up under parameter type STAT in Codes/Parameter File Maintenance.

Unnamed (Option)

Enter one of the following:

1 - Select the peripheral for maintenance. Only the date, quantity and status can be updated.

4 - Delete the peripheral.

Functions:

F13

Fold/Truncate. This toggles between displaying part descriptions and displaying only the codes.

F21

Text. This displays a full screen of text lines for entering free-format text.



Select **F8=Update** to save any changes.

Serial Number Maintenance Screen (F9)



To display this screen enter the model and serial number on the Installation Maintenance Selection screen, then select **F9=Serial Maint.**

Use this screen to correct a serial number for an existing piece of equipment, or to insert one where none previously existed.

SS077	Z1 - GB Demonstration Company	USER GBJBATD0	18/09/97
	"BRUM" TRAINING & SERVICE BRANCH		12:48:26
<u>Serial Number Maintenance</u>			
Account Number.....	GC01	Account Address.....	000
Account Name.....	Reeves Chemist's		
Present Model.....	WA10	Serial....	WAN0001
<u>Enter Serial Numbers</u>			
Serial	History	Serial	History
_____	-		
F3=Exit F12=Previous			
14-2	SA	MW KS CL IM DM II	EDN400A KB PKH317S1

Fields:

Serial

Enter a serial number which does not already exist.

You can enter individual serial numbers in line with the quantity of equipment shown, up to a maximum quantity of 99. You do not have to allocate serial numbers for the entire quantity displayed; you can enter a minimum of just one.



Note: The change of serial number only comes into effect once you have run the Day End Routine option.

History

Enter one of the following:

0 - The job history will not be held against this serial number.

1 - All existing job history will be held against this serial number from now on. Where there is more than one serial number, at least one must have 1 entered against it.



Press **Enter**, and **F8=Update** is displayed. Select **F8=Update** to update.

Division Code Maintenance

1... **2...** 4/SSE

Use this option to define and maintain the divisions for a model family.

Divisions, model groups and model sub-groups enable models to be organised into a structured hierarchy within product. They are the levels at which contract rates, and possibly scheduled visit profile codes, are held.

Divisions, model groups and model sub-groups must be defined before the models within them can be created.

Division Maintenance Screen



To display this screen select Division Code option and enter a valid code.

SS052	Demonstration Company	USER BRERETM	28/10/93
	CENTRAL BRANCH		13:56:17
Division Maintenance			
Division code..... 10		UPDATE	
Description..... <u>Environmental Monitoring</u>			
F3=Exit F8=Update F11=Delete F12=Previous			

Fields:

Description

Enter a description for the division, in up to 36 alphanumerics.



Select **F8=Update** to update.

Model Group Maintenance



5/SSE

Use this option to define and maintain the model groups for a model family.

Divisions, model groups and model sub-groups enable models to be organised into a structured hierarchy. They are the levels at which contract rates, and possibly scheduled visit profile codes, are held.

Divisions, model groups and model sub-groups must be defined before the models within them can be created.

Model Group Maintenance Screen



To display this screen select the Model Group option and enter a valid code.

SS053	Demonstration Company	USER BRERETM	28/10/93
	CENTRAL BRANCH		13:56:52
Model Group Maintenance		UPDATE	
Division code.....	10	Environmental Monitoring	
Model Group.....	100		
Description.....	<u>Analysers</u>		
F3=Exit F8=Update F11=Delete F12=Previous			

Fields:

Description

Enter a description for the model group of up to 36 alphanumerics.



Note: You can link a schedule visit profile to a model group.



Select **F8=Update** to update.

Model Sub-Group Maintenance



6/SSE

Use this option to define and maintain the model sub-groups for a model family.

Divisions, model groups and model sub-groups enable models to be organised into a structured hierarchy. They are the levels at which contract rates, and possibly scheduled visit profile codes, are held.

Divisions, model groups and model sub-groups must be defined before the models within them can be created.

Model Sub-Group Maintenance Screen

 To display this screen select the Model Sub-Group option and enter a valid code.

SS027	Demonstration Company	USER BRERETM	28/10/93
	CENTRAL BRANCH		13:57:29
Model Sub-Group Maintenance		UPDATE	
Division.....	10	Environmental Monitoring	
Model group.....	100	Analysers	
Model sub-group.....	100	<u>Atmospheric</u>	
F3=Exit F8=Update F11=Delete F12=Previous			

Fields:

Model Sub-Group Description

Enter a description for the Model Sub-Group of up to 20 alphanumerics.

 Select **F8=Update** to update.

Equipment Movement Maintenance



7/SSE

Use this option to transfer one piece of equipment, or more than one, from one installation address to another, for the same or a different account and to the same or a different branch.

You can also change the ownership of a piece of equipment from one customer to another.

The transfer is performed immediately. The branch to which the equipment is to be moved is the administrative branch on the additional service details of the site receiving the equipment.

Implications

Equipment cannot be transferred if any of the following applies:

- It is currently active on a service contract.
- It has any incomplete jobs on it.
- It has any invoices pending generation.
- The owner is not the customer account (that is, an override has been specified). If you are transferring more than one piece of equipment, and an override owner has been specified on any of that equipment, the transfer of all the equipment is suspended.



Note: A completed job is flagged for pricing and invoicing even if it has no chargeable elements, as these routines also perform the costing, calculate response time and transfer the job to the history file.

Equipment Movement Maintenance Initial Screen



Select Equipment Movement.

SS070	Z1 - GB Demonstration Company	USER GBJBATD0	6/10/97
	"BRUM" TRAINING & SERVICE BRANCH		12:26:42
Equipment Movement Maintenance			
Model.....?..	WA10		
Serial Number.....			
Account Number...?..			
Account Address.....			
F3=Exit F4=Prompt			
6-28	SA	MW	KS CL IM DM II STUD140 KB PKH317S1

Fields:

Model

Enter a valid model, and press **Enter** to display a list of equipment for that model.

If there is no equipment, then enter an account. This switches the search from model/serial number to customer/site.

Serial Number

Enter the serial number of the equipment to be transferred. You must also enter the model.

Account Number

Enter the customer whose equipment is to be transferred.

Account Address

If you enter an account number you must also enter the account address.



Note: The administrative branch on the additional details of the account/address entered, must be the one to which the user is currently signed on.



Make your selection on this screen and press **Enter** to display the Equipment Selection screen.

Equipment Selection Screen



To display this screen make your selection on the Equipment Movement Maintenance Initial screen and press **Enter**.

If you entered a model on the Equipment Movement Maintenance Initial screen, then this screen will list all the equipment for that model.

If you entered the account number and account address on the Initial screen, then this screen will list all the equipment for that location.

SS620	Z1 - GB Demonstration Company	USER GBJBATD0	6/10/97
	"BAUM" TRAINING & SERVICE BRANCH		12:26:54
Equipment by Model			
Search Argument: WA10			
1	Serial Number	Account Loc	Account Name.....
■	WAN0001	GC01 000	Reeves Chemist's
-	WAN0002	GC01 000	Reeves Chemist's
-	WAN0003	GC01 000	Reeves Chemist's
1=Select			
F3=Exit F12=Previous F13=Fold/truncate			
7-2 SA MW KS CL IM DM II STUD140 KB PKH317S1			

Fields:

Unnamed (Option)

Enter 1 to select the required equipment.

Serial Number

All the serial numbers which exist for the account and address codes entered on the previous screen are listed here.

If, instead of a serial number, a quantity is listed (Qty) under it, it means that there are one or more pieces of equipment for that model without specific serial numbers.

Functions:

F7

Transfer All. This key is available if you entered a customer account on the Initial screen rather than a model. This key displays the Move All Equipment screen, enabling you to transfer every piece of equipment listed to another site.



Select the required equipment and press **Enter** to display the Move Single Piece Of Equipment

screen.

Move All Equipment Screen (F7)



To display this screen select **F7=Transfer** from the Equipment Selection screen.

Use this screen to move all the equipment for the customer to an account you specify here, on the Move All Equipment screen. None of the equipment can be on a service contract, and none can be owned by an override owner.

SS075	Z1 - GB Demonstration Company	USER GBJBATD0	6/10/97
	"BAUM" TRAINING & SERVICE BRANCH		12:28:03
Move All Equipment			
Account Number.....	GC01	Account Address.....	000
Account Name.....	Reeves Chemist's		
Account Address.....	31 Lenton Boulevard		
	Lenton		
	Nottingham		
	England		
Post Code	NG7	4FW	
Telephone Number	0602 230067	Ext No.	
Admin Branch Code	BT "BAUM" TRAINING & SERVICE BRANCH	Region....	WM
Account Contact.....	Michael Wello	Invoice Address	GC01 000
Statement Code	GC01		
New Account Number.....		Account Address.....	
New Account Name.....			
F3=Exit F8=Update F12=Previous			
20-32 SR MW KS CL IM DM II STUD140 KB PKH317S1			

Fields:

New Account Number

Enter the customer account to which the equipment will be moved.

Account Address

Enter the address to which the equipment will be moved.

The admin branch on the new site's additional service details record determines the branch to which the equipment is moved.

New Account Name

Displayed on **Enter**, once the new account and address codes have been keyed in. The name is retrieved from the customer file.



When you have specified the account that the equipment is to be moved to, select **F8=Update** to update.

Move Single Piece Of Equipment Screen



To display this screen select a single item of equipment to transfer on the Equipment Selection screen.

SS076	Z1 - GB Demonstration Company	USER GBJBATD0	6/10/97
	"BRUM" TRAINING & SERVICE BRANCH		12:27:03
Move Single Piece of Equipment			
Site :-		Owner :-	
A/C No./Adn. GC01	000	GC03	000
A/C Name.... Reeves Chemist's		The Make-Up Shop	
Model.....	WA10	Quantity	1
Serial Number.....	WAN0001		
Equipment Status....	L		
Model Year.....	00	Warranty Months	36
Installation Date...	16/09/97	Delivery Date.....	16/09/97
Department.....		Last Serviced	0/00/00
Location.....			
Equipment Contact...	MICHAEL WELLO		
Division.....	10	Points	
Escalation Hours	Works Order Number	Loan	
New Account Number.....		New Account Address.....	
New Account Name.....			
F3=Exit F8=Update F12=Previous			
20-32	SA	MW	KS CL IM DM II STUD140 KB PKH317S1

Fields:

Owner

Enter the owner of the equipment, where relevant. If you have already specified the owner, it is displayed.

Unnamed (Owner Address)

Enter the owner's address. If you have already specified an owner and address, it is displayed.

Account Name

This field displays the existing site name for the account.

Model

The selected model is displayed.

Serial Number

The selected serial number is displayed. If this is blank, a quantity of 1 is shown, for which the system holds a system-generated reference, or serial number.

Quantity

This is always 1, whether there is a value in the Serial Number field or not.

Equipment Status

The equipment status from the installation details for the machine is displayed.

Status codes are set up under parameter type STAT in the Codes/Parameter File Maintenance option.

Model Year

The model year from the installation details for the machine is displayed. This is the year of manufacture of the equipment.

Warranty Months

The warranty months from the installation details for the machine are displayed.

The installation date plus the warranty months gives the date when the warranty expires. The expiry date is visible on the call details screen when a call is taken.

Installation Date

The installation date from the installation details for the machine is displayed.

The date the equipment was installed, plus the warranty months, gives the date when warranty expires; this is displayed on the Job Line Details screen in call logging.

Delivery Date

The delivery date from the installation details for the machine is displayed.

This is for future development.

Department

The department from the installation details for the machine is displayed. You can change this to any department code or name, to help locate the particular piece of equipment when the engineer makes a call.

Last Serviced

The date the machine was last serviced is displayed from the installation details for the machine.

The system updates the field when a call to the machine is completed.

Location

The location from the installation details for the machine is displayed.

A location can be entered, to help identify where a particular piece of equipment is installed. This is displayed on the Job Line Details screen in call logging.

Equipment Contact

The equipment contact from the installation details for the machine is displayed.

It is the name of the person responsible for the equipment.

Division

The division from the model details for this piece of equipment is displayed.

Points

The points from the installation details for the machine are displayed.

A machine's work points can be used by the system, when allocating calls, to spread the workload evenly among engineers.

Escalation Hours

For future development.

Works Order Number

For future development.

Loan

For future development.

New Account Number

Enter a valid account to which the equipment will be moved.

New Account Address

Enter a valid location (address) for the new site to which the equipment will be moved.

The administrative branch in the new site's additional details determines the branch to which the equipment is moved.



When you have specified the account that the equipment is to be moved to, select **F8=Update** to update.

Volume Segment Maintenance

1... **2...** 8/SSE

Use this option to categorise the usage volume for equipment at model level, and to set the basis for repeat call calculations.

Concepts

Equipment usage volume influences both the response time for calls and the calculation whether a subsequent call is a repeat call or not.

The 2 numeric volume segment code is user-defined, within the range 01 - low to 99 - high. It is one of the factors in the 3-D matrix for calculating a reduction in response times; the other factors are customer priority and machine up/down (that is, whether it is working or not).

A repeat call may depend on volume throughput or the number of days between visits, factors that are also user defined. Whether a call is a repeat or not will affect the default job category displayed on the Job Line Details screen in call logging.

You must set up at least one volume segment code. The code is a mandatory field on models; it plays an important part in response time calculations.

Volume Segment Maintenance Selection Screen



Select Volume Segment Maintenance.

Fields:

Volume Segment

Enter a new or existing numeric code to add or amend the volume segment.



Enter the code and press **Enter** to display the Volume Segment Maintenance Detail screen.

Volume Segment Maintenance Detail Screen



To display this screen enter the code and press **Enter** on the Volume Segment Maintenance Selection screen.

SS056	Demonstration Company CENTRAL BRANCH	USER BRERETM	9/04/94 11:55:56
Volume Segment Maintenance			
Volume segment..... 30	UPDATE		
Description.....	High Volume Equipment		
Minimum copy volume per month.....	1000		
Maximum copy volume per month.....	12000		
Average copy volume per month.....	14000		
Volume band width.....	5000		
Volume between calls.....	0		
No. of days between calls.....	30		
Both tim/vol. used in repeat calc....	0 (0 OR 1)		
F3=Exit F8=Update F11=Delete F12=Previous			

Fields:

Description

Enter a description for the volume segment.

Minimum Copy Volume Per Month

Enter the minimum copy volume per month. Do not enter decimals.

Maximum Copy Volume Per Month

Enter the maximum copy volume per month. Do not enter decimals.

Average Copy Volume Per Month

Enter the average copy volume per month. Do not enter decimals. This value is used in contract invoicing, if actual volume data is not available, to calculate the daily average for copy estimates.

Volume Band Width

Enter the volume band width. Do not enter decimals.

Volume Between Calls

This is the volume field which can be used in calculating a repeat call. Enter up to nine numerics. Do not enter decimals.

Leave this field at zero if time is the sole criterion for the repeat call calculation.

No Of Days Between Calls

This is the time field which can be used in calculating a repeat call. Enter the number of days, in the range 0 to 999.

Leave this field at zero if volume is the sole criterion for the repeat call calculation.

Both Tim/Vol Used In Repeat Calc

Enter one of the following:

0 - Either time or volume is used in the repeat call calculation, not both.

1 - Both time and volume are used in the repeat call calculation. Both the Volume Between Calls and the No Of Days Between Calls fields must have values greater than 0.



Select **F8=Update** to save any changes you have made.

Zone Charges Maintenance

1... **2...** 9/SSE

If you want to charge travel distance by zone (see Company Profile Maintenance screen 4), you must set up a zone charge holding the zone description, the charge and an effectivity date.

Concepts

You can group Customer sites in user-defined zones, so that you can invoice a travel distance charge for each call made to a customer's site wherever it is within that zone.

You set up whether you use a zone charge to charge travel distance, and if so which zone charge applies, in the customer's additional details.

The alternatives to zones to charge for travel distance are standard distance value (that is, an individually assessed charge per return trip to a customer's site), or actual distance driven (that is, distance travelled x distance rate from the customer's additional details).

Implications

You only need to set up zone charges if you want to charge distance travelled by zone, by company or branch default, or selectively for specific sites.

The zone charge description is set up in the Codes/Parameter File Maintenance option, under parameter type ZONE.

The actual zone charge is branch-specific. This means that branches can set their own charge for a particular zone description (for example, the inner city zone may be charged 5.00 at one branch, but 7.50 at another).

Zone Charges Maintenance Initial Screen

 Select Zone Charges Maintenance.

Fields:

Zone

Enter a new or existing zone code.

 Press **Enter** to display the Zone Charges Maintenance Detail screen.

Zone Charges Maintenance Detail Screen



To display this screen press **Enter** on the Zone Charges Maintenance Initial screen.

SS080	Demonstration Company CENTRAL BRANCH	USER BRERETM	12/11/93 14:30:53
Zone Charges Maintenance			
Zone... F	Description.....	Ferry Crossing	
	Zone Charge	Effective Date	
	40.00	011293	
-	35.00000	1/11/93	
1=Select 4=Delete			
F3=Exit F8=Update F12=Previous			

Fields:

Description

Enter the zone charge code description.

The company-specific description is held in parameter type ZONE in the Codes/Parameter File Maintenance option.

Zone Charge

Enter the branch-specific zone charge.

You cannot amend the current zone charge - you must instead create a new charge with a different effective date.

Effective Date

Enter the date that each zone charge it is to become effective in the format DDMMYY.

If the effective date of an existing charge is earlier than or the same as the system date then you cannot change it, because it is the current charge. You must instead create a new charge with a different effective date.

Unnamed

Select. Enter one of the following:

- 1 - Select a charge for updating.
- 4 - Delete a charge.

The option is only available if the charge's effective date is later than the system date.



Note: The zone charge will be applied by job pricing to a customer's call, if the customer's additional details has the Charge Zones field set on, and mileage is chargeable on the cover type/job category for the call.



Select **F8=Update** to update the file.

Customer Account Enquiry



31/SSE

Use this option to enquire on the details of customer accounts.

Customer Account Enquiry Initial Screen



Select Customer Account Enquiry.

SS515	Demonstration Company	USER BRERETM	28/10/93
	CENTRAL BRANCH		14:03:51
Customer Account Enquiry			
Customer Number...?. C03			
F3=Exit F4=Prompt			

Fields:

Customer Number

Enter an existing customer.



Enter a customer and press **Enter** to display the Customer Account Enquiry Detail screen.

Customer Account Enquiry Detail Screen



To display this screen enter a valid customer account number on the Customer Account Enquiry Initial screen and press **Enter**.

SS515	Service Demonstration	USER SSV3	11/12/95
	CENTRAL BRANCH		13:55:20
Customer Account Enquiry			
Account No.	C03		
Name	Seigler & Jones Ltd	Al.Seq.	JONES
Address 1	Unit 7		
Address 2	Seaview Business Park		
Address 3	Swansea		
Address 4	W. Glamorgan		
Address 5		P/Code	SA1 5 AA
Contact			
Phone No.	01792 852001		
Pay Terms	D	30 Ledger Type	B=Bal.Fwd. Currency GBP
VAT Code	100	VAT Indio.	3 E=Exempt
Cr. Limit	50000.00	Code	Insured .00
Cr. Resp.	100	St.Addr.Code	C03 In.Addr.
St. Copies	1	Code/Message	Consol. 0
Gen.Ledger		Control A/C	210003 Bank A/C
Group 1	2	3	4
Remarks			
Salesman	Sales Region	Activity	Suspend/Delete.
F3=Exit F12=Previous			
01-02	SA	ML	KS IM II KENB20A PET113S1

Fields:

Name

This is the customer name to appear on screens and reports.

Al Seq

Alpha sequence. These eight characters are used for the alpha sequencing of the customer in selected reports. For example, the alpha sequence for W.H. SMITH would be entered as SMITH WH. This is only used in Accounts Receivable.

Address

The customer's account address.

Postcode

The customer's postcode.

Contact

The name of the person with whom you would normally make contact at this customer.

Phone No

The telephone number for the customer account address.

Pay Terms (Three Fields)

These three fields define the payment terms for the customer.

The first field is a single character code which defines the type of terms:

D - Number of days from invoice date.

M - Net monthly account number of months and payment due date.

P - Periodic range.

If you use the code P, you must enter a 4 digit data range, for example 1211, in the second field. 12 is for 12th of the current month and is the start of the range, and 11 is 11th of the next month and the end of the range.

For the D and M codes, leave the second field blank. For code D you must enter the number of days in the third field in the format DDD. For example, for a payment of 30 days from the receipt of invoice, enter 030.

For codes P and M, the third field contains the month and the day within that month (MDD). For example:

A code of M ____ 210 will generate a payment date of the 10th of the 2nd month following the date of invoice. In this example, an invoice date of 22/4/91 would generate a payment date of 10/6/91.

A code of P 2019 106 would generate for all invoices with a document date between the 20th of this month and the 19th of the next month a payment date of the 6th of next month.

Ledger Type

Single character code representing the type of account. Enter one of the following:

Blank - Open item account.

B - Balance brought forward account.

Currency

If blank, base currency is used. An actual entry displays the code for the currency used by the account.

VAT Code

The default VAT code used for the customer account.

VAT Indic

Enter one of the following:

1 - Customer is exempt from VAT and is not in the EEC.

2 - Special VAT code applies - use the code in the VAT Code field.

3 - This is the default value - use the VAT code in the item master.

Cr Limit

Up to 13 numerics and two decimals specify the credit limit in the customer's currency.

Credit Status Code

An alphanumeric, for descriptive coding of credit status.

Stop Indicator

An alphanumeric, to indicate a stopped customer. This does not inhibit any action in Accounts Receivable, but is included on enquiry and transaction screens; it does not prevent service call logging, but inhibits engineer assignment and despatch until cleared.

Insured

Up to 13 numerics and two decimals, to specify the insured limit in the customer's currency.

Cr Resp

Credit responsibility. The code or name to be used for sequencing selected Accounts Receivable reports. For example:

Accounts A to J reports - Cathie;

Accounts K to R reports - Fred;

Accounts S to Z reports - Kevin.

St Addr Code

Statement address code. If the statement for this customer is to be sent to a different address, this is the code of the required name and address.

In Addr

Invoice address. If the invoice for this customer is to be sent to a different address, this is the code of that address.

St Copies

This displays the number of statement copies to be printed. Enter one of the following:

Blank - This defaults to one copy.

0 - No statements will be printed.

1 to 9 - This number of copies are printed.

Code/Message

The code part of this display is a statement print code. On a statement print run there is a facility to print all customers, or those with a selected entry in this field. for example, A statement print code here of W could indicate weekly statements for this customer.

The message part of the display indicates the statement message to be retrieved and printed on the customer's statements.

Consol

Consolidate to Accounts Receivable account. Enter one of the following:

0 - Transactions are not consolidated to Accounts Receivable.

1 - All transactions are consolidated to Accounts Receivable, to the account indicated by the statement address code.

Control A/c

The control account for the customer in the General Ledger, if it is different to that set up in the company profile.

Bank A/c

This is only displayed if the General Ledger is attached. It is the General Ledger bank account for the customer, if it is different to that set up on the company profile.

Group 1 To 4

These groups are for user-defined coding of customers. They can be used in Sales Analysis or in sequencing Accounts Receivable reports.

Remarks

Up to 50 alphanumeric characters, for any remarks to be held on this customer.

Salesman

The salesman, representative or territory for this account. It can be used for sequencing Accounts Receivable reports.

Sales Region

The region code for the customer. It may be used for sequencing Accounts Receivable reports

Activity

This displays one of the following options:

Blank - Normal live details.

S - Suspends a record.

D - Requests deletion.

These values are used in Sales Order Processing, not in Service Management nor in Accounts Receivable.



Note: You will find full details of these enquiry screens in the Customer Additional Details Enquiry section.



Press **Enter** to display the Service Additional Details Enquiry screen 1.

Installation Address Enquiry



32/SSE

Use this option to enquire on customer site addresses.

Installation Address Enquiry Initial Screen



Select Installation Address Enquiry.

SS516	Demonstration Company	USER BRERETM	28/10/93
	CENTRAL BRANCH		14:04:52
Installation Address Enquiry			
Please Enter Account Number..... C03			
Account Address..... 000 BLANK - display list			
F3=Exit F4=Prompt			

Fields:

Account Number

Enter the customer you want to enquire on.

If you leave the address blank, a list of existing addresses for this customer is displayed.

Account Address

Enter an address and press **Enter** to display the details for the customer and address selected

Leave the address blank and press **Enter** to display a list of the existing addresses for this customer.



Enter a customer and an address, then press **Enter** to display the Installation Address Enquiry Detail screen.

Installation Address Enquiry Detail Screen



To display this screen enter a customer and an address codes on the Installation Address Enquiry Initial screen and press **Enter**.

SS516	Demonstration Company	USER BRERETM	28/10/93
	CENTRAL BRANCH		14:05:02
Installation Address Enquiry			
Account Number..... C03		Jones and Crossland Ltd.	
Account Address..... 000			
Account Name.....		Jones and Crossland Ltd.	
Address 1		Unit 7	
Address 2		Stonebow Road Trading Estate	
Address 3		Hereford	
Address 4			
Address 5		P/Code CT1 1PC	
Contact		Mr Ian Jones	
Phone No.		0432 264124	
Group 1	OSL	2 PR1	3 GR2 4 CG2
Remarks			
Salesman	SAL2	Region.... RG2	Activity Suspend/Delete.
F3=Exit F12=Previous			

Fields:

All Fields

Display only.



Note: For a description of the fields, please refer to the Installation Address Maintenance section of the product information.

You will find full details of these enquiry screens in the Customer Additional Details Enquiry section.



Press **Enter** to display the Service Additional Details Enquiry screen 1.

Customer Additional Details Enquiry



33/SSE

Use this option to enquire on Service Management settings for a customer site address.

The screens which make up this option are also accessible from within the Customer Account Enquiry and the Installation Address Enquiry.

Service Additional Details Enquiry Initial Screen



Select Customer Additional Details Enquiry.

Fields:

Please Enter Account Number

Enter the customer you want to enquire on.



Press **Enter** to display the Service Additional Details Enquiry Selection screen.

Service Additional Details Enquiry Selection Screen

-  To display this screen enter the customer you want on the Service Additional Details Enquiry Initial screen and press **Enter**.
-  At first, no addresses are listed. If you want to display the list of addresses, just press **Enter**.

SS517	Demonstration Company CENTRAL BRANCH	USER BRERETM	15/12/93 14:27:29
Service Additional Details Enquiry			
Account Number..... C03			
Enter Location Code <u>000</u>			
...following is a list of existing location address codes.			
Locn	Name	Address Line 1	
000	Jones and Crossland Ltd.	Unit 7	
001	Jones & Crossland (Northern) Ltd	Unit 5	
F3=Exit F12=Previous			

Fields:

Enter Location Code

Enter a valid site address code for the selected customer.

Leave this field blank and press **Enter** to display a list of all the available addresses for the customer.



Note: Until customers are defined to Service Management in the Customer Additional Details Maintenance option, they cannot be included in any processing, so machines and contracts cannot be set up for them.

-  Press **Enter** to display the first Service Additional Details Enquiry screen.

Service Additional Details Enquiry Screen 1



To display this screen press **Enter** on the Service Additional Details Enquiry Selection screen.

SS517	Z1 - C&T TEST COMPANY	USER GBJBAJKG	27/02/96
	BIRMINGHAM BRANCH		12:40:14
Service Additional Details Enquiry			
Account Number.....	C03	Jones and Crossland Ltd	
Account Address.....	000		
Phone extension			
Invoice Destination Address A/c.	C03		
and Sequence	000		
Job Contact.....	JOHN JENSEN		
Cash customer?	0	(1=yes 0=no)	
Region....	CT	Central	
Admin. Branch	BT	"BRUM" TRAINING BRANCH	
Invoice Consolidation Level	3	(1=Account 2=Location)	
		(3=Job/Contract)	
Customer Ref. for Job?	0	(1=yes 0=no)	Parts Price List XXX
Customer Ref. for Contracts?	0	(1=yes 0=no)	Parts Discount List
Currency Customer (0/1)	1	Currency Rate Code ?	PERD
Currency Code ?	FRF	VAT Code ?	000
F3=Exit F5=Trade details F12=Previous			
01-02	SA	MW	KS IM II KENB20A PED129S1

Fields:

Phone Extension

The extension number for the contact at the site address.

Invoice Destination Address A/c

The account to which to send the invoices raised on behalf of this installation address.

And Sequence

The address to which to send the invoices raised on behalf of this installation address.

Job Contact

The site contact's name; this could be the service contact for the site. It may be different from the contact for the main account.



There is also an Equipment Contact field for each piece of equipment relevant to the site.

Cash Customer

Enter one of the following:

0 - This is the default.

1 - The field is set to this when a new customer is added at call logging. There is no functionality associated with the field even if it is set to 1, as it is for future development.

Region

Designates the service region to which the site belongs. The code must be set up within parameter type REGN in the Codes/Parameter File Maintenance option.

Service and contract revenue can be reported by service region.

Admin Branch

The administrative branch can be different from the branch which owns the equipment at the installation site address. It is the branch on the new site's record which determines the branch to which the equipment is moved and its new owning branch.

If equipment at a customer's site is to be moved, you must be signed on to the administrative branch for that site.

Invoice Consolidation Level

Enter one of the following to determine how the system consolidates invoices:

- 1 - Account level.
- 2 - Location level.
- 3 - Job/contract level.

Consolidation at levels 1 and 2 will be subject to the specific rules in multi-currency and World Trade: there will be break-points at change of currency and at change of VAT/GST regimes.

Customer Ref For Job

Enter one of the following:

- 0 - No customer reference is required when a call is logged.
- 1 - A customer reference must be keyed in when a call is logged.

Parts Price List

The parts price list is used for the pricing of any service parts fitted at the installation site.

The field is only displayed if Sales Order Processing is active.

Customer Ref For Contracts

Enter one of the following:

- 0 - No customer reference is required when a contract is set up.
- 1 - A customer reference must be entered when a contract is set up.

Parts Discount List

The parts discount list is used for calculating discount on service parts fitted at the installation site.

The field is only displayed if Sales Order Processing is active.

Currency Customer

Enter one of the following:

0 - This customer does not use a currency other than base currency.

1 - This customer uses a currency other than base currency.

Currency Code

This is the General Ledger prime currency that this customer uses.

Currency Rate Code

The currency rate code identifies the currency rate used during contract and job invoicing to convert the customer's prime currency into the company's base currency.

VAT Code

The customer's VAT code, set up in the General Ledger.



Press **Enter** to display the second Service
Additional Details Enquiry screen.

Service Additional Details Enquiry Screen 2



To display this screen press **Enter** on the first Service Additional Details Enquiry.

SS517	Z1 - GB Demonstration Company	USER GBJBABL	2/01/97
	"BRUM" TRAINING & SERVICE BRANCH		13:44:31
Service Additional Details Enquiry			
Account No.	GC01	trial1	
Locn. Code	000		
Customer Priority			
Customer Calendar Code			
Geographic Code			
Service Telephone Number			
Service Telephone Extension			
Service Fax Number			
Charge Standard Distance Value	(0/1)		
Standard Mile/Km Value		.00	
Charge Actual Distance Driven	(0/1)		
Charge per Mile/Km		.00	
Charge Zones	(0/1)		
Zone Code to Charge			
Time Zone ID			
F3=Exit F12=Previous			
01-02	SE	MW	KS IM II EDN400A PET179S2

Fields:

Customer Priority Code

This customer's priority is displayed as a number from 0 to 4. Either 0 or 4 can mean high priority, depending on how the Maximum Customer Importance field is set on screen 2 of the System Parameters File Maintenance option.

The customer priority is used in the 3-D matrix (with volume segment and machine up/down) to apply any percentage reductions to call response time.

Customer Calendar Code

The field is for memo use only, to hold working days' data for the customer. It is not used by the current system.

Geographic Code

Postcodes and geocodes are used to define territories which are allocated to teams and engineers. At call logging, the detail is used to suggest who could do the job, that is, has the right skills and is available to meet the job target time.

Service Telephone Number

The phone number for the service contact at the installation address. This can be a different number to the installation address phone number.

Service Telephone Extension

The service contact's phone extension number.

Service Fax Number

The fax number for the service contact at the installation address.

Charge Standard Distance Value

This field defaults to the value from the company profile maintenance screen 3 (of 4).

0 - No standard distance value is to be charged.

1 - A standard distance value is to be charged.

Standard Mile/Km Value

If the Charge Standard Distance Value field is 1, this field holds the charge to be made for a return trip to the site.

Charge Actual Distance Driven

This field defaults to the value from the company profile maintenance screen 3 (of 4).

0 - You do not want to charge according to the actual distance driven.

1 - You want to charge the actual distance driven. The actual distance driven, as entered at technical reporting, is multiplied by the Charge Per Mile/Km, set up in the next field.

Charge per Mile/Km

If the Charge Actual Distance Driven field is 1, this field holds the charge to be made per mile/km.

Charge Zones

This field defaults to the value from the company profile maintenance screen 3 (of 4).

1 - You want to charge for travel according to zone.

Zone Code To Charge

If you have specified that you charge for travel by zone then enter an existing zone code. This holds the flat rate, branch charge for visiting a customer site in the zone.

Zone Code

If you have specified that you charge for travel by zone then a zone code is displayed. The code indexes the record holding the amount of the zone charge.

Time Zone ID

If the customer location is in a different time zone to the system, the appropriate zone code will be displayed here.



Press **Enter** to display the third Service Additional Details Enquiry screen.

Service Additional Details Enquiry Screen 3



To display this screen press **Enter** on the second Service Additional Details Enquiry screen.

SS517	Demonstration Company	USER BRERETM	15/12/93
	CENTRAL BRANCH		17:27:17
Service Additional Details Enquiry			
Account No. C03		Jones and Crossland Ltd.	
Locn. Code 000			
Customer Opening Hours:-			
Day	Day 1	From	To
	Day 2		
	Day 3		
	Day 4		
	Day 5	9:00	13:00
	Day 6		
	Day 7		
F3=Exit F12=Previous			

Fields:

Customer Opening Hours

Specify the customer's opening hours are displayed in 24 hour clock times. This is the time range that the customer will accept service calls.



Select **F3=Exit** to return to the menu.

Model File Enquiry



34/SSE

Use this option to enquire on models.

Model Enquiry Selection Screen



Select Model File Enquiry.

SS540	61 - 61 - Demonstration Company	USER SSV3	11/12/95
	CENTRAL BRANCH		13:59:59
Model Enquiry			
Model.....?...?.. <u>WA10</u>			
F3=Exit F4=Prompt			
05-29	SP	MK	KS IM II KENB20A PET113S1

Fields:

Model

Enter an existing model.



Press **Enter** to display the Model Enquiry Details screen 1.

Model Enquiry Details Screen 1



To display this screen select your model and press **Enter** on the Model Enquiry Selection screen.

SS540	Demonstration Company	USER BRERETM	16/12/93
	CENTRAL BRANCH		13:58:05
Model Enquiry			
Model..... WA10			
Description..... WATER ANALYSER : 10-LITRES/MIN			
Division 10			
Model Group 100			
Model Sub Group 100			
Machine/Peripheral (0/1).. 0			
Labour Price List PL1			
Visit Profile Code 2PA			
Points			
Inventory item codes:-			
F3=Exit F12=Previous			

Fields:

Division

The model's division.

In the product hierarchy, the levels are division at the top, model group, model sub-group; plus model and serial number.

Model Group

The model's model group.

Model Sub-Group

The model's model sub-group.

Machine/Peripheral

Either of these codes will be displayed:

0 - Machine.

The model is defined as a machine, if service calls are to be logged against it and its full details are to be maintained in Installation Maintenance. Installation details will be set up automatically for a machine when sold to a customer through the Sales Order Processing module: a valid Inventory item code, or codes, must be included in the model record, to enable this.

1 - Peripheral.

The model is defined as a peripheral, if service calls are not be logged against it and it is to be maintained as a peripheral to a machine in Installation Maintenance.

No Inventory item code is included on a peripheral record. Peripherals can be sold through SOP, but must be attached manually to the appropriate machine records. The SOP Interface is not designed to create peripheral records.

Labour Price List

This price list will be used to calculate the hourly rates for chargeable work performed on the model.

Visit Profile Code

The scheduled visit profile (SVP) is used in generating the visits to each piece of equipment on a contract. What code to apply depends on the following hierarchy:

1. Use the SVP on the contract header.
2. If there is none, use the model file SVP.
3. If there is none, use the model group file SVP.
4. If there is none, use the company profile SVP.
5. If there is none, no visits will be generated.

As long as a profile is found, the system generates visits for the equipment line on the contract when you take option 8 on the Contract Equipment Maintenance Detail screen.

Points

This defines the service index of the model. The value is used in automatic engineer assignment, to select the engineer if all other work load factors are equal.

Inventory Item Codes

An Inventory item code, or codes, will only appear against machine models. The fields must be blank if the model is a peripheral.

Installation details will be set up automatically for a machine when sold to a customer through the Sales Order Processing module: the Inventory item code, or codes, enables this.

No Inventory item codes are included on a peripheral record. Peripherals can be sold through SOP, but must be attached manually to machine records.



Press **Enter** to display the second Model Enquiry Detail screen.

Model Enquiry Detail Screen 2



To display this screen press **Enter** on the first Model Enquiry Detail screen.

SS540	Z1 - GB Demonstration Company	USER GBJBATD0	18/09/97
	"BRUM" TRAINING & SERVICE BRANCH		11:45:53
Model Enquiry			
Model Number..... WA10		WATER ANALYSER : 10-LITRES/MIN	
Van kit number to fix.....			
Av. hours per breakdown.... 30		Av. hours per PM visit.... 1:00	
Workshop preparation..... 0		Engineer required for Installation. 1	
Manufacturers ID..... TAY		Taylor Engineers	
Warranty Months..... 0		Volume segment ID..... 10	
Automatic call assignment.. 1		Configuration code...	
Statistical family field 1.		Field 2. Field 3.	
Number of meters..... 0		Digits meter1. 0 Digits meter2. 0	
Warranty Units..... 0		Copies = 1 fill developer.	
Copies = 1 fill toner.....			
Volume band starting seq...			
Target MTTR.....		Target MCBU..... 0	
Target MTBV..... 0		Target cost per copy..... .00000	
F3=Exit F12=Previous F14=Warranty Parts			
1-1 SA MW KS CL IM DM II EDN400A KB PKH317S1			

Fields:

Av. Hours Per Breakdown

This value is used as the default job duration for a breakdown call on the model.

Av. Hours Per PM Visit

This value is used as the default job duration for planned maintenance calls on the model.

Workshop Preparation

This field is for future development.

Engineer Required For Installation

One of the following codes will be displayed:

0 - No action is taken.

1 - The system will automatically create an installation job after a machine is sold through Sales Order Processing. This is done as soon as the SOP Transfer To Service option is completed. The default job category for an installation job must already be set up.

On a peripheral, either setting is for memo purposes only.

Manufacturers ID

This must be set up under major type MFID in Inventory Descriptions.

Warranty Months

The number of months the warranty covers.

Volume Segment ID

The volume segment holds the number of days, or copies, used to calculate a repeat call for the model in call logging.

Automatic Call Assignment

1 - Calls for this model will be included in automatic call assignment (ACA), if ACA is activated.

ACA operation may also be limited by settings in the System Parameters, Job Category Maintenance, and Engineer Master File Maintenance options.

Configuration Code

A single alphanumeric code to classify peripherals; the value entered is validated against parameter type CONF set up in the Codes/Parameter File Maintenance option.

The first five configuration codes relating to the peripherals attached to a machine are displayed at call logging, on the Job Line Detail screen.

Statistical Family Fields 1 To 3

These are for memo/reporting purposes and are validated against parameter type STA1 in the Codes/Parameter File option.

Number Of Meters

The number of meters for the model, up to a maximum of 2.

A value of 1 or 2 means meter readings are to be used in contracts or technical reporting.

Digits Meter 1

The total number of digits for the meter. This value is used by both estimating and validation, to check for meter roll over when it has reached its maximum reading.

Digits Meter 2

The total number of digits for the meter. This value is used by both estimating and validation to check for meter roll over when it has reached its maximum reading.

Warranty Units

The number of units covered by the warranty. It is a default field for equipment warranty units. The value must be a positive whole number.

Copies = 1 Fill Toner

The estimated number of copies expected from each fill of toner.

Copies = 1 Fill Developer

The estimated number of copies expected from each fill of developer.

Volume Band Starting Seq

A number in the range 1 to 9.

Target MTTR

Target mean repair time. A value in hours and minutes which is the expected repair time for the model. This field is used for memo purposes only.

Target MCBV

Target mean copies between visits. The number of copies which the model is expected to produce between service visits.

Target MTBV

Target mean days between visits. A value, in the range 1 to 999, to indicate the number of days during which the model is expected to work without service intervention.

Target Cost Per Copy

A monetary value, in the range 0.00001 to 9999.99999, which is the target maximum copy cost.

Function

F14

Warranty Parts. Use this to enquire on any parts which have a different warranty from the parent.



Select **F14=Warranty Parts** to display the Warranty Parts Enquiry window.

Warranty Parts Enquiry Window (F14)

 To display this window select **F14=Warranty Parts** on the second Model Enquiry Detail screen.

Use this window to view the warranty months for up to 5 parts associated with this model. This is necessary only for parts whose warranty months differ from that set for the model itself.

```

SS540          Z1 - GB Demonstration Company    USER GBJBATD0  18/09/97
               "BRUM" TRAINING & SERVICE BRANCH 11:45:53

Model Enquiry

Model Number..... WA10          WATER ANALYSER : 10-LITRES/MIN

Van kit number to fix.....

Warranty Parts Enquiry
  Part Number (?) Description          Mths
  CAMBELT          A cambelt V12      36
  COSTM            NTX Costing Basic...Matl 36

  .. 10
  d 3.
  meter2. 0

F12=Previous
Target MTR..... Target MCBU..... 0
Target MTBV..... 0 Target cost per copy..... .00000

F3=Exit F12=Previous F14=Warranty Parts

10-7  SP MW KS CL IM DM II EDN400A KB PKH317S1
  
```

Fields:

Part Number

This displays the relevant Inventory item.

Mths

Warranty months. This displays the warranty for the part.

 Select **F12=Previous** to return to the Model Enquiry Detail screen 2.

Installation Details Enquiry



35/SSE

Use this option to enquire on the equipment held on customer sites.

Installation Details Enquiry Selection Screen



Select Installation Details Enquiry.

SS520	Z1 - GB Demonstration Company	USER GBJBATD0	19/09/97
	"BRUM" TRAINING & SERVICE BRANCH		14:23:01
Installation Details Enquiry			
Model.....?..	WA10		
Serial Number.....	WAN0001		
Site:			
Account Number...?..			
Account Address.....			
Owner:			
Account Number...?..			
Account Address.....			
All Branches.(0/1)..	0		
F3=Exit F4=Prompt F15=Address F16=Machine			
7-31	SR	MW	KS CL IM DM II EDN400A KB PKH317S1

Fields:

Model

Enter the model you wish to enquire on.



Note: Do not select a peripheral here, as peripherals are held against a machine and can be enquired on from the Equipment Detail Enquiry screen.

Serial Number

If you only a model number is entered, a list of all serial numbers for this model with the associated account/locations will be displayed.

Site Account Number

Enter an existing customer. You cannot select both site and owner accounts.

Site Account Address

Enter an address along with the customer. You cannot select both site and owner accounts.

Owner Account Number

Enter the existing customer, defined as the owner of a piece of equipment. You cannot select both site and owner accounts.

Owner Account Address

Enter an address along with the customer. You cannot select both site and owner accounts.

All Branches

Enter one of the following:

0 - Show details for the current branch only.

1 - Show details for all branches.

You can only use this field if you have selected an owner account; it cannot be used with site accounts.

Functions:

F15

Address. Enter a site name and address to display the Installation Details Enquiry. Enter the owner name and address to display the Ownership Address Enquiry.

F16

Machine. Enter a site name and address to display the Installation Equipment Enquiry. Enter the owner name and address to display the Installation Equipment by Owner.



As the selection options available here are numerous, here is a guide:

- Enter the site account number and account address and select **F15=Address** to display the Installation Details Enquiry screen.
- Enter the site account number and account address and select **F16=Machine** to display the Installation Equipment Enquiry screen.
- Enter the owner account number and account address and press **Enter** to display the Installation Equipment By Owner screen.
- Enter the owner account number and account address and select **F15=Address** to display the Ownership Address Enquiry screen. This is the equivalent of the site's Installation Details Enquiry.
- Enter the owner account number and account address and select **F16=Machine** to display the Installation Equipment By Owner screen. This is the equivalent of the site's Installation Equipment Enquiry screen.
- Enter the model and serial number and press **Enter** to display the Equipment Detail Enquiry screen.

Installation Address Enquiry Screen (F15 and F17)



Select **F15=Address** on the Installation Details Enquiry screen to display the Installation Address Enquiry screen.

Select **F17=Owner Address** on the Installation Details Enquiry screen to display the Ownership Address Enquiry screen.

Both these screens show similar information.

SS521	Z1 - GB Demonstration Company		USER GBJBATD0	19/09/97
	"BRUM" TRAINING & SERVICE BRANCH			14:26:36
Installation Address Enquiry ENQUIRY				
Model.....	WA10	Account Address.....	WAN0001	
Account Number.....	GC01		000	
Account Name.....	Reeves Chemist's		Currency customer	1
Account Address.....	31 Lenton Boulevard		Currency code....	GBP
	Lenton		Curr rate code...	SSV3
	Nottingham		VAT code.....	001
	England		Parts Price List	GBS
			Parts Discount List	
Post Code	NG7 4FW	Ext No.	Inv.Cons Lev.	3
Telephone Number	0602 230067		Job Ref.	0
Admin Branch Code	BT "BRUM" TRAINING & SERVICE BRANCH	Region....	Contract Ref.	0
Account Contact.....	Michael Wello			
Statement Code	GC01	Invoice Address	GC01	000
F3=Exit F12=Previous F16=Header				
F21=Text				
1-1	SP	WM	KS CL IM DM II	EDN400A KB PKH317S1

Fields:

All Fields

These fields are for information only and cannot be maintained. For more details on individual fields see the topic Installation Details Maintenance.

Functions:

F16

Header. This takes you to the Equipment Detail Enquiry screen.

F21

Text. This displays site address text.



Select a function key or select **F3=Exit** to return to the menu.

Equipment Detail Enquiry Screen



To display this screen enter a model and serial number on the Installation Details Enquiry screen and press **Enter**.

SS522		Z1 - GB Demonstration Company		USER GBJBATD0	19/09/97
		"BAUM" TRAINING & SERVICE BRANCH			14:27:55
Equipment Detail Enquiry					
Site :-					
A/C No./Adr. GC01 000		Owner :-		GC03 000	
A/C Name.... Reeves Chemist's		The Make-Up Shop			
Model..... WA10		WATER ANALYSER : 10-LITRES/MIN			
Serial Number..... WAN0001		Quantity 1			
Equipment Status.... L Leased		Last Serviced 0/00/00			
VAT Calc Basis 1/2/3 3		VAT Code... 001		Warranty Units	
Model Year..... 00		Warranty mths 36			
Installation Date... 16/09/97		Delivery date 16/09/97			
Department.....		Warranty Expiry 16/09/00			
Location.....					
Equipment Contact... MICHAEL WELLO		Division		10 Environmenta	
Contract Number....		Contract Type			
Contract Start Date. 0/00/00		Inclusion Date		0/00/00	
Engineer.....		Points			
Serviced by ourselves 0/1		Order type			
Under product superv. 0/1		Order No/Line		/ 000	
F3=Exit F10=Warranty Parts F12=Previous F15=Site Address F17=Owner Address					
F20=Peripherals F21=Text F23=Messages					
1-1 SA MW KS CL IM DM II EDN400A KB PKH317S1					

Fields:

All Fields

These fields are displayed and cannot be maintained. For more details on individual fields display Installation Details Maintenance.

Functions:

F10

Warranty parts. This brings up the Equipment/Warranty Part Enquiry window.

F15

Address. This takes you to the Installation Address Enquiry screen.

F20

Peripherals. This takes you to the Equipment Configuration Enquiry screen.

F21

Text. This displays any existing text.

F23

Messages. This displays the Machine Messages window.



Select a function key listed below or, press **F3=Exit** to return to the menu.

Equipment/Warranty Part Enquiry Window (F10)



To display this window select **F10-Warranty Parts** on the Equipment Detail Enquiry screen.

SS522	Z1 - GB Demonstration Company	USER GBJBATD0	19/09/97
	"BRUM" TRAINING & SERVICE BRANCH		14:27:55
Equipment Detail Enquiry			
Site :-		Owner :-	
A/C No./Adr. GC01 000		GC03 000	
A/C Name.... Reeves Chemist's		The Make-Up Shop	

Equipment/Warranty Part Enquiry			
Part Number (?)	Description	Mths Exp.	Date
CAMBELT	A cambelt V12	36	16/09/00

F12=Previous		
Engineer.....	Points	
Serviced by ourselves 0/1	Order type	
Under product superv. 0/1	Order No/Line	/ 000

F3=Exit	F10=Warranty Parts	F12=Previous	F15=Site Address	F17=Owner Address
F20=Peripherals	F21=Text		F23=Messages	

10-7	SA	MW	KS	CL	IM	DM	II	EDN400A	KB	PKH317S1
------	----	----	----	----	----	----	----	---------	----	----------

Fields:

All Fields

These fields are displayed and cannot be maintained. For more details on individual fields display the topic Installation Details Maintenance.



Select **F12=Previous** to return to the Equipment Detail Enquiry screen.

Equipment Configuration Enquiry Screen (F20)



To display this screen select **F20=Peripherals** on the Equipment Detail Enquiry screen.

SS523	Z1 - GB Demonstration Company		GBJBATD0	19/09/97
	"BRUM" TRAINING & SERVICE BRANCH			14:29:00
Equipment Configuration Enq'y				
Model.....	WA10	Serial Number.....	WAN0001	
Account Number.....	GC01	Account Address.....	000	
Account Name.....	Reeves Chemist's			
Model	Serial	Install Date	Quantity	Eq.Stat.
BRA180	BRA0023	19/09/97	1	L
F3=Exit F12=Previous F13=Fold/Truncate F21=Text				
1-1 SR MW KS CL IM DM II EDN400A KB PKH317S1				

Fields:

All Fields

These fields are displayed and cannot be maintained. For more details on individual fields see the topic Installation Details Maintenance.

Functions:

F13

Fold/Truncate. This function toggles between displaying the model description and displaying only the codes.

F21

Text. This displays any existing text.



Select **F12=Previous** to return to the Equipment Detail Enquiry screen.

Machine Messages Window (F23)

 To display this window select **F23=Messages** on the Equipment Detail Enquiry screen.

SS522		Z1 - GB Demonstration Company		USER GBJBATD0	19/09/97
		"BRUM" TRAINING & SERVICE BRANCH			14:29:20
Equipment Detail Enquiry					
Site :-		Owner :-			
A/C No./Adr. GC01	000	GC03		000	
A/C Name.... Reeves Chemist's		The Make-Up Shop			
Model.....	WA10	WATER ANALYSER : 10-LITRES/MIN			
Serial Number.....	WAN0001	Quantity		1	
Equipment Status....	L Leased	Last Serviced		0/00/00	
VAT Calc Basis 1/2/3	3	VAT Code...	001	Warranty Units	
Model Year.....	00	Warranty mths		36	
Installation Date...	16/09/97	Delivery date		16/09/97	
Machine messages					
Model..... WA10					
Message from.. HU001		Message ID..		23	
Date sent..... 20/11/95		Time sent.. 15:34		Expiry Date.. 99/99/99	
Message. This pump can only be totally stripped down 2-hours either side of low tide.					
Enter=Continue F11=Remove F12=Previous					
F20=Peripherals		F21=Text		F23=Messages	
1-1 SA MW KS CL IM DM II EDN400A KB PKH317S1					

Fields:

All Fields

These fields are displayed and cannot be maintained. For more details on individual fields see the topic Installation Details Maintenance.

 Select **F12=Previous** to return to the Equipment Detail Enquiry screen.

Division Code Enquiry



36/SSE

Use this option to enquire on the divisions for a model family.

Division Enquiry Selection Screen



Select Division Code Enquiry.

Fields:

Division Code

Enter the division you want to enquire on.



Enter an existing division and press **Enter** to display the Division Enquiry screen.

Model Group Enquiry



37/SSE

Use this option is used to enquire on the model groups for a model family.

Model Group Enquiry Selection Screen



Select Model Group Enquiry.

Fields:

Division Code

Enter the division you want to enquire on.

Model Group

Enter the model group you want to enquire on.



Enter an existing division and model group and press **Enter** to display the Model Group Enquiry screen.

Model Group Enquiry Screen



To display this screen enter a division and model group on the Model Group Enquiry Selection screen.

SS553	Demonstration Company CENTRAL BRANCH	USER BRERETM	16/11/93 11:36:01
Model Group Enquiry			
Division code..... 10 Environmental Monitoring			
Model Group..... 100			
Description..... Analysers			
F3=Exit F12=Previous			

Fields:

Description

The model group's description.



Select **F3=Exit** to return to the menu.

Model Sub-Group Enquiry



38/SSE

Use this option to enquire on the model sub-groups for a model family.

Model Sub-Group Enquiry Selection Screen



Select Model Sub-Group Enquiry .

Fields:

Division Code

Enter the division you want to enquire on.

Model Group

Enter the model group you want to enquire on.

Model Sub-Group

Enter the model sub-group you want to enquire on.



Enter an existing division, model group and model sub-group, and press **Enter** to display the Model Sub-Group Enquiry screen.

Model Sub-Group Enquiry Screen



To display this screen enter a valid division, model group and model sub-group code on the Model Sub-Group Enquiry Selection screen.

SS527	Demonstration Company	USER BRERETM	16/11/93
	CENTRAL BRANCH		11:36:26
Model Sub-Group Enquiry			
Division.....	10	Environmental Monitoring	
Model group.....	100	Analysers	
Model sub-group.....	100	Atmospheric	
F3=Exit F12=Previous			

Fields:

All Fields

The selected codes with their descriptions.



Select **F3=Exit** to return to the menu.

Volume Segment Enquiry



40/SSE

Use this option to enquire on the usage volume, and the basis for repeat call calculations, for equipment at model level.

Equipment usage volume influences both the response time for calls and the calculation whether a subsequent call is a repeat call or not.

Volume Segment Enquiry Screen



To display this screen select the Volume Segment Enquiry option and enter an existing code on the Volume Segment Enquiry Selection screen.

SS556	Demonstration Company CENTRAL BRANCH	USER BRERETM	9/04/94 11:58:49
-------	---	--------------	---------------------

Volume Segment Enquiry

Volume segment..... 30

Description.....	High Volume Equipment
Minimum copy volume per month.....	1000
Maximum copy volume per month.....	12000
Average copy volume per month.....	14000
Volume band width.....	5000

Volume between calls.....	
No. of days between calls.....	30
Both tim/vol. used in repeat calc....	0

F3=Exit F12=Previous

Fields:

All Fields

These fields cannot be amended. For full details of the fields' use, please refer to the topic Volume Segment Maintenance.



Select **F3=Exit** to return to the menu.

Zone Charges Enquiry



41/SSE

This option is used to enquire on the details of zone charges on an ad hoc basis.

Where travel distance is charged by zone (see Company Profile File Maintenance, screen 4), the zone charge record confirms the zone description, the charge and its effectivity date.

Zone Charges Enquiry Detail Screen



To display this screen select the Zone Charges Enquiry option. Enter an existing zone and press **Enter** on the Zone Charges Enquiry Selection screen.

SS580	Demonstration Company	USER BRERETM	16/11/93
	CENTRAL BRANCH		12:28:50
Zone Charges Enquiry			
Zone... F Ferry Crossing			
Zone Charge	Effective Date	Zone Charge	Effective Date
35.00000	1/11/93		
F3=Exit F12=Previous			

Fields:

All Fields

All fields are display only. The company-specific description is set up in parameter type ZONE in the Codes/Parameter File Maintenance option. The branch-specific zone charge and effective date are held on the zone charges file.



Select **F3=Exit** to return to the menu.

SOP Transfer To Service



50/SSE

Use this option to store details of equipment sold through SOP and delivered to customers as Service Management-installed equipment. Machines sold can be held in and issued from a standard Inventory stockroom, or a warehouse.

You can also generate an installation job, with the default installation job category, if an engineer is required for the machine's installation. This is indicated on the model.

Description

This is a batch job, which is run on demand. It selects equipment which has been despatched in SOP, if the sales order item number matches a Service Management model file record containing that item number. The job writes details of the model, serial number, delivery date and so on to the Service Management installed equipment file for the delivery address on the SOP order.

If the customer additional service details for the site do not exist, a record is written from the SOP order data and the site's additional sales details record, which now includes a field to define the relevant service branch.



Note: You will find full details of the SOP processing involved in the sale of the equipment before its transfer to service in the SOP product information.

Implications

The configuration of peripheral devices to the prime machine is not covered in the transfer process.

The linking of peripherals to the prime machine needs to be added manually, after the engineer has completed the installation; he can then confirm which peripherals belong to which machine.

Users should ensure that the Codes/Parameter File Maintenance option, parameter type STAT, has a record X SOP Sale: SS Record Required. The equipment installation record, created by the SOP sale, will display X in the Equipment Status field. This value may be left unchanged, or be amended when the installation is completed after the SOP transfer.

A job category record, for the default installation job, is included in the test data. This must be set up correctly for live running, to ensure the job category and fault codes are included in the installation job (that is, INS, Installation, 4, 2, 1, 1, *blank). In the Codes/Parameter File Maintenance option, for parameter type FLTC, a record should be set up: INS, Installation: SOP machine.

Process Customer Returns



51/SSE

Use this option to detail equipment returned by customers and to cancel any outstanding service activities for that equipment.

It also reports on customer returns' equipment, where it is linked to an active contract and where it is not involved in service job activities.

This is a batch job, run on demand, to select items received into goods inwards, inspection or stock.

An item/serial number is selected if it matches a service model/serial number combination.

The model/serial number is checked against the installed equipment file; if there is no outstanding job or contract activity, it is flagged to indicate its removal and included in the audit report.

If the model/serial number is found on the service job details file, indicating outstanding/future activity, the records are flagged for deletion.

If the model/serial number matches an active record on the contract equipment file, details are included on the audit report; the record is not deleted.



Note: Full details of the Customer Returns processing, which precedes the selection routine in service management, may be found in the Customer Returns product information.



Note: If the machine is to be scrapped, it must be returned to stores first and then scrapped. This will ensure that all service file adjustments will follow the taking of the service option. While the machine is in goods inwards, or inspection, the Returns Scrap/Adjust option must not be used; this will by-pass the service file adjustments.

Implications

The Customer Returns libraries must be added to the library list if you wish to use this function.

The Customer Returns Audit Report must be used to prompt the required corrective action.

Where returned equipment is found to be included on an active contract, its detail appears on the audit report for subsequent manual removal: invoicing or crediting may be involved.