

-
-
-
-
-

Chapter 2

Processing



Main Tasks In Warehousing

You can divide most of the work in a warehouse into three types of tasks:

1. Putting away items.
2. Moving items to optimise storage, picking and despatching.
3. Picking and despatching.

One main function of Warehousing is to make recommendations for each of the three tasks, and then produce instruction lists on paper and on screen. You can confirm the completion of these tasks with either a single character or by entering a Check Digit or Return Code from the target location. If you follow the instructions exactly, you do not need to enter item numbers or locations. Even if you do need to make a change, you can select all the information from a displayed list. This reduces the amount of work and reduces the risk of error.

Warehousing is designed to interface to an RDT (Remote Data Terminal), or to intelligent storage systems.

Currency rates are stored on transactions within System 21. With the introduction of the Euro and European Monetary Union (EMU) in 1999, the way in which we process any monetary transaction will change.

There are now three scenarios to determine the currency conversion rate to be used in this case.

- Sundry Invoices and Credits use the customer order date entered on the credit/invoice screen.
- Customer Returns Credit Notes that are not based on an original invoice retrieves the conversion rate which is applicable to the pricing date entered on the screen.
- Customer Returns Credit Notes that are based on an original invoice retrieves the conversion rate applicable to the date on that original document. If the rate was fixed, that is part of the Euro, then it is retrieved and used on the credit note.

Each time the system calculates an invoice line value from the prime currency to the base currency, the value is converted by taking into account these Euro considerations.

Base Invoice Header Values are calculated from the Invoice Header Prime Values by accumulating all the base goods, VAT and charge totals.

If both currencies are defined as an IN Currency, then the Prime Grand Total is converted to the Base Grand Total.

Receiving And Putting Away

There are a number of steps to record the receipt of an item and put it away within the warehouse. These steps are either to record specific actions or make and process Warehousing recommendations.

You record all external events using interactive procedures. A continually processing sub-system carries out some of the processing. This waits for the next instructions and then carries them out. You can also perform work in small batches, such as printing. In some instances you can choose the way you perform the processing.

The steps involved with receiving and putting away are as follows:

Inventory Receipt

You record the receipt in Purchase Management, Inventory Management, Production or Sales Order Processing. The batch program moves the item into the receiving warehouse location to balance Warehousing and Inventory. Warehousing can use multiple packaging types, so when you receive the item into the warehouse, you must confirm or change the pack type.

The receiving sub-system:

- Moves the item into the receiving location.
- Determines the number of packs.
- Identifies the rules for putting the item away.
- Makes a enough recommendations to put the item away.
- Produces a recommendation for each unique combination of item/lot/pack type and location.

The item is now planned out of receiving and planned into the locations.

Printing Documents

Warehousing must produce put-away labels before you can confirm actions. These labels specify where you put away each received item. Warehousing produces a separate label for different lot numbers, pack types and rotation dates. If you process the item pack type by label number, (you set this in Packaging types maintenance) Warehousing prints the appropriate numbers on the put-away labels.

Warehousing only prints put-away labels on request.

Confirmation Of The Action

It is advantageous to record the confirmation of the action as close to real-time processing as possible. You can confirm put-away by entering a single character or by entering a Check Digit displayed at the location.

You can move the recording of put-away transactions into a continuously updating sub-system. This process applies updates sequentially, based upon the update request arrival.

Intra Warehouse Move

You move items within the warehouse to improve the organisation of items to reduce work at more critical times. You must be able to record that a move is required, and confirm the movement has occurred.

You may need to move an item for a number of reasons, such as moving items from a main storage area to a picking area, or moving all items out of an area for refurbishment. Occasionally you may need to re-locate the item and then report the action to Warehousing after the event.

In common with putting away and picking, Warehousing produces a list of instructions which you can view on screen and confirm or change the list.

There is a distinction between movements generated by Warehousing as replenishments of pick location and manually requested intra warehouse movements. You can produce separate lists to assign the appropriate priority for the different actions. When you confirm an action, you use different overrides for the different moves. For example, if Warehousing requests a replenishment of a picking location, you cannot change the item or the move to location, because this instruction is to replenish a fixed picking location for a specific item.

Picking And Despatching

You allocate stock to sales orders in Sales Order Processing or Production. You allocate against the available stock figure in the nominated stockroom. This does not identify the location where you can find the stock to meet this requirement.

Warehousing identifies the stock location by considering such factors as:

- The quantity to despatch.
- Stock rotation.
- Physical proximity of location if not date controlled.
- The practicality of picking a number of order lines together.

The picking and despatching cycle involves:

- Request picking notes.
- Request pick lists for sales or production.
- Confirm pick for sales or production.
- Confirm despatch for sales or confirm issue for production.

Request Picking Lists

Warehousing considers requests to despatch generated from Sales Order Processing or requests to issue from Production Control and Costing. Warehousing performs the tasks outlined below:

- Select a range or group of orders to pick.
- Print pick list, organised to suit the warehouse.
- Print appropriate marshalling lists which cross-reference picking lists and despatch or issue notes.
- Print the despatch or issue notes.



Note: Kit parent and non-stock items are not committed and do not print on the warehouse pick list.

Confirm Pick

This is similar to confirming warehousing actions and you perform this by entering either a character, or a check digit. You can override Warehousing's instructions to change both the location and the quantity. Warehousing records an error. The result of a confirmation is to transfer the stock to the marshalling location.

Confirm Issue

You confirm issue from the production marshalling location at order level using the standard shop documentation produced in Production. You can produce reports to help marshall complex loads which link picking lists and despatch or issue notes. If the issue is as intended, you can confirm it using a single function.

Request A Move

1... 1/WHP
2... 3/WHP

You can request a move for both standard items and frozen items.

These are two supervisory functions which may be the result of a decision to empty part of the warehouse, or move items closer to despatch:

Before you record the moved items, use the Move List option to produce a move list and confirm the actions on the list using the Confirm Movements option.

Use the Request A Move (Standard Movements) option to define an instruction to move an item with certain characteristics from one location to another.

Use the Request A Move (Frozen Movements) option to define an instruction to move stock frozen for an item with certain characteristics from one location to another.

Request Intra-Warehouse Transfer Screen



Select either the Request A Move (Standard Movements) option, or the Request A Move (Frozen Movements) option.



Note: If you select the Frozen Movements option this screen, is called Record Intra Warehouse Frozen Stock Transfer.

Use this screen to enter sufficient information to uniquely identify the item you want to move.

WH100	Z1 - Demonstration Company Central Warehouse	USER SP1	01/09/94 12:00:00
Request Intra-Warehouse Transfer			
Item.....?..	5019	Glucose energy drink small 250ml	
Lot number.....?..	B001		
Rotation date.....	20/08/95		
Pack type.....?..	PAL	Pallet	
Label No.....			
Movement Qty.....	25.000		
From location.....?..	AA2		
To location.....?..	AE5		
F3=Exit F4=Prompt F5=Refresh			

Fields:

Item

Enter the item to move.

Lot Number

Enter the lot or batch or serial number of the item.

Rotation Date

Enter the date used for stock rotation of the item; for example, expiry date.

Pack Type

Enter the packaging type of the item.

Label No

If the pack type is label-controlled, enter the label number.



Note: You can only move a whole label quantity.

Movement Qty

Enter the quantity to move.

From Location

Enter the location from which you want to move the item.

To Location

Enter the location to which you want to move the item.



Press **Enter**. Warehousing checks that the item is present in the From location, fits in the To location, there is sufficient stock and, if relevant, the stock is frozen.

Non Requested Move

1... 2/WHP
2... 4/WHP

There are two procedures to record non-requested moves:

- Record a non-requested standard movement - use this procedure to record that you have moved an item.
- Record a non requested frozen movement - use this procedure to record that you have moved frozen stock for an item.

You can also use these options to record the repackaging of items, providing that you have already defined the new packaging type to the item in its item/warehouse profile.

Record Intra Warehouse Transfer Screen



To display this screen, select either the Record A Non-Requested Move (Standard Movements) option, or the Record A Non-Requested Move (Frozen Movements) option.



Note: If you select the Frozen Movements option this screen, is called Record Intra Warehouse Frozen Stock Transfer.

Use this screen to enter sufficient information to uniquely identify the item that you moved.

WH105	Z1 - Demonstration Company Central Warehouse	USER SP1	01/09/94 12:00:00
Record Intra Warehouse Transfer			
Item.....?..	5016	Royal Ginseng 30 Caps x 140 Box	
Lot number.....?..	1001		
Rotation date.....	20/08/94		
From : Pack type..?..	PAL	Pallet	
Label number..			
Location...?..	AC5		
To: Pack type..?..	PAL		
Label number..			
Location...?..	AE2		
Movement Qty.....	16.000		
Movement Reason...?..	71	Put-Away found in error	
F3=Exit F4=Prompt F5=Refresh F8=Update			

Fields:

Item

Enter the item that has been moved.

Lot Number

Enter the lot, batch or serial number of the item.

Rotation Date

Enter the date used for rotation of the item; for example, expiry date.

From:

Pack Type

Enter the packaging type associated with the item in the From location.

Label Number

If the pack type is label number controlled, enter the label number.



Note: You can only move a whole label quantity.

Location

Enter the location from which the item has been moved.

To:

Pack Type

Enter the packaging type associated with the item in the To location.



Note: You must enter a pack type if you are not moving the item to the marshalling location.

Label Number

If the pack is label number-controlled, enter the label number.

The label number must refer to an existing pack. Do not enter a label number when moving to the marshalling location.

Location

Enter the location to which the item has been moved.

Movement Qty

Enter the quantity that has been moved.

Movement Reason

Enter the reason the item has been moved.



Select **F8=Update**. Warehousing checks the movement does not violate any location rules and that there is sufficient stock. Then select **F8=Update** again to confirm the recorded move.

Confirm Movements



5/WHP

You use this option to confirm that you have performed the instructions in the move list, that you moved the items correctly and Warehousing can expect to find the items at the locations specified in the move list, unless you previously amended them.

You can either generate move lists manually, using the Standard Request A Move or Frozen Request A Move options, or generate them as part of the replenishment of picking locations process.

Confirm Intra Warehouse Transfer Selection Screen



Select Confirm Movements.

Use this screen to select a move list for confirmation.

WH110	Z1 - Demonstration Company Central Warehouse	USER SP1	01/09/94 12:00:00
Confirm Intra-Warehouse Transfer			
List number?... <u>3</u>			
F3=Exit F4=Prompt			

Fields:

List Number

Enter the list you want to confirm.



Press **Enter** to display the Confirm Intra Warehouse Transfer Details Screen.

Confirm Intra-Warehouse Transfer Details Screen



To display this screen, select a list on the Confirm Intra Warehouse Transfer Selection Screen.

Use this screen to confirm instructions or mark instructions for amendment. You use a secondary screen to amend the actions. At the right-hand end of each instruction is the status of the action, either Move or Replenish:

- Replenishments are generated transfers to replenish the pick locations.
- Movements are user requested transfers.

WH110	Z1 - Demonstration Company	USER SP1	01/09/94
	Central Warehouse		12:00:00
Confirm Intra-Warehouse Transfer			
List number....	3		
Item/Rotation	Lot/Label	Quantity	Locn from/to Action
5006		10.000	FE1 —
	0/00/00		FE2 — Move
5016	L001	16.000	AC3 —
	20/08/94		DE2 — Move
5019	B001	25.000	AA2 —
	20/08/95		AE5 — Move
F3=Exit F5=Refresh F8=Update F12=Previous			

Fields:

Action

If you require check digit validation, enter two check digits, one for the From location and one for the To location.

If you do not require check digit validation, enter one of the following:

1 - To confirm an action.

* - To mark an action for amendment.



*Note: If you select default confirmation in the warehouse profile, any actions not requiring override or in error are set to 1. You can change this to * for amendment.*



Note: Default confirmation and confirmation using check digits are mutually exclusive.



Select **F8=Update**. The records flagged for update are either processed by the sub-system or interactively processed. Instructions flagged for amendment display sequentially in the override screens.

Confirm Intra Warehouse Transfer Move Screen



To display this screen, select a move with *, on the Confirm Intra Warehouse Transfer Details Screen.

Use this screen to amend an intra warehouse move. The information you can enter depends upon whether this is a replenishment or a move.

The screen displays the item, lot, quantity, label and pack type. For move instructions it displays the To location, for replenishments it displays the From location.



Note: When you complete the override, the total quantity moved should be less than or equal to the quantity requested.

WH110	Z1 - Demonstration Company	USER SP1	01/09/94
	Central Warehouse		12:00:00
Confirm Intra-Warehouse Transfer - Move			
List..	3	Date.. 28/08/94	Time.. 12:00:00
Item	Description	Label	
5006	Organic Hair Tonic 18x215ml		
Lot number	Quantity	To location	Pack
	10.000	FE2	PAL
Reminder	.000		
Manual override			
Line	Reason	Quantity	To location
01	#1	5.000	FE3
02	#1	5.000	FE4
			PAL
Line	Reason	Quantity	To location
Pack			
F3=Exit F4=Prompt F5=Refresh F8=Update F12=Previous			

Fields:

Line

To amend an existing entry, enter the line number and press **Enter**.

Leave this blank if you are adding a new entry.

Reason

Enter the reason for the move.

Quantity

Enter the quantity of the item to move.

Pack

Enter a pack type for the item.

To Location

Enter a location. This is only for movements.



Note: If this is a replenishment, you must uniquely define the item within the location, using some or all of the following fields:

Label

If the pack is label number controlled, enter the label number.



Note: You cannot split a label across locations. To split a label you must change the pack type.

Lot Number

Enter the lot, batch or serial number.

SR Date

Enter the rotation date of the item.

From Location

Enter the location from which you source the replenishment.



Tip: If actions are marked as PEND, check that you have started the Confirmation Updates job.



Press **Enter** to save the data on the entry line.



Select **F8=Update** to check that the total accounted for is equal to the total to move.
Select **F8=Update** again to confirm the update.

Confirm Put Away



6/WHP

Use this option to confirm to Warehousing that you have performed the instructions in the put-away list, that is, you put the items away correctly and Warehousing can expect to find the items at the locations specified in the put-away list, unless you amended the put-away list.

Items To Be Put Away Selection Screen



Select Confirm Put-away.

Use this screen to select the put-away list you want to confirm.

WH115	Z1 - Demonstration Company Central Warehouse	USER SP1	01/09/94 12:00:00
-------	---	----------	----------------------

Items to be Put Away

List number?... 1

F3=Exit F4=Prompt

Fields:

List Number

Enter the list you want to confirm.



Press **Enter** to display the current status of the outstanding instructions on the list.

Items To Be Put Away Action Screen



To display this screen, select a list and press **Enter** on the Items To Be Put Away Selection Screen.

Use this screen to confirm instructions or mark instructions for amendment.

WH115	Z1 - Demonstration Company Central Warehouse	USER SP1	01/09/94 12:00:00
Items to be Put Away			
List number.... 1			
Item	Lot	Quantity	Label Location Action
5013	B002	1.000	AE1 —
5006		32.000	FE1 —
5006		16.000	BC4 —
5006		2.000	BB4 —
5019	B001	25.000	AC1 —
5019	B001	25.000	AA2 —
5019	B001	25.000	AA3 —
5019	B001	25.000	AA4 —
5019	B001	25.000	AA5 —
5019	B001	25.000	AB2 —
5019	B001	25.000	AB3 —
5019	B001	25.000	AB4 —
5019	B001	25.000	AB5 —
5019	B001	25.000	AC2 —
5016	L001	16.000	DE1 —
F3=Exit F5=Refresh F8=Update F12=Previous			

Fields:

Action

If you require check digit validation, enter the check digit at the put-away location.

If you do not require check digit validation, enter one of the following:

1 - To confirm an action.

* - To mark an instruction for amendment.



Tip: If you select default confirmation in the warehouse profile, this sets any actions not requiring override and not in error to 1 by default, but you can change this. You cannot select default confirmation and check digit validation at the same time.



Select **F8=Update**. The records flagged for update are processed either by the sub-system or interactively. Instructions flagged for amendment are presented to the override screen sequentially.

Items To Be Put Away Override Screen



To display this screen, select a move with *, on the Items To Be Put Away Action Screen.

Use this screen to record a receipt in the warehouse. The screen displays the item, lot, quantity and recommended location.



Note: The quantity put away must equal the original quantity.

WH115	Z1 - Demonstration Company		USER SP1	01/09/94
	Central Warehouse			12:00:00
Items to be Put Away				
List..	1			
Movement..	Miscellaneous Receipt		Date..	30/08/94 Time.. 12:00:00
Item	Description		Label	
5006	Organic Hair Tonic 18x215ml			
Lot number	Quantity	Location	Pack	Reminder
	32.000	FE1	PAL	.000
Manual override				
Line	Reason	Quantity	Location	Pack
01	#1	16.000	FE2	PAL
02	#1	16.000	FE1	PAL
Line	Reason(?)	Quantity	Location(?)	Pack(?)
—	—	—	—	—
F3=Exit F4=Prompt F5=Refresh F8=Update F12=Previous				

Fields:

Line

To amend an existing entry, enter the line number and press **Enter**.

If you are adding a new entry leave this field blank.

Reason

Enter a reason for the put-away.

Quantity

Enter the quantity of this item, lot, location and pack combination to put away in this location.

Location

Enter a location.

Pack

Enter a pack type for the item.



Note: If the instruction has a label number, you can only put the whole pack into a different location. If you move part of the pack to a

different pack type, you can put it away in a different location.



Tip: If actions are marked as PEND, check that you have started the Confirmation Updates job.



Press **Enter** to save the data in the entry line.
Select **F8=Update** to check that the total accounted for is equal to the total received and update the database.

Confirm Pick



7/WHP
9/WHP

There are two confirm pick options:

- Confirm Pick - for sales picking lists.
- Confirm Pick For Production - for production picking lists.

Use these two options to confirm that you have performed the actions listed in the pick list, that is the items have been picked correctly.

You can either confirm pick for sales or confirm pick for production.

For each generated pick list, you can record exactly what has been picked, which lots, which lot station and the quantity. If the picked item is exactly as Warehousing recommended (it matches the entry on the Pick List) then enter 1 in the action column and enter and confirm the override details.

Confirm pick results in an internal movement of stock from the warehouse location where picking occurred into the marshalling location from where it can be issued or consumed by production or sales.

You have to pick all components (including backflush) from the warehouse before you can consume them. You consume backflush components from the marshalling area.

You cannot use these options to overpick. To overpick use the relevant Generate Warehouse Requirements option.

You can however underpick with this option, you must then either generate a new pick list for the outstanding balance or ignore it.

Confirm Picking Selection Screen



Select either Confirm Pick or Confirm Pick For Production.

Use this screen to select a pick list you want to confirm.



Note: This screen displays For Sales or For Production, depending on the option selected.

WH145	Z1 - Demonstration Company Central Warehouse	USER SP1	01/09/94 12:00:00
-------	---	----------	----------------------

Confirm Picking for Sales

Picking list number?... 5

F3=Exit F4=Prompt

Fields:

Picking List Number

Enter a picking list.



Press **Enter** to display the Confirm Picking Action Screen.

Confirm Picking Action Screen



To display this screen, enter a picking list on the Confirm Picking Selection Screen, and press **Enter**.

Use this screen to confirm the actions specified on the pick list, or mark actions for amendment.



Note: This screen displays For Sales or For Production, depending on the option selected.

WH145	Z1 - Demonstration Company Central Warehouse	USER SP1	01/09/94 12:00:00
-------	---	----------	----------------------

Confirm Picking for Sales
Picking list no.... 5
Date raised..... 28/08/94

Line Item	Lot number	SR Date	Quantity	Location	Ac
0001 5006		0/00/00	2.000	FE1	*
0002 5019	B001	20/08/95	20.000	AC1	<u>I</u>

F3=Exit F5=Refresh F8=Update F12=Previous

Fields:

Ac

If you require check digit validation, enter the check digit at the pick location.

If you do not require check digit validation, enter one of the following:

1 - To confirm an action.

* - To mark an action for amendment.



Tip: If you select default confirmation in the warehouse profile, this sets any actions not requiring override and not in error to 1 by default. You cannot select default confirmation and check digit validation at the same time.



Press **Enter** to save the changes and start the update routine. The actions flagged for amendment display sequentially on the Confirm Picking Override Screen.

Confirm Pick Manual Override Screen



To display this screen, select an entry with * on the Confirm Picking Action Screen and select **F8=Update**.

Use this screen to amend and complete a pick instruction.



Tip: To cancel a pick instruction select **F8=Update** with no lines entered.

WH145	Z1 - Demonstration Company	USER SP1	01/09/94
	Central Warehouse		12:00:00
Confirm Picking for Sales			
Picking list number.. 00000005		Remaining Qty..	
Line Item			
0000 5006	Organic Hair Tonic 18x215ml		
Label	Lot number	SR Date	Quantity Pack Location
		0/00/00	2.000 PAL FE1
Manual override			
Line Rsn.	Label	Lot number	SR Date Quantity Pack Location
01	#4		0/00/00 1.000 PAL FE1
02	#4		0/00/00 1.000 PAL FE2
Line Rsn.	Label	Lot number	SR Date Quantity Pack Location
—	—	—	0/00/00 — — —
F3=Exit F4=Prompt F5=Refresh F8=Update F12=Previous			

Fields:

Line

To update an entry, enter the line number.

If you are adding a new entry, leave this field blank.

Rsn

Reason Code. Enter the reason why a change is necessary.

Label

If the pack type is label controlled, enter the label number.

Lot Number

Enter the lot, batch or serial number picked.

SR Date

Enter the stock rotation date of the item picked.

Quantity

Enter the quantity picked.

Pack

Enter the pack type of the item picked.

Location

Enter the location from where you picked the item.



Warning: To confirm pick of zero, do not enter override details but select F8=Update. Warehousing warns that you requested a zero pick. Select F8=Update again to confirm.



Press **Enter** to save the data in the entry line.
Select **F8=Update** to check the total entered is equal to the total Warehousing suggests you should pick.

Confirm Despatch



8/WHP

Use this option to confirm that an item was despatched, update stock balances. You can then create the invoice request.

This procedure is similar to the despatch procedure within Sales Order Processing, however, during consolidation, committing and picking in warehousing, you created other links.

For example, if you move a specific portion of stock, with a lot number and expiry date, into marshalling for an order. When you confirm despatch, you must update Warehousing as well as Sales Order Processing and Inventory Management.

Confirm Despatch Select Order Screen



Select Confirm Despatch.

Use this screen to select the order for which you want to confirm despatch.

WH160	Z1 - UK Demonstration Company	USER GBJBMSA	28/05/98
	Central Warehouse		16:21:38
Confirm Despatch			
Order?.. _____			
Sequence ____			
Despatch date <u>28/05/98</u>			
Despatch method ?.. _			
Carrier Code....?.. <u>A</u>			
Employee number... <u>000000</u>			
F3=Exit F4=Prompt			

Fields:

Order

Enter the order to despatch.

Sequence

Enter the despatch note sequence number.



Note: An order can have several sequence numbers, if you could not pick the whole order at once, this is so you can despatch part orders.



Tip: Leave the sequence blank to display a list of outstanding despatch notes for the order.

Despatch Date

Enter the date the despatch was made. This cannot be in the future.

Despatch Method

Enter a despatch method defined on the descriptions file under major type MODE.

Carrier Code

Enter the carrier code for this equipment. Use this if consignment notes are generated.

Employee Number

Enter the employee number.



Press **Enter** to display the Confirm Despatch
Select Order Screen.

Confirm Despatch Select Sequence Screen



To display this screen, enter the selection details on the Confirm Despatch Selection Screen and press **Enter**.

Use this screen to select the outstanding despatch you require.



Note: You can confirm a number of despatches for the same order at the same time. This produces a single invoice.

WH160	NR - Neil Radford and Co. Ltd	USER GBJBA1MS	22/07/96
	Neil's Warehouse 1		10:39:00
Confirm Despatch			
Order ...	0000381	Customer ...	NER_CUS1 001
		Neil's Delivery customer Number 1 >	
Sel	Sequence	Date Raised	Despatch Details
█	1	22/07/96	-
F3=Exit F5=Refresh F12=Previous			
09-04	SF	MM	KS IM II KENB20A PET007S1

Fields:

Sel

Enter 1 against the despatches you want to confirm.

Despatch Details

Enter * to enter despatch details for the item.



Press **Enter** to display the Confirm Despatch Details Screen.

Despatch Details Window (Option *)



To display this window, enter * in the Despatch Details field on the Confirm Despatch Select Sequence Screen.

This screen displays the despatch details, retrieved from the Sales Order Header. The defaults depend upon the type of document:

- Sales despatch and miscellaneous invoice - defaults from order overrides. You cannot maintain the type of despatch note, if you require invoice consolidation.
- Consignments and internal transfers - defaults from Customer Sales Details Additional Details screen.
- Supplier returns and subcontract shipments - despatch note language defaults to language code of the supplier; and all other fields are blank.

WH160 Z1 - UK Demonstration Company USER GBJBAMZS 30/01/98
Central Warehouse 11:45:08

Confirm Despatch

Despatch details

Document processing

Online print of despatch notes... 0 (0=No, 1=Yes)

Priced despatch note..... 0 (0=No, 1=Yes)

Type of despatch note..... 1 1=Separate despatch note & invoice
2=Combined document

Despatch note language..?... _

Despatch information

Despatch method.....?.. 1 Sea

Transport method.....?.. _

Reason for despatch.....?.. _

Terms of delivery.....?.. _

Carrier.....?.. _

Shipping marks..... _

Number of packs.....?.. _

Weight.....?.. _

Volume.....?.. _

F4=Prompt F5=Refresh F8=Update F12=Previous F21=Text

F3=Exit F5=Refresh F12=Previous

Fields:

Online Print Of Despatch Notes

Enter one of the following:

- 0 - No. To print despatch notes in batch mode.
- 1 - Yes. To print despatch notes immediately.

Priced Despatch Note

Enter one of the following:

- 0 - No. Not to print prices on the despatch note.
- 1 - Yes. To print prices on the despatch note.

Type Of Despatch Note

Enter one of the following:

- 1 - To print a separate despatch note and invoice.
- 2 - To print a combined despatch note and invoice.

Despatch Note Language

Enter the language used to print the despatch note. This must be defined to General Ledger.

Despatch Method

Enter the default despatch method. This must be defined on the Inventory descriptions file, major type MODE.

Transport Method

Enter the default transport method. This must be defined on the Inventory descriptions file, major type TMTH.

Reason For Despatch

Enter the reason for despatch. This must be defined on the Inventory descriptions file, major type MOVR.

Terms Of Delivery

Enter the default terms of delivery. This must be defined on the Inventory descriptions file, major type MODE.



Note: If World Trade is live, this field defaults to the value on the Sales Order Processing Customer Maintenance - Trade Details Screen.

Carrier

Enter the default carrier. Warehousing checks the following:

1. If Advanced Shipping is live, and the processing company is active with Sales Order Processing, the carrier defaults to that defined via Shipping Customer Defaults.
2. If you enter a new carrier, it is checked against the Shipping Names And Address file (Shipping Customer Defaults Maintenance).
3. If Transport Planning is live, and the processing company is active within Sales Order Processing, the carrier defaults to the carrier defined to the Transport Planning Delivery Profile.
4. If you enter a new carrier, it is checked against the Transport Planning Carrier file.
5. A Sales Order Processing company is defined to a Transport Planning company via an SOP company/stockroom combination.
6. If neither Advanced Shipping nor Transport Planning are live, then the default is blank. Any entry must be defined on the Inventory descriptions file, against major type CARR.

Shipping Marks

Enter the shipping marks.

Number Of Packs

Enter the quantity and packaging type.



Note: If Advanced Shipping is live, this must be defined in the Pack Types file. Otherwise, they must be defined to the Inventory descriptions file, major type TPPK.

Weight

Enter a weight and Unit Of Measure (UOM). The UOM must be defined to the Inventory descriptions file, major type UOM.

Volume

Enter a volume and UOM.

Any UOM code entered is validated against the Inventory descriptions file, against major type UOM.



Select **F8=Update** to update details and return to the previous screen.

Confirm Despatch Details Screen



To display this screen, either enter an order and a sequence on the Confirm Despatch Select Order Screen.

Or select a despatch on the Confirm Despatch Select Sequence Screen.

This screen displays the order lines to despatch.

You can only confirm of despatch from a warehouse, if:

1. The stock has been committed to the despatch note.
2. Sufficient stock has been picked to satisfy the amount of the despatch being confirmed.

If you despatched what you intended to despatch, you can confirm using **F8=Update**.

If however, you recorded short picks or if there is any doubt as to which lot is despatched, you must explicitly confirm the actual action. Equally, if you record a full pick, but did not despatch everything, you must identify the stock not sent.

If you take any non-standard action when confirming the despatch, you must enter a reason.



Note: If you selected more than one despatch, they display consecutively.

WH160	Z1 - UK Demonstration Company	USER GBJBAMZS	30/01/98
	Central Warehouse		11:48:04
Confirm Despatch			
Order ... 0001178		Customer ... MS.CUS 000	
		Mark Menne	
Des	Order	Quantity	Despatch
seq	Line Item	to despatch	Quantity Override
02	001 264/1	No 2.000	.000 █
02	002 264/4	Yes 3.000	.000 -

F3=Exit F5=Refresh F8=Update F12=Previous
F15=Order/Invoice text F19=Show/Hide call-off References

Fields:

Override

To override the despatch quantity, enter *.

The * automatically displays if:

1. Insufficient stock has been picked for the order.
2. There is insufficient stock in the marshalling location.
3. The order was part of a consolidated pick, which spanned a number of lots or rotation dates, a choice is then necessary.
4. The order is catchweight type 1 or 2.

If component override is forced for sales kits because of reason 1 or 2, the kit parent and all other components are forced override. Component force override for reason 3 has no effect on other components or the kit parent.

You cannot manually override non lot or rotation date controlled components.

You can override lot or rotation date controlled components, but the despatch quantity must equal the lot parent quantity (or ratio thereof).

To change component quantities for despatch, you must manually override the kit parent quantity.

You should add the despatch charges before you confirm the update.



Tip: If + displays beside the Override field, the item has already been overridden.

Functions:

F14

Charges. Use this function to enter charges for the item in the Charge Details Window. If this consignment was generated using Advanced Shipping this function does not display.

F15

Order/Invoice Text. Use this function to maintain the order text.

F18

Despatch Details. Use this function to maintain the Despatch details. This function only displays if you accessed the screen by entering an order and a sequence on the Confirm Despatch Select Order Screen.

F19

Show/Hide Call Off Reference. Use this function to display, or hide, the Call Off reference for the order line.



Tip: If you define the Sales Order Processing Company Profile to print clean despatch notes when you confirm despatch, they print when you select **F8=Update** to confirm the despatch.



Press **Enter** to validate the entries then select **F8=Update** to confirm the despatch. If there is no override, the despatch is confirmed. If you or Warehousing requested an override, the Override Quantity Despatched Window is displayed.

Charge Details Window (F14)



To display this window, select **F14=Charges** on the Confirm Despatch Details Screen.

Use this window to add additional charges, up to a maximum of three, to the despatch.



Tip: You enter charges in the currency of the customer.

```

WH160              NR - Neil Radford and Co. Ltd      USER GBJBA1MS  22/07/96
                   Neil's Warehouse 1                 10:41:03

Confirm Despatch

Order ... 0000381      Customer ... NER_CUS1 001
                        Neil's Delivery customer Number 1 >
Des  Order      Quantity      Despatch
seq Line Item    to despatch  Quantity  Override
01  001  1352_LOT  Yes        2.000    2.000    _
Call off:

Charge Details
Code  Description      Prime amount  VAT
01  VAT only Charge 01  10.65  001  17.50
    Base amount..      1.25
    Base amount..
    Base amount..

F3=Ex  F4=Prompt F5=Refresh F8=Update F12=Previous
F15=Order/Invoice text F18=Despatch details

15-10  SR  MW  KS  IM  II  KENB20A  PET007S1
  
```

Fields:

Code

Enter the charge code defined on the descriptions file.



Tip: If you select **F4=Prompt**, select **F15=Order/Invoice Text** to display the rate and VAT code associated with the charge code.

Prime Amount

Enter the amount of the charge.



Note: The charge is on the descriptions file in the base currency. If this despatch is for an order not in the base currency of Accounts Receivable, it is converted into the transaction currency and displayed in both base and transaction currency.

VAT Code

Enter the VAT code for the charge. This defaults to the value on the descriptions file.



Tip: You can delete a charge, retrieved from the order, by removing the charge code or amending

the values. If you enter a value Warehousing assumes it is in the transaction currency of the account.



Note: If the General Ledger is not active, the VAT Code must be on the Inventory descriptions file. Cash discount is deducted from VAT.



Note: If the General Ledger is active, EURO VAT is catered for. VAT details are maintained in the General Ledger. You can deduct for cash discount at either order time or payment time, or you can ignore cash discount.



Note: If Extra VAT applies, (For example: in Spain), the extra VAT is kept against the VAT Code in the General Ledger.



Select **F8=Update** to confirm the charge details, repeat the validation and process the despatch. Press **Enter** to add charges to the invoice request pro-forma, and the previous screen is displayed.

Override Quantity Despatched Window



To display this window enter * in the Override field on the Confirm Despatch Details Screen and select **F8=Update**.

Use this screen to define how much of a non-lot controlled item was despatched against the order.

WH160		Z1 - Demonstration Company		USER SP1		01/09/94	
		Central Warehouse				12:00:00	
Confirm Despatch							
Order ... 0000120		Customer ... GC01		001		Reeves Chemists (North East)	
Des	Order			Quantity	Despatch		
seq	Line	Item	Lot	to despatch	Quantity	Override	
00	001	5006	No	20.000	20.000	+	
00	002	5019	Yes	40.000	40.000	-	

Override Quantity Despatched	
Despatch seq.. 0	Order line.. 1
Item.. 5006	
Organic Hair Tonic 18x215ml	
Quantity to despatch..	20.000
Despatch quantity	<u>15.000</u>
Reason code?.. 99	
F4=Prompt F8=Update F12=Previous	
F3=Exit F5=Refresh F8=Update F12=Previous F14=Charges	
F15=Order/Invoice text	

Fields:

Despatch Quantity

Enter the quantity actually sent. This defaults to the quantity Warehousing calculates could be despatched.

Reason Code

Enter the reason why the full quantity is not despatched.



Note: For more information about the reasons, display the WHRS major type code in Descriptions.



Select **F8=Update**. If the full quantity confirmed as picked is not confirmed as despatched, the Enter Reason For Short Shipment Window displays. If the item is catchweight type 1 or 2, the Secondary Value Entry Window displays. When the item is updated, the next item to override displays in this window.

Enter Reason For Short Shipment Window



This window automatically displays when you select **F8=Update** on the Override Quantity Despatched Window, if you did not confirm the full amount picked, as despatched.

Use this screen to enter the reason for a short shipment.

WH160		Z1 - Demonstration Company		USER SP1		01/09/94	
		Central Warehouse				12:00:00	
Confirm Despatch							
Order ... 0000120		Customer ... GC01		001		Reeves Chemists (North East)	
Des	Order		Quantity	Despatch		Override	
seq	Line	Item	Lot	to despatch	Quantity		
00	001	5006	No	20.000	20.000	+	
00	002	5019	Yes	40.000	40.000	±	

Enter Reason for Short Shipment

Despatch seq.. 0 Order line.. 1

Item.. 5006

Organic Hair Tonic 18x215ml

Quantity to despatch.. 20.000

Despatch quantity 15.000

Quantity remaining ... 5.000

Reason code?.. #4

F4=Prompt F8=Update F12=Previous

F3=Exit F5=Refresh F8=Update F12=Previous F14=Charges
F15=Order / Invoice text

Fields:

Reason Code

Enter the reason for the short shipment.

The parameter limit of the reason code, defined on the Inventory Descriptions file, defines what action is carried out on the remaining stock in the marshalling area.

To display the parameter limits, select **F4=Prompt** then **F15=Order / Invoice Text**. Parameter limits display under the column Limit. They are:

0 or Blank - Stock remains frozen for further investigation.

1 - Stock remains committed.

Use this to control breakages and short picks.



Note: If the item is a kit item, any components with Lot - No are overridden with the entered Lot Quantity and Reason Code.



Select **F8=Update** to check that all the stock picked for the order has been accounted for. The confirm screen displays again. Any despatch lines accepted as ready for update are flagged with a +.

Secondary Value Entry Window



If this company uses catchweight and the item is catchweight type 1 or 2, this window displays automatically when you select **F8=Update** on the Override Quantity Despatch Window.



Note: The title of this window varies, because it is formed from the short description of the item's secondary UoM plus Details, for example: Kilos Details.

Fields:

<Nominal Secondary Value>

The field title is the short description of the item's UoM.

Enter the item's nominal secondary value.

An error message displays if you enter a value that exceeds the configured tolerance.

<Secondary Unit Of Measure>

Select the unit of measure for the quantity of the item from the available configured units of measure.



Press **Enter** to carry out the override.

Enter Lots Despatched Window



This window displays automatically if you override a lot, batch or serial controlled item.

You can reduce the despatch quantity of a lot, batch or serial controlled item by adjusting the amount of each lot involved in the order line. Use this window to adjust the quantities of specific lots to bring the total amount for the order line to the original despatch quantity or less.

You can amend, add or delete lots to produce a final total number of items to despatch for the order line. The total cannot be greater than the original quantity for the order line.

WH160 NR - Neil Radford and Co. Ltd USER GBJBA1MS 22/07/96 10:44:40
Neil's Warehouse 1

Confirm Despatch

Order ... 0000381

Des Order
seq Line Item
01 001 1352_LOT
Call off:

Enter Lots Despatched

Despatch seq.. 1 Order line.. 1
Item.. 1352_LOT
Mitchelson Compound
Quantity to Despatch: 2.000
Despatch Quantity: 2.000

Sel	Lot	Rotation date	Quantity	Rsn. code
-	LOT3	0/00/00	2.000	

1=Select 4=Delete
0/00/00

F3=Exit F5=Refresh F8=
F4=Prompt F5=Refresh F8=Update F12=Previous
F13=Lots committed in marshalling

13-30 SR MW KS IM II KENB20A PET007S1

Fields:



Tip: To add a new lot to the list enter the appropriate details at the bottom of the window and press **Enter**.



Note: If you make any change you must enter a reason.

Sel

Enter one of the following:

- 1 - Select. To amend the lot.
- 4 - Delete. To delete the lot.

Lot

Enter the lot, serial or batch number for the item.

Rotation Date

Enter the rotation date of the lot.

Quantity

Enter the quantity on the order line you are amending or adding.

Rsn. Code

Enter the reason for the changes.



Note: If you are updating a kit component, the Despatch Quantity must equal the Quantity to Despatch, which is the kit quantity.



Note: If you confirm part despatch for an item where you have performed a complete pick, Warehousing displays the Lots Not Despatched Window so you can define which picked lots are not despatched.



Select **F8=Update** to update the lots and perform the overrides.

Enter Lots Not Despatched Window



This window displays automatically if you confirm a despatch quantity of a lot, batch or serial controlled item less than the confirmed pick quantity.

Use this screen to identify the picked lots, or stock, in the marshalling area that are not to despatched.



Tip: The actions Warehousing carries out on the stock left are based on the parameter limit of the reason. To display the parameter limits, prompt on the reasons, then select **F15=Order / Invoice Text** and display the extended information. In the Limit column enter 0 or Blank to freeze the stock or 1 to commit the stock to marshalling.

WH160 NR - Neil Radford and Co. Ltd USER GBJBA1MS 22/07/96
Neil's Warehouse 1 10:49:24

Confirm Despatch

Order ... 0000381

Des	Order	seq	Line	Item	Call off:
01	001			1352_LOT	

Enter lots NOT despatched

Despatch seq.. 1 Order line.. 1

Item.. 1352_LOT

Mitchelson Compound

Quantity remaining 1.000

Quantity accounted for000

Sel	Lot	Rotation	date	Quantity	Rsn.	code

1=Select 4=Delete

0/00/00

F3=Exit F5=Refresh F8= F4=Prompt F5=Refresh F8=Update F12=Previous
F15=Order/Invoice text F13=Lots committed in marshalling

21-33 SF MW KS IM II KENB20A PET087S1

Fields:



Tip: To add a new lot to the list enter the appropriate details at the bottom of the window and press **Enter**.



Note: If you make any change you must enter a reason.

Sel

Enter one of the following:

- 1 - Select. To amend the lot.
- 4 - Delete. To delete the lot.

Lot

Enter the lot, serial or batch number for the item. You can either enter lot numbers or select from lots in marshalling using **F13=Lots Committed In Marshalling**.

Rotation Date

Enter the rotation date of the item.

Quantity

Enter the quantity on the order line you are amending or adding.

Rsn. Code

Enter the reason for the changes.



Select **F8=Update** to make sure that the stock picked for the order has been accounted for. The confirm despatch screen is then displayed. Any despatch lines accepted as ready for update are flagged with a +.

Confirm Issue For Production



10/WHP

Use this option to reduce the physical stock balances in the warehouse inventory stockroom and record the issued quantity against the production order WIP, or increase the physical and allocated floorstock.

You can only confirm issue if you have:

- Committed the stock to the issue requirement.
- Picked enough stock to satisfy the issue being confirmed.

In most cases the procedures are standard. Committing takes place, which results in picking and confirmation of pick. If you issue what was intended to be issued you can use a single function to confirm. If however, you record short picks or there is any doubt as to which lot is issued, you must explicitly confirm the actual action.

If you confirm a full pick but do not issue everything, you must identify the stock not issued. You must enter a reason if you take any non-standard action when confirming an issue.

You can only issue stock which you have picked. If the stock has not been picked, it displays in reverse image with a message to state that there are no outstanding pick requests. You cannot issue this stock.

When you enter a pick request number a list of one or more Issue Requirements displays. If you part-pick an item quantity then generate and confirm another pick list, then this new list reference is Issue Requirement 2.

To display backflush items you must set a flag on the selection screen. When you pick backflush items they are consumed from the Marshalling Area so you do not need to issue them formally.

Confirm Issue Selection Screen



Select Confirm Issue For Production.

Use this screen to select the pick request for which you want to confirm issues.

WH170	Z1 - UK Demonstration Company	USER GBJBAMZS	30/01/98
	Central Warehouse		11:55:48
Confirm Issue			
Pick Request Number.?			
Issue requirement....			
Operation sequence...			
Include backflushes.. 0 (0=No, 1=Yes)			
F3=Exit F4=Prompt			

Fields:

Pick Request number

Enter the pick request to issue.



Tip: Only enter the pick request to display a list of current issue requirements.

Issue Requirement

Enter the issue requirement sequence number.

Operation Sequence

Enter the operation sequence if you want to issue specific components for one operation.

Include Backflushes

Enter one of the following:

0 - No. If you do not require issue of backflush components.

1 - Yes. If you require issue of a backflush component, that is where you require additional material for the finished goods but you do not change the receipt quantity.



Press **Enter** to display the Confirm Issue Requirements Screen.

Confirm Issue Requirements Screen



To display this screen, enter a pick request on the Confirm Issue Selection Screen and press **Enter**.

Use this screen to select an outstanding issue requirement.

The screen displays the pick request, finished item details and a list of outstanding issues.

WH170	Z1 - UK Demonstration Company Central Warehouse	USER GBJBAMZS	30/01/98 11:56:46
Confirm Issue			
Pick Request No. W000366 Finished Item ... N0001 Main Manufacture			
Sel	Issue Requirement	Date Raised	
☐	1	9/12/97	
F3=Exit F5=Refresh F12=Previous			

Fields:

Sel

Enter 1 against the issues you want to confirm. You can select any number of issues for confirmation.



Press **Enter** to display the Confirm Issues Details Screen.

Confirm Issue Details Screen



To display this screen, either enter a pick request and issue requirement on the Confirm Issue Selection Screen.

Or select an issue on the Confirm Issue Requirements Screen.

Use this screen to issue the stock for production. Details of the selected issue requirements are displayed. If more than one issue was selected, they are displayed consecutively.



Tip: If the item is lot, batch, serial or rotation date controlled then Yes displays in the Lot field.

WH170		Z1 - UK Demonstration Company		USER GBJBAMZS		30/01/98	
		Central Warehouse				11:58:23	
Confirm Issue							
Pick Request No. W002744 Finished Item ... PCTEST#3							
PC test item number 3							
Iss	Open	Comp			Quantity	Issue	Override
req	seq	seq	Item	Lot	to issue	Quantity	Blank,1,2or3
1	10	40	WH#1	No	10.000	.000	

Reference: _____

Blank=No override, 1=Complete issue, 2=Partial issue, 3=Force completion

F3=Exit F5=Refresh F8=Update F12=Previous F22=Detail

Warning - at least one pick instruction is incomplete for this despatch

Fields:

Override

Enter one of the following:

Blank - If you do not require any amendment.

1 - Complete issue. When you select **F8=Update** a window displays so you can enter the changed issue quantity. If this quantity is less than the quantity to be issued, another window displays to account for the stock not issued. You must enter a reason for the change in issue quantity and to account for the stock not issued.

2 - Partial issue. When you select **F8=Update** a window displays so you can change the issue quantity. Any stock not issued is left committed in the marshalling area. You must enter a reason for the change in issue quantity. You can make further issues against this pick request, until you issue all the committed stock.

3 - Force completion. Confirms all the stock picked for the line as issued regardless of any previous amendments.

Reference

Enter the reference for this issue.

Functions:

F22

Detail. Use this function to display additional details for each component line.



Select **F8=Update** to confirm the update and, if necessary, display a window so you can override the selected issues.

Confirm Issue Override Quantity Issued Window



This window displays automatically when you request an override on a non lot, batch, serial or rotation date controlled item.

Use this screen to define how much of the item you issued against the order.

WH170	Z1 - UK Demonstration Company	USER GBJBAMZS	30/01/98
	Central Warehouse		11:58:23
Confirm Issue			
Pick Request No. W002744 Finished Item ... PCTEST#3			
PC test item number 3			
Iss	Oper	Comp	Quantity
req	seq	seq	to issue
1	10	40	10.000
Item	Lot	Issue	Override
WH#1	No	Quantity	Blank,1,2or3
			1

Override Quantity Issued

Issue req. 1 Operation 10 Comp seq. 40

Item.. WH#1

Warehouse Item #1

Quantity to issue000

Issue quantity000

Reason code?.. _

F4=Prompt F8=Update F12=Previous

Reference: _____

Blank=No override, 1=Complete i

F3=Exit F5=Refresh F8=Update F12=Previous F22=Detail

Fields:

Quantity To Issue

This displays the planned issue quantity.

Issue Quantity

Enter the quantity actually sent. This defaults to the quantity Warehousing calculates could be issued.

Reason Code

Enter the reason why you could not issue the full quantity.



Select **F8=Update** to save the changes.

Enter Reason For Short Issue Window (Option 1)



This window displays automatically if you do not confirm the pick quantity as issued and you select the Complete issue option on the Confirm Issue Details Screen.

Use this screen to enter the reason for the short issue.

WH170		Z1 - Demonstration Company		USER SP1		01/09/94	
		Central Warehouse				12:00:00	
Confirm Issue							
Order ... W000194				Finished Item ... 6002			
				Make Up Kit 2			
Iss	Oper	Comp	Item	Lot	Quantity	Issue	Override
req	seq	seq			to issue	Quantity	Blank, 1, 2 or 3
1	10	10	5022	No	12.000	.000	1
1	10	20	5023	No	12.000	12.000	2
1	10	30	5025	No	12.000	12.000	3
1	10	40	5029				
1	10	50	5036				
1	10	60	5037				

Enter Reason for Short Issue

Issue req. 1 Operation 10 Comp seq. 10
Item.. 5022
Satin Cover Foundation 32 50ml

Quantity to issue 12.000
Issue quantity 10.000
Quantity remaining ... 2.000
Reason code?.. #2

F4=Prompt F8=Update F12=Previous
F3=Exit F5=Refresh F8=Update F12=Previous F22=Detail

Fields:

Reason Code

Enter the reason for the short issue.

The parameter limit of the reason code, defined on the Inventory Descriptions file, defines what action is carried out on the remaining stock in the marshalling area.

To display the parameter limits, select **F4=Prompt** then **F15=Order / Invoice Text**. Parameter limits display under the column Limit. They are:

0 or Blank - Stock remains frozen for further investigation.

1 - Stock remains committed.

Use this to control breakages and short picks.



Select **F8=Update** to make sure that all the stock picked for the order has been accounted for. The Confirm Issue Details Screen displays.

Enter Lots Issued Window

 This window displays when you request an override on a lot, batch, serial or rotation date controlled item.

Use this screen to confirm which lots were issued against the pick request.

The screen displays the item details and the target quantity to issue and the lots Warehousing suggests you issue.

WH170	Z1 - Demonstration Company Central Warehouse	USER SP1	01/09/94 12:00:00
-------	---	----------	----------------------

Confirm Issue

Order ... W000194 Finished Item ... 6002

Iss req	Oper seq	Comp seq	Item
1	10	10	5022
1	10	20	5023
1	10	30	5025
1	10	40	5029
1	10	50	5036
1	10	60	5037

Enter Lots Issued

Issue req. 1 Operation 10 Component seq. 60
Item.. 5037
Toner 75ml

Quantity to Issue 12.000
Issue Quantity 10.000

Sel	Lot	Rotation date	Quantity	Rsn. code
-	L0001	0/00/00	10.000	#2

1=Select 4=Delete

Blank=No override. 1=Com
F3=Exit F5=Refresh F8=

F4=Prompt F5=Refresh F8=Update F12=Previous

Fields:

 Tip: To enter new lots, enter the lot number or select a lot in marshalling.

 Note: If you make any changes, you must enter a reason.

Sel

Enter one of the following:

1 - Select. To select the lot to amend.

4 - Delete. To delete a lot from the list.

 Note: If you require a full override and confirm a part issue for an item you have confirmed a full pick, you must identify lots picked but not issued in the Lots Not Issued Window.

 Select **F8=Update** to save any changes.

Enter Lots Not Issued Window



This window displays automatically if you confirm an issue quantity of a lot, batch or serial controlled item less than the confirmed pick quantity.

Use this screen to identify the picked lots, or stock, in the marshalling area that are not issued.



Tip: The actions Warehousing carries out on the stock left are based on the parameter limit of the reason. To display the parameter limits, prompt on the reasons, then select **F15=Order / Invoice text** and display the extended information. In the Limit column enter 0 or Blank to freeze the stock or 1 to commit the stock to marshalling.

WH170		Z1 - Demonstration Company		USER SP1		01/09/94	
		Central Warehouse				12:00:00	
Confirm Issue							
Order ... W000004				Finished Item ... 6002			
				Enter lots NOT issued			
Iss	Oper	Comp	Item				
req	seq	seq					
1	10	10	5022				
1	10	20	5023				
1	10	30	5025				
1	10	40	5029				
1	10	50	5036				
1	10	60	5037				

Sel	Lot	Rotation date	Quantity	Rsn. code
-	L0001	0/00/00	2.000	#2

1=Select 4=Delete

Blank=No override, 1=Com 0/00/00

F3=Exit F5=Refresh F8= F4=Prompt F5=Refresh F8=Update F12=Previous

Fields:



Tip: To add a new lot to the list enter the appropriate details at the bottom of the window and press **Enter**.



Note: If you make any change you must enter a reason.

Sel

Enter one of the following:

1 - Select. To amend the lot.

4 - Delete. To delete the lot.

Lot

Enter the lot, serial or batch number for the item. You can either enter lot numbers or select from lots in marshalling.

Rotation Date

Enter the rotation date of the item.

Quantity

Enter the quantity on the order line you are amending or adding.

Rsn. Code

Enter the reason for the changes.



Select **F8=Update** to make sure that the stock picked for the pick request has been accounted for. The confirm issue screen then displays with any despatch lines accepted as ready for update, flagged with a 1.

Adjustments

1... 11/WHP
2... 12/WHP

You can adjust the quantity of items in the marshalling location, using the following menu options:

- Adjust Committed To Sales - use this option to adjust the items committed to sales. Use this when you make short despatches.
- Adjust Committed To Production - use this option to adjust the items committed to production. Use this when you make short issues.

Adjust Committed Screen



Select either the Adjust Committed To Sales or Adjust Committed To Production option.



Note: This screen name varies depending upon which option you select.

Use this screen to define the item that you want to adjust.

WH130	Z1 - Demonstration Company Central Warehouse	User SP1	01/09/94 12:00:00
Adjust Committed to Sales			
Item.....?..	<u>5006</u>	Organic Hair Tonic 18x215ml	
Lot.....?..			
Rotation date....	<u>07/00/00</u>		
Quantity.....	<u>10,000</u>		
Reason code....?..	<u>#2</u>	Commit found in error	
F3=Exit F4=Prompt F5=Refresh F8=Update			

Fields:

Item

Enter the item you want to adjust.

Lot

Enter the lot, batch or serial number.

Rotation Date

Enter the date used for rotation of the item. For example, expiry date.

Quantity

Enter the quantity of the item to adjust. A positive quantity increases the quantity of this item committed and a negative quantity reduces it. The resulting value cannot be less than zero and the available cannot be less than zero.

Reason Code

Enter a reason for the adjustment.



Select **F8=Update** to make sure that the adjustment is acceptable.

Process Receipts For Put Away



13/WHP

Use this option to identify receipts made in Inventory and update the stock levels in Warehousing. The process also:

- Moves the receive items into the receiving area.
- Determines the number of packs and packaging types received.
- Identifies the rules for putting the items away.
- Makes enough recommendations to put the items away. Warehousing produces one recommendation for each unique combination of item, lot, pack, type and location.
- Processes all outstanding receipts for the current warehouse.



Tip: You can process receipts continually in the background, by selecting the Start Receipts For Put-Away option.



To run this batch job, select the Process Receipts For Put-Away option. The batch job updates the database but produces no output.

Put Away Labels



21/WHP

This option submits a batch job to produce put-away labels that specify the item movements from the receiving location to the recommended locations. This produces labels for all warehouse receipts not previously printed.

It produces a separate put-away label for each lot, rotation date and pack type combination of an item. Label-controlled packs have a label for each pack to put away.

The put-away label specifies:

- Label Number - this is 0 unless you set the pack type to process using label numbers.
- Item - The item being put away.
- Lot - The lot number of the item. This is blank unless the item is lot, batch, or serial controlled.
- Date - The rotation date of the item.
- Pack - The pack type associated with the item.
- List - The put-away confirmation list number. You separate the put-away actions onto lists of a size determined in the Warehouse list profile. You must specify the list number when you confirm put-away actions.
- Quantity - The quantity of the item to be put away.
- Location - The warehouse location the item is placed in. If Warehousing cannot recommend a location, it prints the text specified for a serious error, set up in the Warehouse profile, instead.
- Check Digit - This is a blank line so you can enter the Check Digit at the put-away location.



Note: You must produce put-away labels before confirming that you have put-away the items.



To run the batch job, select the Put-Away Labels option.

Pick Lists



22/WHP
24/WHP

There are two pick list options which you use to select and sequence a group of orders to create a picking job. These are:

- Pick List For Sales.
- Pick List For Production.

The picking rules are used to commit the stock to the orders. Committing identifies items in specific locations and marks them as committed to either sales or production. This stops you allocating the same stock to different orders. You can sequence the picking locations and print the picking lists.



Note: You do not commit non-stock items and kit parent items so you do not need to pick them.

Picking List For Production

This option produces two spool files:

- Marshalling List - shows all the pick lists generated and details which order or schedule and issue they satisfy, and the finished goods associated with that order or schedule and the due date.
- Pick List - contains a number of lists, one per order or schedule. Each list contains all the warehouse controlled components required, the quantities, locations within the warehouse and if appropriate, lot details.

Request Picking List For Sales Screen



Select Pick List For Sales.

Use this screen to control the committing of stock and the production of the picking documentation for sales orders.

WH500	Z1 - UK Demonstration Company	USER GBJBAMSA	28/05/98
	Central Warehouse		16:49:42
Request Picking List for Sales			
Commit sequence.....	-	1-Order 2-Customer 3-Journey 4-Despatch	
		6-Consignment	
Item sequence.....	-	1-Item 2-Alternative location 3-Location	
Pick list organization..	-	1-Warehouse 2-Area 3-Dimension 1	
Instructions per list...	<u>15</u>		
Marshalling list.....	-	0-None 1-Orders for pick list	
		2-Pick lists for Order 3-Both	
Selection	<---From--->	<----To---->	
Order.....	_____	_____	
Customer.....?	_____	_____	
Journey.....?	_____	_____	
Despatch date.....	<u>0/00/00</u>	<u>0/00/00</u>	
Consignment.....	_____	_____	
F3=Exit F4=Prompt			

Fields:

Commit Sequence

Enter one of the following:

- 1 - Order. To commit the items in the warehouse by order.
- 2 - Customer. To commit the items in the warehouse by customer.
- 3 - Route. To group the order lines by delivery routes and commit the items in the warehouse by route or journey.



Note: You can only commit by journey if you use Telesales, and by Route if you use Transport Planning. If you use both Telesales and Transport Planning, Route takes precedence.

- 4 - Despatch Date. To commit the items in the warehouse in despatch date order.
- 6 - Consignment. To group the order lines and commit the items by consignment.



Note: You can only commit by consignment if Scheduling or Shipping are attached.

- 7 - Carrier. To group the order lines by the transport carrier company. To commit the items by carrier basis.



Note: You can only commit by carrier and load if you use Transport Planning.

8 - Load. To group the order lines by load, or truck number. To commit the items in the warehouse by load.



Tip: Warehousing consolidates order lines for the same item within the commit sequence to provide a total quantity to be committed.

Item Sequence

Enter one of the following:

- 1 - Item code. To print the instructions by item.
- 2 - Alternative location. This is not currently used.
- 3 - Location. To print the instructions by location.

Pick List Organisation

Enter one of the following:

- 1 - Warehouse. To organise the pick lists by warehouse. A new list starts when the instructions per list has been exceeded.
- 2 - Area. To print a separate lists for each area. The list is split into several lists if the instructions per list is exceeded.
- 3 - Dimension 1. To print a separate list for each unit of dimension 1. This list is split into several lists if the instructions per list is exceeded. This is useful for narrow aisle trucks, you can produce a separate pick list for each aisle.

Instructions Per List

Enter the maximum number of instructions to print on one list. This defaults to the value on the Warehouse list profile.

If the number of instructions exceeds this value, a new list is started.

Set this field to 0, or leave it blank, to print any number of instructions on a single list.

Marshalling List

Enter one of the following to determine the documentation required to cross reference the orders and pick lists.

- 0 - None. You do not require marshalling lists.
- 1 - Orders for pick lists.
- 2 - Pick lists for orders.
- 3 - Both.

Selection:



Tip: For each criterion enter the From and To fields to define the required range. To select all of a particular range, leave the From and the To fields blank.

Order

Enter the range of orders required.

Customer

Enter the range of customers required.

Route

Enter the range of route or journey required.



Note: You can only select by journey if you use Telesales, and by Route if you use Transport Planning. If you use both Telesales and Transport Planning, Route takes precedence.

Despatch Date

Enter the range of despatch dates.



The following fields will be available if you use Transport Planning.

Carrier

Enter the range of carriers required.

Load

Enter the range of loads required.



Press **Enter** to produce the picking lists.

Request Picking List For Production



Select Pick List For Production.

Use this screen to control the committing of stock and the production of the picking documentation for production orders.

WH500	Z1 - UK Demonstration Company	USER GBJBAMSA	28/05/98
	Central Warehouse		16:48:19
Request Picking List for Production			
Commit sequence.....	_	1-Order	5-Operation start date
Item sequence.....	_	1-Item	2-Alternative location 3-Location
Pick list organization..	_	1-Warehouse	2-Area 3-Dimension 1
Instructions per list...	<u>15</u>		
Marshalling list.....	_	0-None	1-Orders for pick list
		2-Pick lists for Order	3-Both
Selection	<---From---	<---To---	
Order.....	_____	_____	
Operation start date...	<u>0/00/00</u>	<u>0/00/00</u>	
F3=Exit F4=Prompt			

Fields:

Commit Sequence

Enter one of the following:

1 - Pick ref. To commit the items in the warehouse by picking reference.

5 - Operation start date. To commit the items in the warehouse by operational start date. If two orders request the same item, the order with the earlier start date has its item committed first.



Tip: Order lines for the same item within the commit sequence are consolidated to provide a total quantity to be committed.

Item Sequence

Enter one of the following:

1 - Item code. To print the instructions by item.

2 - Alternative location. This is not currently used.

3 - Location. To print the instructions by location.

Pick List Organisation

Enter one of the following:

1 - Warehouse. To organise the pick lists by warehouse. A new list starts when the instructions per list has been exceeded.

2 - Area. To print a separate lists for each area. The list is split into several lists if the instructions per list is exceeded.

3 - Dimension 1. To print a separate list for each unit of dimension 1. This list is split into several lists if the instructions per list is exceeded. This is useful for narrow aisle trucks, you can produce a separate pick list for each aisle.

Instructions Per List

Enter the maximum number of instructions to print on one list. This defaults to the value on the Warehouse list profile.

If the number of instructions exceeds this value, a new list is started.

Set this field to 0, or leave it blank, to print any number of instructions on a single list.

Marshalling List

Enter one of the following to determine the documentation required to cross reference the orders and pick lists:

0 - None. You do not require marshalling lists.

1 - Orders for pick lists.

2 - Pick lists for orders.

3 - Both.

Selection:



Tip: For each criterion enter the From and To fields to define the required range. To select all of a particular range, leave the From and the To fields blank.

Order

Enter the range of orders required.

Operation Start Date

Enter the range of start dates required.



Press **Enter** to produce the pick lists.

Move List



23/WHP

Use this option to print an action list of requested moves and Warehousing generated replenishment moves.

There are a number of parameters which control how the move lists are sequenced and printed. This option controls:

- How many lists are printed.
- How many instructions are on a list.
- The sequence in which they are printed.



Note: You must print the action list before you can confirm the moves.

Move List Details Screen



Select Move List.

Use this screen to define the layout and content of move lists.

WH540	Z1 - Demonstration Company Central Warehouse	User SP1	01/09/94 12:00:00
Request Move List			
Print lists by.....?.. <u>1</u>	1 Warehouse 2 Area 3 Access to dimension 1		
Sequence by.....?.. <u>1</u>	1 Item 2 Arrival time		
List definitions:			
Separate replenish, move available & move frozen.. <u>1</u>	0=No;1=Yes		
No.of instructions per list..... <u>15</u>			
No.of lists..... <u>100</u>			
Selection criteria:			
Item.....?..	From	To	
F3=Exit F4=Prompt F5=Refresh			

Fields:

Print Lists By

Enter one of the following:

- 1 - Warehouse. To produce a move list for the warehouse.
- 2 - Area. To produce a move list for each area.
- 3 - Access to Dimension 1. To produce a list for each major dimension of each area.

Sequence By

Enter one of the following:

- 1 - Item. To order the list by item.
- 2 - Arrival Time. To order the list in the order the moves were requested.

List Definitions:

Separate Replenish Move Available & Move Frozen

Enter one of the following:

- 0 - No. To print both replenishment and frozen moves on the same list.
- 1 - Yes. To print a separate lists for moves and replenishment.

No Of Instructions Per List

Enter the maximum number of instructions to print on a move list.

No Of Lists

Enter the maximum number of lists to print as a result of this request.

Selection Criteria:

Item

Enter the range of items for which you want to print move lists.



Press **Enter** to submit a batch job which generates move lists.