

-
-
-
-
-

Chapter 1

Maintenance



Maintain Documents



1/STAIM



Select Maintain documents on the menu to display the Maintain Document IDs screen.

Use this option to define the types of documents that can be sent to and from the EDI network and the System 21 Style database e.g. purchase order, sales invoice.

Within this, the document ID must be defined for each EDI message standard used e.g. the most common ones for purchase orders are:

Document ID	Type	Standard
ORDFL ORDERS 850 ORDERR	PO	Tradacoms EDifact ANSI X12 Odette

So, if purchase orders are sent to some suppliers via Tradacoms and others via EDIFACT, they should both be defined via this option.

When passing documents into Style EDI, the module uses these document IDs to determine which standard messages are to be used.



Note: Once entered, these documents IDs will be shared by all companies defined to the module.

Maintain Document IDs Screen 1



Select Maintain Documents to display the first Maintain Document IDs screen.

Select the document type to be maintained.

```

AI005                                     User GBJBARW2   22/01/98
Maintain Document IDs                     9:46:21

Document type . . . . █ 1=Orders
                          2=Order acknowledgements
                          3=Despatch advice
                          4=Invoices
                          5=Credits
                          6=Customer schedules
                          7=Vendor schedules
                          8=Intrastat/ESL report
                          9=Advanced shipment notice (ASN)
                          10=Payment order/Remittance Advice
                          11=Price Sales Catalog
                          12=Order Status Report
                          13=Lockboxes

F3=Exit

5-24  SA  MW  KS  CL  IM  DM  II  STUD140  KB  PET179S1
  
```

Fields:

Document Type

Enter a valid document type in the range, as follows:

- 1 - Orders
- 2 - Order Acknowledgements
- 3 - Despatch Advice
- 4 - Invoices
- 5 - Credits
- 6 - Customer Schedules
- 7 - Vendor Schedules
- 8 - Intrastat/ESL Report
- 9 - Advanced Shipment Notice (ASN)
- 10 - Payment Order/Remittance Advice (Tradacom Document Types 820 for sending and receiving.)
- 11 - Price Sales Catalogue
- 12 - Order Status Report
- 13 - Lockboxes (Tradacom Document type 823 for receiving payment advice.)



Select an option in the Document Type field on the first Maintain Document IDs screen to display the second maintenance screen.

Maintain Document IDs Screen 2



When you enter an option in the Document Type field on the first Maintain Document IDs screen, the second screen is displayed.

This screen enables all document IDs to be defined, one per message standard, for the selected document type.

AI005		User: GBJBARW2	22/01/98
			9:48:25
Maintain Document IDs			
Document type Advanced shipment notice (ASN)			
Document ID	Type	Description	
856	42	asn	
	47	ansi asn	
F3=Exit F12=Cancel			
8-2 SA MW KS CL IM DM II STUD140 KB PET179S1			

Fields:

Document ID

The document ID, as defined by the relevant EDI standards organisation, must be entered for each standard (Tradacoms, EDIFACT etc.) to be used. This is what the translator calls this document.

Type

Some standards, ANSI X.12 in particular, require that the Document ID is appended by a document type. This should be left blank for other standards.

The Document ID and Type are not validated as the number of standard documents is constantly growing, and indeed trading partners may create their own document standards. Any invalid document references will simply be ignored.

Description

This may be entered for information only.



Press **Enter** to save the new entries to the database.

Maintain Trading Partners



2/STAIM



Select Maintain Trading Partners to display the first Maintain Trading Partners screen.

All trading partners, either customers or suppliers, who are to be sent EDI documents must be defined via this option.




Within this, the document types to be sent to this particular partner must be selected. The document types displayed will be restricted to those defined via the Maintain Documents option.

The print functions check if the supplier or customer is defined, via this option, as a trading partner for the relevant document. The decision to print the document or not is then based on the following table.

Document Active	In Production	Send Via EDI	Print
Yes	Yes	Yes	No
Yes	No	Yes	Yes
No	Yes	No	Yes
No	No	No	Yes



Note: Further trading partner details are required to handle the translation and communications aspects of EDI. These are maintained within Style EDI.



Maintain Trading Partners Screen 2



Press **Enter** on the first Maintain Trading Partners screen to display the second screen.

This screen allows selection of documents to be sent to the selected partner, and is achieved by entering values in the corresponding Test/Production and Active/Inactive entries.

AI006	ST - Style Test & QA Company	User GBJBARW2	22/01/98 9:50:47
Maintain Trading Partners			
Trading partner	EIADIO	000 EDI Test Customer	
VAT Registration Number . . .	GB1234646	SDQ Required . . . 0	
EAN location Number	ER ABCDE	(0=No, 1=Yes)	
Document name	Test/ production	Active/ inactive	Generation number
Orders	1	1	0
Order acknowledgements	1	1	1
Despatch advices	2	2	123
Invoices	1	1	0
Intrastat/ESL	1	1	0
Customer schedule	1	1	0
Vendor schedule	1	1	0
Advanced shipment notice	1	1	0
Credits	1	1	0
Price Sales Catalogue	1	1	0
Order Status Report	2	1	20
F3=Exit F11=Delete F12=Cancel F16=EDI partner maintenance			
6-32	SA	MW	KS CL IM DM II STUD140 KB PET179S1

Fields:

Trading Partner

The name of the trading partner is displayed for your information only and cannot be amended.

VAT Registration Number

You can enter the VAT registration number of the trading partner in this field.



This field is not displayed if the current country code is USA.

SDQ Required

You can decide whether or not outbound invoices and credits require Specified Destination Quantity (SDQ) details. You can enter one of the following:

0 - No. SDQ is not required.

1 - Yes. SDQ is required.

EAN Location Number

You can enter the European Article Number (EAN) location number of the trading partner in this field.



This field is not displayed if the current country

code is USA.

Document Name

The follow documents may be listed:

- Orders
- Order Acknowledgements
- Despatch Advices
- Invoices
- Intrastat/ESL
- Customer Schedule
- Vendor Schedule
- Advanced Shipment Notice
- Credits
- Price Sales Catalogue
- Order Status Report.

Test/Production

You can enter the following:

- 1 - Test. The document is in test, or parallel mode.
- 2 - Production. It is in full production.

Active/Inactive

You can enter the following:

- 1 - Active. The document is currently active.
- 2 - Inactive. Deactivates the document for a period of time whilst any current 'issues' are resolved, e.g. for communication line problems.

Generation Number

This displays the last file generation number used for this trading partner/document type combination.

Each time a file is sent to the trading partner containing this document type the file generation number is incremented by 1 and included in the transmitted message header for reference.

Tradacoms Standards

You can enter the following:

Blank - Do not use tradacoms standard.

- 1 - If the document is to be sent to this trading partner using Tradacoms standards.

Functions:

F11

Delete. If you want to delete the trading partner, select this option. Select **F11=Delete** again to confirm the deletion.

F16

EDI Partner Maintenance. Select this option to display the Trading Partner Maintenance screen. Style EDI must be available on the system.



Press **Enter** to update the data file, or **F16=EDI Partner Maintenance** for partner maintenance.

Trading Partner Maintenance Screen (F16)



Select **F16=EDI Partner Maintenance** on the second Maintain Trading Partners screen to display the Trading Partner Maintenance screen.

This screen allows additional information to be maintained for the Trading Partner to enable documents to be exchanged via EDI. The additional information is necessary for translation into EDI message standards and communications to take place.

```

SED130-A                      Trading Partner Maintenance          22/01/98
                               Trading Partner Selection           9:51:27

Position to. . . . . Partner ID

Type options, press Enter.
2=Change  3=Add duplicate  4=Delete  6=Print

Opt Net Document S/R Partner ID      Partner Company          Sts
-  IA 000 PR S DJD-V4-001      DJD001                    I
-  IA INVFL S DOVEYCUS 000      USA CUSTOMER EDI PERSON   A
-  IA 000 ZZ S EXPORT          EXPORT INFO                A
-  IA INVFL S FAFASUP01000      FERI'S SUPPLIER           A
-  IA ENQIRY R FASUP1          FA                          A
-  IA ORDFL R GUGAUCUS01000      GAVAN'S NUMBER 1 CUSTOMER A
-  IA INVFL S GUGAUCUS01000      GAVAN'S NUMBER 1 CUSTOMER A
-  IA INVFL R GUGAUSUP01000      GAVAN'S NUMBER 1 SUPPLIER A
-  IA ORDFL S GUGAUSUP01000      GAVAN'S NUMBER 1 SUPPLIER A
-  IA 000 ZZ R IMPORT          IMPORT DATA                A
-  IA AVIEXP S JHC1 000        JIMS TEST CUSTOMER         A
-  IA 856 SH R LECAMELOT2      LWE CAMELOT MANUFACTURING CO LTD A +

F3=Exit  F12=Previous  F14=Add  F15=Extended display  F20=Print

10-3  SA  MW  KS  CL  IM  DM  II  STUD140  KB  PET179S1
  
```

Fields:

Partner ID

The partner ID must be structured as follows:

Positions:

1-2 = Company code

3-10 = Customer or supplier code

11-13 = Sequence number

14-15 = Blanks

This is necessary for translating external trading partner IDs for incoming documents into a form that the system will recognise.



Warning: Refer to the Style EDI information for details on defining trading partners to this application.



Note: The sequence number is only used if the documents received are for a single delivery location. For multiple locations, the Location References Maintenance option must be used to

define the location references.

Maintain Location References



3/STAIM

When trading in a multiple location environment, it is necessary to be able to identify the location by a mutually agreed location reference.

For incoming documents, the alternative reference received in the EDI message is converted into the delivery address code for the customer.

For outgoing documents, the receiving address code is converted into the alternative reference code and output in the EDI message to the supplier.



Note: Location references are not required if the document exchange is between single locations.

Alternative Location References Maintenance Screen 1



When Maintain Location References is selected the first Alternative Location References Maintenance screen is displayed.

The screen enables selection of the trading partner to be maintained.

AI002	ST - Style Test & QA Company	User GBJBARW2	22/01/98 10:00:20
Alternative Location References Maintenance			
Trading partner ? <u>SIADIO</u>			
F3=Exit F4=Prompt			
5-32 <u>SA</u> MW KS CL IM DM II STUD140 KB PET179S1			

Fields:

Trading Partner

Enter a valid customer or supplier code. Alternatively, the partner may be selected via the appropriate prompt.



When **Enter** is pressed on the first Alternative Location References Maintenance screen, the second screen is displayed.

Alternative Location References Maintenance Screen 2



When **Enter** is pressed on the first Alternative Location References Maintenance screen, the second screen is displayed.

This screen enables the Location Code, i.e. the delivery address or receiving address code, to be associated with an alternative reference for each geographical location. The alternative reference is the code included in the EDI message and is known to both trading partners.

AI003	ST - Style Test & QA Company	User GBJBARW2	22/01/98 10:00:46
Alternative Location References Maintenance			
Trading partner EIADIO		EDI Test Customer	
Line	Loc	Alternative reference	External Trading Partner ID
1	001	SHOP 01 TEST	EIAD 001 TEST
2	002	SHOP 02 ACTIVE	EIAD 002 ACTIVE
3	004	SHOP 04 TEST	EIAD 004 TEST
4	005	SHOP 05 ACTIVE	EIAD 005 ACTIVE
Delete			
Line	Loc	Alternative reference	External Trading Partner ID
F3=Exit F5=Refresh F8=Update F12=Previous			
21-8 SA MW KS CL IM DM II STUD140 KB PET179S1			

Fields:

This screen displays the selected trading partner and a list of locations under the Line, Location Code, Alternative Reference and External Trading Partner ID fields. You can add and edit locations on the list by entering details in the following fields:

Line

Enter the corresponding number for the line to be amended or deleted.

Location Code

Enter a unique delivery address or receiving address code for the Trading Partner.

Alternative Reference

Enter a unique code which represents the location and is recognised by both Trading Partners. This code is the one included in the EDI message.

External Trading Partner ID

You can enter the ID for an external trading partner for any location/alternative reference. The ID is placed into the outbound document header records so that the

trading partner identifier can be used by a third party other than the System 21 Style customer or supplier number.

If you leave this field blank, the default, which is normally used, is a combination of the company code, customer number and delivery sequence. You can enter your own ID for outbound documents.



Press **F8=Update** to update values on the database.

Maintain Company Profile



4/STAIM

This option allows you to enter the VAT and EAN (European Article Number) location numbers for the company.



Select Maintain Company Profile to display the Maintain EDI Company Details screen.

AI001 ST - Style Test & QA Company USER GBJBARW2 22/01/98
10:01:44

Maintain EDI Company Details

Name.....

Style Demo Co

Address line 1....

Eagle House

Address line 2....

The Slough

Address line 3....

Studley

Address line 4....

Warwickshire

Post Code.....

B70 8EH

VAT Number.....

EAN Location Number.....

F3=Exit

F8=Update

13-35

SA

MW

KS

CL

IM

DM

II

STUD140

KB

PET179S1

Fields:

VAT Number

Enter the company's VAT number. This is used for reporting purposes for SPEX and Intrastat.

EAN Location Number

Enter the EAN (European Article Number Association) location number of the company.



Press **F8=Update** to update the values in the database.

