

-
-
-
-
-

Chapter 1

Maintenance



Administration Functions

-  Select Manager 400 menu or from the Command Line enter STRM400.
-  To access Administration Functions from the main menu, enter 9 in the option field and press **Enter**, or use Page Up or Page Down to move the action bar so that it highlights Administration Functions and then press **Enter**.

Use Administration Functions to maintain parameters that are common across all System Manager modules.



Administration Functions is a prerequisite to the installation of IPG/400, all other modules within System Manager and the Developer products.



Note: Access to Administration Functions is restricted and is controlled by your System Manager user profile. If you cannot access Administration Functions contact your Server security officer. When shipped, System Manager is set up to allow access to the system security officer (QSECOFR).

You can set up and maintain the following system-wide parameters within Administration Functions.

- **Language Parameters** - The design of System Manager is such that users who speak different languages may each use the same Server, with display screen constants and messages shown in their native language. Use this function to maintain language descriptions for the multiple language options which exist in the system.

- Company Parameters - When running application software, or your own software, you may want to use a multi-company environment. Use company parameters to set up and maintain company details.
- Soft Options - Many users have a set of jobs or activities which they want to carry out routinely on the Server. Use soft options to set up those jobs or activities and run them from anywhere within the System Manager environment.

Maintain User Profile Screen



Select Maintain User Profiles (1) on the Administration Functions Main menu to display the Maintain User Profiles screen.

For security purposes, assign each user an individual user profile. Many users may need the same authorisations to the applications; for example, members of the sales orders processing department. Use the provided User Group function to reduce maintenance by grouping individual users. See Maintain User Groups for more information.

```
XA100      Administration Functions      System: STUDEFIN
Maintain User Profiles

User Profile to be maintained... █

If the above User Profile is to be based on an existing User Profile,
then a based on Profile may be entered below.

Based on User Profile.....

F3=Exit  F4=Select  F15=Maintain User Groups  F23=Print User Profiles

06-30    SA        MW        KS        IM        II  KENB20A  PET165S2
```

Fields:

User Profile To Be Maintained

To create a new profile, enter a new name. To maintain a profile, enter the name of an existing profile. To maintain or create a user group, enter either an existing name or new name for the group profile.

Based on User Profile

If you are creating a new user profile with the same defaults and authorisations as an existing profile, enter the name of the existing profile to use as the basis for the new profile.

Functions:

F15

Maintain User Groups. Use this function to create a new user group or amend an existing one. Enter the user group name in the User Profile To Be Maintained field.



*Note: If you select **F15=Maintain User Groups** with a blank user profile name, a list of group*

profiles displays which you can select for maintenance.

F23

Print User Profiles. Use this function to print a list of User Profiles.



Press **Enter** to display the Maintain User Profile Details Screen.

Maintain User Profile Detail Screen



Select a user name on the User Profile Selection screen and press Enter to display this screen.

Use this screen to enter the details for the user profile.

XA100 Administration Functions		System: STUD140
Maintain User Profiles		
User Profile	GBJBA1MS Mike Summers - Education Materials	Action *Update
Type changes, press Enter and then F3 to Update		
User level.	8 (1=Novice,3=Expert,8=Nov Grp,9=Exp Grp)	
Initial menu	AM	
Default sign-on company	21	
Single application task		
Default development application	F1 DM3 03	
F3=Exit F4=Browse F10=Extras F11=Delete F12=Previous F13=Initial menu F17=Menu authority F18=Pass-through F19=Company/task F20=Developer F21=Group Jobs		
06-37 SA MW KS IM II EDN400A PET16SS2		

Fields:

User level

This setting is not used for System 21. The user level determines how screens are presented to the user within the Interactive Program Generator. Refer to **F20=Developer**.

For example, an expert user can select **F14=SEU** and work directly on source code when maintaining an RPG Action List's details.

- 1 - Novice. For individual novice users (default).
- 3 - Expert. For individual expert users.
- 8 - Nov Grp. Add novice user to a group of novice users.
- 9 - Exp Grp. Add expert user to a group of expert users.

Initial Menu

If the user is to be presented with a menu when signing on, then enter the menu name. Before a user can sign on to an application running under Application Manager, they must have a designated initial menu or a single application task.



*Note: When you specify an initial menu to does not automatically grant the user authority to the options and functions on that menu. Set the authority by selecting **F13** twice. This displays the Menu Activity Selection screen.*

Default Sign-on Company

Enter the default company to use when the user accesses applications under the control of Application Manager.

If you leave this field blank, the user is prompted to select a company, from a list of companies to which they authorised, when they select the first application task.

Single Application Task

To limit a user's to a single task, enter the task; for example, a purchase order clerk using only purchase invoice log item entry.



Note: If you use this field then do not define an Initial Menu.

This field is split into four parts:

ID - Enter the application ID of the single task.

Environment - Enter the application environment of the single task.

Release - Enter the application release level of the default single task.

Task code - Enter the application task code of the default single task.



*Note: Use **F4=Prompt** is to select all 4 entries at once.*

Default Development Application



Note: This is not used in System 21. It is for development work using Interactive Program Generator or Report Generator.

If a user needs to be taken to a development application as a default when they sign on, enter the application. This field is split into three parts:

ID - The default application ID.

Envn - The default environment.

Rel - The default release level.



*Note: Use **F4=Prompt** to select all 3 entries at once.*

Functions:

F10

Extras. Use this function to display extra options. For more information, see Maintain User Profiles Extra Details Screen (F10).

F13

Initial Menu. Use this function to display the menu defined as the user's initial menu.

F17

Menu Authority. Use this function to grant authority to this user to use other menus. For more information, see Apply Authorisation Codes.

F18

Passthrough. Use this function to authorise this user to pass-through to other systems.

F19

Company Task. Use this function to authorise this user to companies and tasks within applications.

F20

Developer. Use this function to authorise this user to use Application Developer applications

F21

Group Jobs. Use this function to set up group jobs for this user.



Press **Enter** to validate the data you have entered. Select **F3=Exit** to update and to display the Exit Prompt screen. This screen gives you the options to save, abandon changes, or continue.

Maintain User Profiles Extra Details Screen (F10)



Select **F10=Extra** at the Maintain User Profile Detail Screen and the screen is extended to include extra items for the user profile.

Use this screen to enter further details for the user profile.

XA100 Administration Functions		System: STUD140
Maintain User Profiles		
User Profile		Action
GBJBA1MS Mike Summers - Education Materials		*Update
Type changes, press Enter and then F3 to Update		
User level	3 (1=Novice,3=Expert,8=Nov Grp,9=Exp Grp)	
Initial menu	AM	
Default sign-on company	Z1	
Single application task		
Default development application	FI DM3 03	
Language code		
Default job queue / library	QBATCH / QGPL	
Default print queue / library	QPRINT / QGPL	
Hold on print queue	1 (1=Yes,0=No)	
Authorised to common functions	1 (1=Yes,0=No)	
Sign-off on leaving system	0 (1=Yes,0=No)	
Date format (D/M/Y)	0	
Allow submit job prompt	1 (1=Yes,0=No)	
Allow command entry	1 (1=Yes,0=No)	
Message delivery	*USER (*NOTIFY,*BREAK,*HOLD,*DFT,*USER)	
F3=Exit F4=Browse F11=Delete F12=Previous F13=Initial menu F17=Menu authority F18=Pass-through F19=Company/task F20=Developer F21=Group Jobs 06-37 SA MW KS IM II EDN400A PET16SS2		

Fields:

Language Code

If an alternative language code is required for this user then select the code.

Default Job Queue/Library

Enter the name of the job queue, and then the library, to which batch jobs are submitted for this user.

Default Print Queue/Library

Enter the name of the print queue, and then the library, to be used for printed output for this user.



*Note: To override the default job/print queues select **F19=Company/Task** and enter 3 against the required application. See the section **Override Default Job/Output Queues**.*

Hold On Print Queue

0 - If the status is to be READY (to print).

1 - If output is to be placed on the print queue with status HELD.

Authorised To Common Functions

0 - The user is not authorised to use Administration Functions.

1 - If the user is authorised to use Administration Functions.

Sign-Off On Leaving System

0 - To return to the higher level controlling program from which access was originally made.

1 - To force the user to SIGN OFF when exiting Application Manager supported systems.

Date Format (D/M/Y)

D - If this user is to enter and view dates in DDMMYY sequence.

Y - For YYMMDD sequence.

M - For MMDDYY sequence.

Allow Submit Job Prompt

0 - Do not allow the user to change job queue or print queue at batch job submission.

1 - To allow the user to request a job submission prompt when a batch job is submitted from applications running under the control of Application Manager. This will enable the user to change the job queue or print queue.

Allow Command Entry

0 - To disable.

1 - To enable the option line on each menu to be used for command entry.

Message Delivery

This field defines the manner in which messages are delivered to the user whilst using IPG/400. Valid options are:

*NOTIFY - The Message Available icon is displayed on the screen when a new message has been delivered to the user's message queue.

*BREAK - As a message is delivered to the user's message queue, the current interactive session is suspended whilst the message is displayed.

*HOLD - Incoming messages are placed in the message queue and no further action is taken.

*DFT - The message delivery settings will ignore Information Only messages and issue a default reply to any that require one.

*USER - This setting is used to enable standard message handling.



Press **Enter** to accept the entered information.
When you select **F3=Exit** you are prompted to save or abandon your changes.

Select Menu Authorisation Window (F17)

-  Select **F17=Menu Authority** from the Maintain User Profile Details screen, the Select Menu Authorisation Window displays.

Use this window to authorise users to menus.



The screenshot shows the 'Administration Functions' window for user 'BRIGHTN'. The 'User Profile' section displays 'NICK BRIGHT (Studley - Olympic Software)' with an 'Action *UPDATE' button. Below this, a list of 'Select Menu Authorisations' is shown, including 'Opt', 'Env', 'Menu', and 'Text' columns. The 'Opt' column shows '1' for 'AM0' and 'AM1'. The 'Env' column shows 'FIX' and 'ENH'. The 'Menu' column shows 'AGTSUP', 'AI0', 'AI1', 'AI2', 'AI3', 'AI89', 'AM0', 'AM0IT', and 'AM1'. The 'Text' column shows the corresponding menu names. A 'More...' button is visible at the bottom right of the menu list.

Opt	Env	Menu	Text
-	FIX	AGTSUP	agent support fix environmen
-		AI0	EDI Initial Menu
-		AI1	EDI Purchase Menu
-		AI2	EDI Sales Menu
-	ENH	AI2	Sales Menu
-		AI3	EDI Maintenance Menu
-		AI89	EDI Utilities Menu
1		AM0	Application Men
-	OSL	AM0IT	Menu iniziale italiano
1		AM1	Company Men

Fields:

Opt

The details of all the menus known to the system are shown.

1 - Select a menu to display the options. If the user already has authority to the menu this is indicated by 1 against the menu.

-  When 1 is entered against a menu on the Select Menu Authorisation Window the Menu Activity Selection Window is displayed.

Menu Activity Selection Screen (F13, F15 and F17)



To display this screen, select **F15=Create OS/400 User** from the Select User Profiles screen, or
Select **F13=Initial Menu** and then
F13=Authorise User from the Maintain User Profiles Extra Details screen, or
Enter **1** against a menu on the Select Menu Authorisation Window.

This screen displays the list of the options which are available from the selected menu.

XA100 Administration Functions		System: STUDB30A	
Maintain User Profiles			
User Profile		Action	
BRIGHTN		*UPDATE	
NICK BRIGHT (Studley - Olympic Software)			
Type changes, press Enter and then F3 to Update			
User level		Menu Activity Selection	
Initial menu		Menu AMO	
Default sign-on compa		Type options and press ENTER	
Single application ta		1=Select Menu Activity	
Default development a		Opt Menu Activity	
Language code		1 F 01 HELP	
Default job queue / 1		1 F 03 EXIT	
Default print queue /		1 F 04 PROMPT	
Hold on print queue .		1 F 06 DSPMSG	
Authorised to common		1 F 09 DUP	
Sign-off on leaving s		1 F 12 RETURN	
Date format (D/M/Y) .		1 F 14 WRKSBMJOB	
Allow submit job prom		1 F 16 CHGCO	
Allow command entry .		1 F 18 WRKSPLF	
Message delivery . . .		1 O 01 MENU INO	
F3=Exit F4=Browse		More...	
F13=Initial menu		F12=Previous F15=All F18=Revoke	
F18=Pass-through			

Fields:

Opt

1 - Enter 1 alongside a menu activity to grant the user authority to that activity.
(Blank) - If you wish to revoke authority previously given, change the 1 to a blank.

Functions:

F15

All. Select this function to grant authority to all options or functions displayed in the window.

F18

Revoke. Select this function to revoke authority previously granted to all displayed options/function keys.



When the process is completed for each of the menu activity screens selected, the previous window will be redisplayed.

Select User Passthrough Authorities (F18)



Select **F18=Passthrough** from the Maintain User Profiles screen to display the authorisation window.

A list of all known target systems is displayed.

```
XA100      Administration Functions      System: STUDEB30A
Maintain User Profiles
User Profile
BRIGHTN
NICK BRIGHT (Studley - Olympic Software)
Type changes: press Enter and then F3 to Update
User level . . . . .
Initial menu . . . . .
Default sign-on compan
Single application tas
Default development ap
Language code . . . . .
Default job queue / li
Default print queue /
Hold on print queue .
Authorised to common f
Sign-off on leaving sy
Date format (D/M/Y) .
Allow submit job promp
Allow command entry .
Message delivery. . .
F3=Exit  F4=Browse  F
F13=Initial menu  F
F18=Pass-through  F19
Type option: press Enter
1=Select System
Position list to...
0 System Type Description
1 ALLIANCE
1 BLOHORN
1 BRISB30A AS/400 Bristol AS/400 Model B30
1 BRISTOOL AS/400 Bristol Development AS/400 C04
1 CALB30A AS/400 Calthorpe Rd AS/400 Model B30
1 CHER400A AS/400 Chertsey AS/400 A machine
1 CHIC400 AS/400 Chicago AS/400 G.M.D
1 CHWDB10A AS/400 Chorleywood Demonstration B10
1 CHWDB40A AS/400 Chorleywood AS400 Model B40
1 DIALIBM
More...
F12=Previous  F15=All  F18=Revoke
```

To grant the user authority to pass through to a system enter 1 alongside it. To revoke authority change the 1 to a blank.



*Note: If you select **F15=All** to grant authority to all systems is chosen, then authority is granted for this user, to all systems defined to the Application Manager.*

Grant Company/Task Authority Screen (F19)



Select **F19=Company/Task** at the User Profile maintenance screen to display this screen.

Use this screen to authorise the user to companies and tasks. A list of all the applications installed on your Server and defined to System Manager is shown.

```
XA100      Administration Functions      System: STUDB30A
Maintain User Profiles
User Profile
BRIGHTN    NICK BRIGHT (JBA Software Products)      Action
*Update
Enter selections, press Enter
1=Select companies, 2=Application tasks, 3=User overrides
Position list to... _ _ _
Opt  Application ID Env RI Description
- 12 AA 02 IPG Demonstration
- AA FIX 01 Authorisation System version 2
- AA OLY 01 Application Authorisation Fix
- 12 AA OSL 01 Application Authorisation
- AA 31 01 Authorisations System
- 2 AB IPG/400 Demonstration
- 12 AD AD/Cycle Vehicle Servicing App
- AI 02 EDI Application Interface
- AI ATM 02 AI for Automotive
- AI ENH 02 Electronic Data Interchange
- AI FIX 02 Electronic Data Interchange
More...
F3=Exit F12=Previous
```

Fields:

Opt

Enter one of the following:

- 1 - The user profile being processed has previously been granted authority to some companies in this application.
- 2 - The user has previously been granted authority to some application task in this application.
- 3 - The user has overrides to their default job/print queues within this application.

Company Authorisation Window (Option 1)



Select **1** at the Company Task (F19) option to display the Company Authorisation window.

XA100 Administration Functions				System: STUDB30A	
Maintain User Profiles					
User Profile					Action
BRIGHTN					*UPDATE
NICK BRIGHT (Studley - Olympic Software)					
Enter selections, press Ent					
1=Select companies, 2=Appl					
Opt	Application	Appl	ID	Env	RI Desc
I	12	PL	02		Busi
-		PL	ATM	02	PL f
-		PL	DCX	02	Dual
-		PL	DCY	02	Dual
-		PL	DE	02	Kred
-		PL	DEM	02	Purc
-		PL	ENH	02	PL V
-		PL	FIX	02	PL f
-		PL	GER	02	Germ
-		PL	IAN	02	Test
-		PL	IMG	02	PURC
F3=Exit F12=Previous					
Company Authorisation					
Application . . PL 02					
Type options and press ENTER					
1=Select Company					
Position list to.. _					
Opt	Company				
-	AB Adrians				
-	AD OVRMSGF QUSERMSG SLMSGFZM				
-	AL Lammers & Co				
-	AM Additional Depreciation Methods				
-	AS AS/400				
-	AV Scriven's Supplies				
-	A1 stand alone purchase ledger				
I	BJ Jones & Son Plc. (StudB30A Dept.)				
-	BW Bernie Williams single currency				
-	B1 B. Williams No 2 Non-currency comp				
More...					
F12=Previous F15=All F18=Revoke					

Fields:

Opt

To grant authority enter 1 alongside an item. To revoke authority change the 1 to a blank.

Functions:

F15

All. Use this function to grant authority to all companies.

F18

Revoke. Use this function to revoke all previously granted authorities to companies.

Application Task Authorisation Window (Option 2)



Select **2** at the Company Task (F19) option to display the Application Task Authorisation window.

XA100 Administration Functions System: STUDB30A

Maintain User Profiles

User Profile
BRIGHTN
NICK BRIGHT (Studley - Olympic Software)

Action
*UPDATE

Enter selections, press Ent

1=Select companies, 2=Appl

Opt	Application ID	Env	RI	Appl Desc
2	12	PL	02	Busi
-		PL	ATM 02	PL f
-		PL	DCX 02	Dual
-		PL	DCY 02	Dual
-		PL	DE 02	Kred
-		PL	DEM 02	Purc
-		PL	ENH 02	PL V
-		PL	FIX 02	PL f
-		PL	GER 02	Germ
-		PL	IAN 02	Test
-		PL	IMG 02	PURC

F3=Exit F12=Previous

Application Task Authorisation

Application . . PL 02

Type options and press ENTER

1=Select Application Task

Opt	Application Task
1	Maintain company profile.
1	Print Company Profile
1	Maintain Supplier Name & Address
1	Maintain despatch addresses.
1	Maintain Supplier & Item text.
1	Maintain reason codes.
1	Maintain location codes.
1	Maintain calendar
1	List Suppliers Report
1	List Despatch Addresses Report
1	List Reason Codes Report

More...

F12=Previous F15=All F18=Revoke

Fields:

Opt

1 - To grant authority enter 1 alongside an application task.

(Blank) - Change 1 to blank to undo a previously authorised item.

Functions:

F15

All. Use this to o grant authority to all companies.

F18

Revoke. Use this to revoke all previously granted authorities to application tasks.

Maintain User Overrides Window (Option 3)



Select 3 at the Company Task (F19) option to display the Maintain User Overrides Authorisation window.

XA100		Administration Functions		System: STUDB30A	
Maintain User Profiles					
User Profile				Action	
BRIGHTN				*UPDATE	
NICK BRIGHT (Studley - Olympic Software)					
Enter selections, press Enter					
1=Select companies, 2=App					
Opt	Application	ID	Env	R1	App Des
3	12	PL	02		Bus
—		PL	ATM 02		PL
—		PL	DCX 02		Dua
—		PL	DCY 02		Dua
—		PL	DE 02		Kre
—		PL	DEM 02		Pur
—		PL	ENH 02		PL
—		PL	FIX 02		PL
—		PL	GER 02		Ger
—		PL	IAN 02		Tes
—		PL	IMG 02		PUR
F3=Exit F12=Previo					

Maintain User Overrides	
Make selections if required, press Enter	
Company Code	<u>ZM</u>
Search string.....	<u>REPORT</u>
These selections will be used to build a list of application tasks whose default job and print queue may be overridden. If you have entered a search string, then the list will contain only those application tasks containing the string of characters.	
F4=Browse F12=Previous	
More...	

Default job queues and output queues for submitted jobs may be established for each user profile. In the absence of any changes made at runtime, these queues would be used for any job submitted by this user.

Use this maintenance option, for a given user, to define a particular output queue or job queue for any specific application task and company.

Maintain User Overrides Job Queue Screen



Press **Enter** at the Maintain User Overrides Authorisation window to display the Maintain User Overrides Job Queue Screen.

XA130 Administration Functions		System: STUDB30A
Maintain User Overrides - Job Queues		
User Profile	Application	Company
BRIGHTN	PL 02	ZM
Type changes: press Enter		
Default Job Queue/Library . . QPGMR		QGPL
Application Task and Description	Job Queue / Library	
1080 List Suppliers Report	_____	_____
1090 List Despatch Addresses Report	_____	_____
1100 List Reason Codes Report	_____	_____
1110 List Location Codes Report	_____	_____
1120 List Calendar File Report	_____	_____
1140 Supplier Audit Report	_____	_____
2080 Session Audit Report	_____	_____
2090 Aged Creditors Report	_____	_____
2100 List Outstanding Items Report	_____	_____
2110 List Inactive Suppliers Report	_____	_____
2120 List Supplier Items Report	_____	_____
		More...
F3=Exit F12=Previous F14=Override Print Queues		

Fields:

Job Queue/Library

To override the default user queues, enter the alternative queue name and library name against the required task.

Functions:

F14

Override Print Queue. Select this function to override the default print queue/library. Enter 1 in the Hld field to put the output on the print queue with the status HELD. Enter 0 to put the output on the print queue with the status READY.



Press **Enter** to confirm your selections.

Select User Development Applications Window (F20)



Select **F20=Developer** from the user defaults screen to display this screen.

This displays a list of all applications which are installed on your Server and defined to System Manager.

XA100 Administration Functions System: STUDB30A

Maintain User Profiles

User Profile **Action**
 BRIGHTN *UPDATE
 NICK BRIGHT (Studley - Olympic Software)

Type changes, press Enter and

User level
 Initial menu
 Default sign-on company
 Single application task
 Default development applica
 Language code
 Default job queue / libra
 Default print queue / libra
 Hold on print queue
 Authorised to common functi
 Sign-off on leaving system.
 Date format (D/M/Y)
 Allow submit job prompt
 Allow command entry
 Message delivery.

Select User Development Applications

Position List To: _
 Type option, press Enter.
 1=Select Application

Op	ID	Env	RI	Application Text
	AA			IPG Demonstration
I	AA	02		Authorisation System version 2
	AA	FIX	01	Application Authorisation Fix
I	AA	OLY	01	Application Authorisation
	AA	OSL	01	Authorisations System
I	AB			IPG/400 Demonstration
	AC			Demonstration Application
I	AD			AD/Cycle Vehicle Servicing App
	AD	VID		ITSO Vehicle Servicing
	AG	02		IPG for Translation Purposes

F12=Cancel

F3=Exit F4=Browse F11=De
 F13=Initial menu F17=Me
 F18=Pass-through F19=Company/task F20=Developer F21=Group Jobs

Fields:

Option

Enter 1 against the applications to which the user has access. This function controls access to the Interactive Program Generator (IPG/400) and Report Generator.

User Group Jobs Window (F21)



To display the User Group Jobs Window select **F21=Group Jobs** from the User Profile Maintenance screen.

Group jobs provides the user with the ability to interrupt a job and process another job, then return to the same point where they left their original job. For example, to perform an instant enquiry on another part of the database such as referencing Accounts Receivable or Sales Order Processing from General Ledger.



Note: Each group job counts as one user of the system when your User Code is validated.

Performance Considerations

The use of group jobs has an impact on the performance of your Server. This impact will differ from system to system.

You should consider the following points before you implement job groups:

1. Review, and if necessary, increase the size of your machine pool, as each group job (active or suspended) requires approximately 1000 bytes of dedicated main storage in the machine pool.
2. Review and, if necessary, increase the following system values:
 - Initial number of active jobs QACTJOB.
 - Additional number of active jobs QADLACTJ.
 - Initial total number of jobs QTOTJOB.
 - Additional number of total jobs QADLTOTJ.
3. When transferring from one job to a new group job, the overhead is roughly the same as signing on to the system. If the group job you are transferring to is already started, then the overhead is equivalent to transferring to a secondary job using the System Request menu.
4. When the attention key is pressed, the current display is saved. The overhead is similar to using the System Request menu and has a more noticeable effect on remote workstations.



Note: For more detailed information on performance considerations of group jobs, refer to the IBM manual SC21-8078-0 Programming: Work Management Guide.


You can set up a list of up to 20 application tasks as the group jobs for a user. These tasks can, if required, cross application boundaries. An entered sequence number is given to those tasks to control the order in which they are displayed.

XA100 Administration Functions		System: STUDB30A
Maintain User Profiles		
User Profile	Action	
BRIGHTN	*UPDATE	
NICK BRIGHT (Studley - Olympic Software)		
Type changes, press Enter and then F3 to Update		
User level	3	(1=Novice, 3=Expert)
Initial menu		
Default sign-on company		
Single application task		
Default development app		
Language code		
Default job queue / lib		
Default print queue / l		
Hold on print queue . .		
Authorised to common fu		
Sign-off on leaving sys		
Date format (D/M/Y) . .		
Allow submit job prompt		
Allow command entry . .		
Message delivery		
F3=Exit F4=Browse F1		
F13=Initial menu F1		
F18=Pass-through F1		

User Group Jobs	
Type option, press Enter.	
Seqn	Description
01	Supplier enquiry.
02	Supplier reference enquiry.
03	Customer Enquiry.
04	List Suppliers Report
05	Maintain location codes.
06	Supplier enquiry.
07	Item/Stockroom Enquiry
08	General Ledger A/C Number Enquiry
09	Stock History Enquiry
10	Post Spread Journals
More...	
F8=Add F12=Previous	

Group Job Activity Definition Window

 Select **F8=Add** to add a group job.



The screenshot shows the 'Administration Functions' window with the 'User Profile' section selected. The 'User Profile' section displays the name 'BRIGHTN' and 'NICK BRIGHT (Studley - Olympic Software)'. The 'Action' field shows '*UPDATE'. The 'User level' is set to '3' (1=Novice, 3=Expert). The 'Initial menu' is set to '3'. The 'Default sign-on company' is 'Single application task'. The 'Default development app' is 'Language code'. The 'Default job queue / lib' is 'Default print queue / 1'. The 'Hold on print queue' is 'Authorised to common fu'. The 'Sign-off on leaving sys' is 'Date format (D/M/Y)'. The 'Allow submit job prompt' is 'Allow command entry'. The 'Message delivery' is 'F3=Exit F4=Browse F1 F13=Initial menu F1 F18=Pass-through F1'. The 'User Group Jobs' section is open, showing a list of jobs with the following details:

Seqn	Description
01	Supplier enquiry.
02	Sup
03	Cus
04	Lis
05	Mai
06	Sup
07	Ite
08	Gen
09	Sto
10	Pos


The 'Group Job Activity Definition' sub-window is open, showing the following fields:

Application ID	___
Environment	___
Release level	___
Task code	___
Sequence	00

At the bottom of the sub-window, there are buttons: 'F4=Browse', 'F12=Previous', and 'More...'. The main window also has a 'More...' button at the bottom right.

You can press **F4=Prompt** to select from a list of applications installed on your system. Enter 1 against the required application and press **Enter**.

A window displays a list of all tasks in the selected application.



The screenshot shows the 'Administration Functions' window with the 'User Profile' section selected. The 'User Profile' section displays the name 'BRIGHTN' and 'NICK BRIGHT (Studley - Olympic Software)'. The 'Action' field shows '*UPDATE'. The 'User level' is set to '3' (1=Novice, 3=Expert). The 'Initial menu' is set to '3'. The 'Default sign-on company' is 'Single application task'. The 'Default development app' is 'Language code'. The 'Default job queue / lib' is 'Default print queue / 1'. The 'Hold on print queue' is 'Authorised to common fu'. The 'Sign-off on leaving sys' is 'Date format (D/M/Y)'. The 'Allow submit job prompt' is 'Allow command entry'. The 'Message delivery' is 'F3=Exit F4=Browse F1 F13=Initial menu F1 F18=Pass-through F1'. The 'User Group Jobs' section is open, showing a list of jobs with the following details:

Opt	Ap	Env	RI	Text
-	AA			IPG Demonstration
-	AA	02		Authorisation System version 2
-	AA	FIX	01	Application Authorisation Fix
-	AA	OLY	01	Application Authorisation
-	AA	OSL	01	Authorisations System
-	AB			IPG/400 Demonstration
-	AC			Demonstration Application
-	AD			AD/Cycle Vehicle Servicing App
-	AD	VID		ITS0 Vehicle Servicing
-	AG	02		IPG for Translation Purposes

The 'Select Application' sub-window is open, showing the following fields:

Type option, press Enter	1=Select Application
Position list to..	___

At the bottom of the sub-window, there is a button: 'F12=Previous'. The main window also has a 'More...' button at the bottom right.

Fields:

Opt

1 - Enter 1 against a task to include as a group job, then press **Enter**.

Using Group Jobs

A user can group jobs when running applications under the control of Application Manager.

Once a user's group jobs have been set up, the Attention key is used to display a window which shows the application tasks which have been set up as the group jobs for that user. To select a job, enter 1 against the required task and press **Enter**.

If the user exits the selected task, normally by pressing **F3=Exit**, they return to their original task. However, if the Attention key is pressed again, the group jobs window is re-displayed with a >> against any task(s) which they have already selected. They are then able to select another task if they wish. A maximum of 16 group jobs may be active for each user at any time. Leaving any one of the tasks will always return the user back to their original task.

Maintain User Groups

A group profile is a user profile whose attributes and authorities are adopted by other user profiles. It must be defined to Administration Functions but does not have to be defined to OS/400.

Each user profile must be defined to the group profile list. A user profile that is defined as belonging to a group cannot be maintained individually. Any changes made to the group user profile are automatically made to each user profile within the group profile list.

XA100 Administration Functions		System: STUDB30A
Maintain User Profiles		
User Profile	Action	
FINANCIAL * User not defined to OS/400 *	*Add	
Type changes, press Enter and then F3 to Update		
User level 9 (1=Novice,3=Expert,8=Nov Grp,9=Exp Grp)		
Initial menu		
Default sign-on company		
Single application task		
Default development application		
F3=Exit F4=Browse F10=Extras F11=Delete F12=Previous F13=Initial menu F17=Menu authority F18=Pass-through F19=Company/task F20=Developer F21=Group Jobs		



Note: Refer to the section User Profile for further details of the fields on this screen.

Maintain the group profile in the same way as you would maintain a user profile - the only difference being that the user level must be 8 or 9.

The group profile has now been created.

To maintain it, select **F15=Maintain User Groups**.

Maintain Group Profiles

You may now define the list of users belonging to this group.

XAS301 Administration Functions System: STUDB30A

Maintain Group Profile

Group Profile Name : FINANCIAL Position to profile . . . _____

Group Description : * User not defined to OS/400 *

Option	User Profile	Description
-	GBJBAEDS	D'Arcy Swan (JBA SP Limited)
-	GBJBANAC	NOEL A CLANCY (JBA Software Products Limited, Stud
-	GBJBASP2	Simon D Pearson (JBA Software Products LTD)
-	HALLIWLR	LISA R HALLIWELL (JBA Software Products Limited, S
-	PIKEJ	Jonathan Pike (JBA Software Products Limited, Stud

4=Delete Bottom

F3=Exit F8=Add User To Group F12=Previous

Fields:

Group Description

This is the description of this group profile.

Option

Select option 4 against a user profile in order to remove it from the user profile group.

User Profile

This is the name of a user profile which will adopt the attributes and authorities of the group user profile.

Functions:

F3

Exit Group Profiles. If any changes have been made you will be prompted to save or abandon your changes.

F8

Add a user to the group.



Press **Enter** to accept the information you have just entered.



Press **F8=Add** to add a new user to the group.

```

XAS301      Administration Functions      System: STUDB30A
Maintain Group Profile
Group Profile Name : FINANCIAL      Position to profile . . . _____
Group Description : * User not defined to OS/400 *
Option  User Profile  Description
-      GBJBAEDS      D'Arcy Swan (JBA SP Limited)
-      GBJBANAC      NOEL A CLANCY (JBA Software Products Limited, Stud
-      GBJBASP2      Add User Profile To Group Profile List      TD)
-      HALLIWLR      Limited, S
-      PIKEJ      User profile name : _____      ited, Stud

      Press Enter to add the above user profile
      to the list of profiles maintained by this
      group profile, or press F3 to exit, or F12
      to cancel the addition request.

      F3=Exit   F4=Select   F12=Previous

4=Delete
F3=Exit   F8=Add User To Group   F12=Previous      Bottom
  
```

Fields:

User Profile Name

Enter the name of a valid user profile which is to be added to the list of user profiles defined to this group profile. The user profile must be defined to either Administration Functions or OS/400 (or both).

If the user profile is not defined to Administration Functions, but is defined to OS/400, it will automatically be defined to Administration Functions.

Use **F4=Prompt** to select a profile name from those defined to Administration Functions.

Maintain Language Parameters

The design of System Manager is such that users who speak different languages may each use the system with the display screen constants and messages shown in their native tongue.

Use this facility to maintain language descriptions for the multiple language options which exist in the system.

Selecting a Language



Select option 2 from the Administration Menu.



*Note: The Maintain Language Parameters screen has two parts. In Part 1 you enter the Language Code and then press **Enter**. In Part 2 you enter the Language Description. Both parts have separate Functions.*

Part 1

XA141 Administration Functions System: STUDB30A

Maintain Language Parameters

Language Code _____

F3=Exit F4=Browse F23=Print Languages

Fields:

Language Code

Enter the language code to be maintained.

Functions:

F23

To print a list of all available languages.



Press **Enter** when you have selected a language code.

Part 2

Fields:

Language description

Enter the description of the language.



Note: For details of the use of multiple language

facilities for other products, for example, Machine Manager and Housekeeping see the command MNTIPGLIBL.

Functions:

F11

Delete this language code. This does not affect the language libraries you may have set up, only the recognition of it. Select **F11** again to confirm the deletion.



Press **Enter** to process.

Apply Authorisation Codes



Select option 3 - Apply Authorisation Codes from the Administration Menu.

When you first receive your copy of System Manager, you need to set up Authorisation Codes for each of the applications which you wish to use. JBA Software Products Limited will provide your Software Support Organisation with the codes required to run the applications you have ordered.

The list of applications starts with System Manager and development applications. These are followed by other installed applications.

Two authorisation codes are required for each application. The first code authorises the use of a specific application. The second code allows a specific number of users to use the application, this code is known as the User Code.

XA600 Administration Functions System: STUDB30A

Apply Authorisation Codes

CPU Serial Number: _ 4 4 A 0 5 5 6 _ _ Model No: E70

Type authorisation codes, press Enter

Application	Description	Authorisation Code	User Code
	Application Manager	E75167515	T23488789
	Housekeeping	P75258723	C89726415
	Machine Manager	H45897745	G78651236
	Network Manager	X12906936	C27589682
	IPG/400	H63565464	T55264562
	File Migration Utility	C75441139	X11254542
	IRG/400 Report Generator	G54454554	Y84616463
	VIEWfinder	X58683565	M54521454
0 GL 03	General Ledger	F54524541	T57225599
0 IN 03	Inventory Management	J45644222	W25814633

F3=Exit F5=Refresh F8=Update F23=Print Authorisation Codes

Fields:

Authorisation Code

Enter the nine-digit authorisation code against each of the applications required.

Functions:

F5

If you make a mistake whilst entering an authorisation code, select F5 to refresh the screen.

F23

Print a list of the authorisation codes for all applications on your system.



Select **F8=Update** to accept your entries.

User Code Monitoring

An internal count is kept of the number of users of each application. Under normal operation you should not be aware of this count, unless you have exceeded your allowed number of users.

For many applications the User Code allows zero users of that application. In this case, a user of that application is included into the count of Application Manager users. Therefore the warning message issued to the user relates to application XA V3, not the specific application they were attempting to access.

A program is provided to make sure that the user count is accurate. This program:

- Checks that the job still exists as an OS/400 job. The job could have ended abnormally and the user has signed off from his workstation. If this is the case then the count will be reduced.



Note: If the job has ended abnormally but the user is still signed on to the Server then the count is not reduced by this check.

- If the job has been initiated by running an Application Manager task then a check is made to see whether or not an allocation record still exists within Application Manager. If no allocation record exists then the count is reduced.

The program is automatically started whenever the number of allowed users of an application is exceeded.



Note: To run the program to verify the number of users independently enter the command CLNUSRALC.



Note: De-allocating a job or running Verify Allocations within Application Manager both reduce the applications user count where necessary. See the Application Manager Product Guide for further details on these processes.

The programs that control the number of users refer explicitly to library IPGCFF4. Thus if you have many copies of System Manager, the check for number of users is performed centrally.


Maintain Company Parameters

-  Select option 4 - Maintain Company Parameters from the Administration Functions menu and press **Enter**.

Use this option to set up and maintain the company details required for a multi-company environment.



Note: The Maintain Company Parameters screen has two parts. In Part 1 you enter the Company Code and then press Enter. In Part 2 you enter the Company name. Both parts have separate Functions.



XA143 Administration Functions System: STUDB30A

Maintain Company Parameters

Company Code ZM *UPDATE

Type in details and press ENTER to update

Company Name ZM Multi-Currency Demonstration

F3=Exit F11=Delete F12=Previous

Part 1

Fields:

Company Code

Enter the two-character company code to uniquely identify each company required.

Functions:

F23

Print all company parameter details.



Press **Enter** to display Part 2.

Part 2

Fields:

Company Name

Enter or update the company name details.



Note: Each of the Application Products, such as Inventory Management, support multiple company processing. Each application has a Maintain Company Profiles task, where you enter company parameters specific to that application. These tasks directly interface to Administration Functions. If a company, not known to Administration Function, is created in an application the company parameter details are automatically created.

You can use Company Code and Company Name in the menus you create using Application Manager. They are set up as standard reserved words:

@@@CONM Company name

@@@CONO Company Code.

See the Maintain Reserved Words section of Application Manager for more details about reserved words.



Note: Company code is independent of environment code. It is recommended that if you intend to use multiple environments, you should use different company codes for different environments.

Soft Options

Many users have a set of jobs or activities which they routinely carry out on the Server. Use the Soft Options facility to run those jobs or activities from any command line or option field within the System Manager environment.

You can set up soft options to call any recognised Server command or program. Each soft option is given a unique code; to execute the soft option simply enter the code on a command line and select **F7=Soft Options**. For soft options executed against a field, file or program, enter the soft option code in the option field and press **Enter**.

When you exit your soft option job you are returned to your previous menu or screen.

There are four levels of soft options. They are:

User Level	Global Options
User Level	Application Options
Public	Global Options
Public	Application Options

User level options belong to a specific user. User A may have an option DP to display prints. User B may also have an option, also named DP, but this displays a Physical File. Public options can be executed by any user, but can only be maintained through the Administration Functions menu.

Application options are linked to a specific application, whereas global options cross application boundaries.

Maintain Soft Options



Select option 4 - Maintain Soft Options from the Administration Functions Menu and press **Enter**.

Use this screen to define the soft options.

```
APG080      Administration Functions      System: STUDB30A
Maintain Soft Options

Soft option . . . . . _____
Public authority . . . 1      (0=No, 1=Yes)
Global access . . . . 1      (0=No, 1=Yes)

For non-Global options select the application.
Application ID . . . . . _____
Environment . . . . . _____
Release . . . . . _____

F3=Exit    F4=List    F12=Previous    F19=General Values
```

Fields:

Soft Option

Enter the code used to access the soft option. To use the code at option level within IPGs Work with Programs, Files or Data Definitions only use a two-character code.

Public authority

- 0 - For private use only.
- 1 - For public availability.

Global access

- 0 - If the option is intended for use in a specific application.
- 1 - For global usage.

Application

Enter the application ID if non-global.

Functions:

F19

General Values. Select to maintain User and Public substitution variables that may be used in your soft option commands. Eight variables are available at each

of the four levels. (User/Application, User/Global, Public/Application, Public/Global).

All Effective Soft Options Window(F4)



Select **F4=List** on the soft option field in Maintain Soft Options to display this window.

APG072

Administration Functions

System: STUDB30A

All Effective Soft Options

1=Select

Position to . . . _____

Opt	Option	Application	Text
-	AB	Global	Add Break Point To Program
-	AJ	Global	Work with Active Jobs
-	CF	Global	Global clearing of Physical Files
-	CH	Global	Change File
-	CL	Global	Clear Physical File
-	CS	Global	Check Source
-	DF	Global	Display Physical File Member
-	DG	Global	Mark Do Loop Structure in RRG source mbr
-	DM	Global	Display message queue QSYSOPR
-	DSPQB	Global	Display QBATCH
-	ED	Global	End Debug
-	EF	Global	Edit Data Base File
-	ET	Global	Link to office to add text for object
-	ET1	Global	Link to office to add text for object
-	FS	/ /	wrkoutq f_student
-	GCL	/ /	Work with jobs
-	JB	Global	Work with Jobq QBATCH

More...

F10=Owned Soft Options F12=Previous F15=Include Hierarchy F17=Commands

Functions:

F15

Include Hierarchy. Select this function to display a list of all soft options (the hierarchy). Select **F15=Exclude Hierarchy** again to display all effective or available soft options.

F17

Commands. Select this function to display the commands that are executed when each soft option is taken. Select **F7=Text** in this screen to return you to the soft option descriptions.

APG072

Administration Functions

System: STUDB30A

All Effective Soft Options

1=Select

Position to . . .

Opt	Option	Application	Command	Level	Envrnt	Mnt	Aut	Prm	Owner	ID
-	AB	Global	ADDBKP	Option	Inter	Yes	Yes	Yes	JENNINI	
-	AJ	Global	WRKACTJOB	Both	Inter	Yes	No	No	JENNINI	
-	CF	Global	CLRPFM	Both	Inter	No	No	Yes	HALLSJ	
-	CH	Global	CHGF	Option	Inter	No	No	Yes	JENNINI	
-	CL	Global	CLRPFM	Option	Inter	Yes	No	Yes	JENNINI	
-	CS	Global	CHKSRC	Option	Inter	No	Yes	Yes	PEARSOSD	
-	DF	Global	DSPPFM	Option	Inter	Yes	Yes	Yes	BRIGHTN	
-	DG	Global	DGNRPGSRC	Option	Both	Yes	No	Yes	JENNINI	
-	DM	Global	DSPMSG	Both	Inter	Yes	No	No	QPGMR	
-	DSPQB	Global	WRKJOBQ	Option	Inter	Yes	No	No	BRIGHTN	
-	ED	Global	BNDDBG	Both	Inter	Yes	No	No	JENNINI	
-	EF	Global	EDTDBF	Option	Inter	Yes	No	Yes	LEWISGC	
-	ET	Global	EDTOFCDOC	Option	Inter	No	No	Yes	BRIGHTN	
-	ET1	Global	CALL	Option	Inter	No	No	Yes	BRIGHTN	
-	FS	/ /	WRKOUTQ	Both	Inter	Yes	No	No	ROBERTSC	
-	GCL	/ /	WRKJOBQ	Cmd Ln	Inter	Yes	No	No	LEWISGC	
-	JB	Global	WRKJOBQ	Both	Inter	Yes	No	No	QPGMR	

More...

F10=Owned Soft Options F12=Previous F15=Include Hierarchy F17=Text

Maintaining Soft Options



To display this screen, enter a soft option and press **Enter**.

Use this screen to enter the details for the soft option.

```
APG071      Administration Functions      System: STUDB30A
Maintain User Defined Options

                                     *Add

Option is defined to all applications.
Owned by user profile ASTONMAG  Generator Systems at Aston Magna
Public access allowed.

Enter required command using substitution variables preceded by an '&'.

Option code DEMO      Text. . .
Command to execute . .

Execution environment . 2 (1=Both, 2=Interactive, 3=Batch)
Public maintenance . . 1 (0=No, 1=Yes)
Execution level. . . . 3 (1=Both, 2=Option, 3=Command Line)
Prompt before execution. 0 (0=No, 1=Yes)
Reset library list . . 1 (0=No, 1=Yes)

F4=Prompt  F5=Refresh  F11=Delete  F13=Lowercase Input  F24=More Keys
```

Fields:

Text

Enter a description of the option.

Command to Execute

Enter a Server command (or your own command) to execute the required job. For example, if you want to set up a soft option to work with submitted jobs, enter the command WRKSBJOB.

If you need to enter parameters for the command, select **F4=Prompt** on the command and the definable parameters are displayed.

Alternatively, you can let the user prompt when they enter the soft option code (see Prompt Before Execution).

You may include substitution parameters in your command. For example, you may set up an option to use the RUNQRY command: RUNQRY *NONE &FILLIB/&FILE

To see a list of the substitution variables available to you, select **F7=Text**. You must precede the substitution variable with the & character to use it in your command.

Execution Environment

Enter one of the following:

2 - To execute the program or command interactively.

3 - To execute the command or program as a batch job. If you select batch execution, then you are prompted to enter the batch submission details for the job.

Public Maintenance

Enter one of the following:

- 0 - If you are the only user allowed to maintain this option.
- 1 - If all users can maintain this option.

Execution Level

Enter one of the following:

- 1 - To allow the option to be run from both the option field and from a command line.
- 2 - To allow the option to be run from the option field only.
- 3 - To allow the option to be run from the command line only.

If the soft option is greater than two characters, it may only be executed from a command line as the option field in Work with Programs, Work with Files and Work with Data Definitions only allows two characters to be entered.

Prompt Before Execution

Enter one of the following:

- 0 - Not to prompt the user with the command details.
- 1 - To prompt the user with the command details so that they may change parameters.

Reset Library List

Enter 1 if you wish the library list to be reset after the execution of the soft option.



Warning: If you are using a command or program that alters the library list, then you should always choose to reset the library list, otherwise subsequent programs may not run correctly.

Functions:

F4

Prompt. Select this function to prompt on the command or program you wish to execute.

If the command to execute field is left blank, then **F4=Prompt** displays the IBM OS/400 Major Command Group Menu - Major so you can search for the command you require.

F13

Lowercase Input. Select this function to enter lowercase characters in the command to execute field.

F16

Change the command to execute field to lowercase.

F17

To see a list of the substitution variables that are available.



Note: You must precede the variable name with the & character.

F18

To accept the command.

Executing Soft Options from a Command Line

You can execute soft options as follows:

From A Command Line

You execute soft options from a command line by typing the soft option code and selecting **F7**. If the command line is blank, then **F7** displays a list of the available soft options for you to select from.

The screenshot shows a terminal window titled 'Administration Functions' with 'APG070' on the left and 'System: STUDB30A' on the right. The main content is a list of soft options under the heading 'Soft Options'. The list is as follows:

Opt	Option	Description
	AA	Test option
-	AJ	Work with Active Jobs
-	DM	Display message queue QSYSOPR
-	ED	End Debug
-	JB	Work with Jobq QBATCH
-	JO	Work with job queue OVERNIGHT
-	JP	Work with Jobq QPGMR
-	JS	Work with Submitted Jobs
-	J2	Work with Jobq QPGMR2
-	OP	Work with Outq QPRINT
-	OS	Work with Outq SYSPRT
-	O1	Work with Outq PRT01
-	PM	JSP Programmers Menu
-	RI	Run IPG Application
-	RR	Reclaim Resources
-	SB	Work with subsystem QBATCH
-	SF	Work with Spool Files

At the bottom of the screen, there are function key prompts: F3=Exit, F5=Refresh, F8=Add/Change, F12=Previous, and F17=View Command. A 'More...' link is also visible in the bottom right corner of the list area.

Fields:

Opt

To select an option enter 1 opposite the entry required.

Functions:

F8

Add/Change. To add or change soft options. Please refer to Maintaining Public Soft Options for details on how to maintain soft options.

F17

View Command. Toggle between the display of the command to execute and text for each of the soft options.



Press **Enter** to run the option.

From An Option Field

You can execute soft options from the option field in Work With Data Definitions and Work With Programs by typing the soft option code in the option field and

pressing **Enter**. If you select **F7** with the cursor in the option field, then a screen listing the available soft options is displayed.

Server User Profile

The System Manager user profile name must be the same as the user's Server user profile.

If you are signed on as QSECOFR you can create a server user profile by using **F15=Create OS/400 User**. This displays the Menu Activity Selection screen.

Direct Signon To Application

To specify a user signs on directly to an Application, enter the command:

```
CHGUSRPRF USRPRF(uuuuuuuuuuu) INLPGM(IPGAMP4/AMINITIAL
```

This command reads the parameters set up in the System Manager user profile and takes the user to their initial menu or single application task. When the user leaves Application Manager they are signed off the system (if this has been specified for their user profile).



Note: You must be signed on with Security Administrator authority to change a Server user profile.